Esri Accessibility Conformance Report ArcGIS Survey123

Product Version: Web App version 3.13

Report Date: SEP 2, 2021

09/02/2021 Table of Contents

Table of Contents

ESRI ACCESSIBILITY CONFORMANCE REPORT	1
Product Information	1
Purpose	3
Background	3
Terms	3
REVISED SECTION 508 CONSIDERATIONS	4
Application and Administration	4
Scoping Requirements	4
Functional Performance Criteria	4
Hardware	5
Software	5
Support Documentation and Services	5
WEB CONTENT ACCESSIBILITY REQUIREMENTS (WCAG) REPORT	6
WCAG Principle 1: Perceivable	6
WCAG Principle 2: Operable	13
WCAG Principle 3: Understandable	20
WCAG Principle 4: Robust	23
REVISED SECTION 508 REPORT	25
Chapter 3: Functional Performance Criteria	25
Chapter 4: Hardware	27
Chapter 5: Software	28
Chapter 6: Support Documentation and Services	34

List of Tables

Table 1: Applicable Standards and Guidelines	2
Table 2: Record of Changes	2
Table 3: Conformance Level Definitions	3
Table 4: WCAG Principle 1 Success Criteria - Perceivable	6
Table 5: WCAG Principle 2 Success Criteria - Operable	13
Table 6: WCAG Principle 3 Success Criteria - Understandable	20
Table 7: WCAG Principle 4 Success Criteria - Robust	23
Table 8: Revised Section 508 Chapter 3 - Functional Performance Criteria	25
Table 9: Revised Section 508 Chapter 5 - Software	28
Table 10: Revised Section 508 Chapter 6 - Support Documentation and Services	34

Esri Accessibility Conformance Report

Product Information

Product Name/Version: ArcGIS Survey123 (Web App / version 3.13)

VPAT Version: Revised Section 508 Edition (based on VPAT version 2.4)

Product Release Date: September 16, 2021

Report Date: September 2, 2021

Product Description: ArcGIS Survey123 is an end to end form centric data gathering solution. With Survey123 you can easily design and share location-aware smart forms. Data collected with Survey123 can be visualized and analyzed using ready to use tools in Survey123 and ArcGIS.

Notes: This report is written to reflect ArcGIS Survey123 web app.

Evaluation Methods Used: NVDA 2020 and Accessibility Insights. Evaluated internally by Esri.

Contact Information: Environmental Systems Research Institute, Inc. (Esri)

For more information regarding Esri accessibility and Section 508, visit https://www.esri.com/en-us/legal/accessibility.

Specific inquiries may be emailed to <u>EsriAccessibility@esri.com</u>, or mailed to Esri, Contracts and Legal Department, 380 New York Street, Redlands, California 92373.

1

Table 1: Applicable Standards and Guidelines

rabio 117 (phicable orangaras and colacimos			
Standards / Guidelines	Included In Report		
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)		
Web Content Accessibility Guidelines 2.1 (not yet evaluated)	Level A (No) Level AA (No) Level AAA (No)		
Revised Section 508 Standards	(Yes)		

Table 2: Record of Changes

Version	Date	Description of Changes
1.0	10/15/2020	Updated to 2.4 VPAT template
1.1	10/15/2020	Updated to version 3.11 product release
2.0	9/02/2021	Updated to version 3.13 product release

Purpose

The Voluntary Product Accessibility Template (VPAT) – also known as an Accessibility Conformance Report – is a template used to document a product's conformance with accessibility standards and guidelines. The purpose of the VPAT is to assist customers and buyers in making preliminary assessments regarding the availability of commercially-available Information and Communication Technology (ICT) products and services with features that support accessibility.

Background

On March 20, 2017, the Architectural and Transportation Barriers Compliance Board (Access Board) revised, updated, and combined standards for ICT developed, procured, maintained, or used by federal agencies covered by Section 508 of the Rehabilitation Act of 1973 and Section 255 of the Communications Act of 1934. The revisions and updates to these standards are intended to ensure that electronic media is accessible to and usable by individuals with disabilities.

Terms

The terms used in the 'Conformance Level' information are defined as follows:

Table 3: Conformance Level Definitions

Conformance Level	Definition
Supports	The functionality of the product has at least one method that meets the criterion or meets with equivalent facilitation.
Partially Supports	Product does not entirely meet the letter and intent of the criterion, but does provide some level of access.
	OR
	Product provides alternative methods to meet the intent of the criterion.
Does Not Support	The majority of product functionality does not meet the criterion.
Not Applicable	The criterion is not relevant to the product.
Not Evaluated	The product has not been evaluated against the criterion.

Revised Section 508 Considerations

Application and Administration

Information and Communication Technology (ICT) that is procured, developed, maintained, or used by agencies shall conform to these requirements. Section 508 of the Rehabilitation Act (29 U.S.C. 794d) applies to federal departments and agencies, including the U.S. Postal Service. The term "agency" is defined in Section E103 to include the United States Postal Service and other federal agencies and departments as specified in 44 U.S.C. 3502. That section of the U.S.C. defines agency to mean any executive department, military department, Government corporation, Government controlled corporation, or other establishment in the executive branch of the Government (including the Executive Office of the President), or any independent regulatory agency, but does not include (a) the General Accounting Office; (b) Federal Election Commission; (c) the governments of the District of Columbia and of the territories and possessions of the United States, and their various subdivisions; or (d) Government-owned contractor-operated facilities, including laboratories engaged in national defense research and production activities.

All sections of the technical standards may apply to this product and are individually addressed in the following sections.

Scoping Requirements

Section 508 Chapter 2 addresses application and scoping of the Revised 508 Standards, including exceptions. Multiple significant changes were made to this chapter, including:

- Adding a category to E205.3, official agency communications that are non-public facing electronic covered content;
- Clarifying the application of WCAG 2.0 to non-Web documents and software; and
- Made corresponding changes to E205.4 and E207.2, including adding E205.4.1 and E207.3, which specify the word substitution necessary to apply WCAG 2.0 to non-Web content.

207.2 WCAG Conformance. User interface components and content of platforms and applications shall conform to Level A and Level AA Success Criteria and Conformance Requirements specified for webpages in WCAG 2.0.

Functional Performance Criteria

301.1 Scope. The requirements of Chapter 3 shall apply to ICT where required by 508 Chapter 2 (Scoping Requirements), 255 Chapter 2 (Scoping Requirements), and where otherwise referenced in any other chapter of the Revised 508 Standards or Revised 255 Guidelines.

Hardware

401.1 Scope. The requirements of Chapter 4 shall apply to ICT that is hardware where required by 508 Chapter 2 (Scoping Requirements), 255 Chapter 2 (Scoping Requirements), and where otherwise referenced in any other chapter of the Revised 508 Standards or Revised 255 Guidelines.

EXCEPTION: Hardware that is assistive technology shall not be required to conform to the requirements of this chapter.

402.1 General. ICT with closed functionality shall be operable without requiring the user to attach or install assistive technology other than personal headsets or other audio couplers, and shall conform to 402.

Software

501.1 Scope. The requirements of Chapter 5 shall apply to software where required by 508 Chapter 2 (Scoping Requirements), 255 Chapter 2 (Scoping Requirements), and where otherwise referenced in any other chapter of the Revised 508 Standards or Revised 255 Guidelines.

EXCEPTION: Where Web applications do not have access to platform accessibility services and do not include components that have access to platform accessibility services, they shall not be required to conform to 502 or 503 provided that they conform to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1).

502.1 General. Software shall interoperate with assistive technology and shall conform to 502.

502.2 Documented Accessibility Features. Software with platform features defined in platform documentation as accessibility features shall conform to 502.2.

Support Documentation and Services

602.1 General. Documentation that supports the use of ICT shall conform to 602.

Web Content Accessibility Guidelines (WCAG) Report

WCAG Principle 1: Perceivable

Information and user interface components must be presentable to users in ways they can perceive. Criteria also apply to Revised Section 508 standards for Web and Software (501), Author Tools (504.2), and Support Documentation (602.3). Report contains Level A and AA only (Revised Section 508 does not apply to AAA).

Table 4: WCAG Principle 1 Success Criteria - Perceivable

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A)	Partially Supports	<u>Dropdown Questions</u>
All non-text content that is presented to the user has a text alternative that serves the equivalent purpose, except for the situations listed below.		Expand/Collapse button does not have descriptive text alternatives, nor tooltip though the screen reader does not identify the icon as a button.
 Controls, Input: If non-text content is a control or accepts user input, then it has a name that describes its purpose. 		
 Time-Based Media: If non-text content is time-based media, then text alternatives at least provide descriptive identification of the non-text content. 		
 Test: If non-text content is a test or exercise that would be invalid if presented in text, then text alternatives at least provide descriptive identification of the non-text content. 		
 Sensory: If non-text content is primarily intended to create a specific sensory experience, then text alternatives at least provide descriptive identification of the non-text content. 		
 CAPTCHA: If the purpose of non-text content is to confirm that content is being accessed by a person rather than a computer, then text alternatives that identify and describe the purpose of the non-text content are provided, and alternative forms of CAPTCHA using 		

Criteria	Conformance Level	Remarks and Explanations
output modes for different types of sensory perception are provided to accommodate different disabilities.		
 Decoration, Formatting, Invisible: If non-text content is pure decoration, is used only for visual formatting, or is not presented to users, then it is implemented in a way that it can be ignored by assistive technology. 		
1.2.1 Audio-only and Video-only (Prerecorded) (Level A)	Not Applicable	
For prerecorded audio-only and prerecorded video-only media, the following are true, except when the audio or video is a media alternative for text and is clearly labeled as such:		
 Prerecorded Audio-only: An alternative for time-based media is provided that presents equivalent information for prerecorded audio-only content. 		
 Prerecorded Video-only: Either an alternative for time- based media or an audio track is provided that presents equivalent information for prerecorded video-only content. 		
1.2.2 Captions (Prerecorded) (Level A)	Not Applicable	
Captions are provided for all prerecorded audio content in synchronized media, except when the media is a media alternative for text and is clearly labeled as such.		
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A)	Not Applicable	
An alternative for time-based media or audio description of the prerecorded video content is provided for synchronized media, except when the media is a media alternative for text and is clearly labeled as such.		

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA)	Not Applicable	
Captions are provided for all live audio content in synchronized media.		
1.2.5 Audio Description (Prerecorded) (Level AA)	Not Applicable	
Audio description is provided for all prerecorded video content in synchronized media.		
1.3.1 Info and Relationships (Level A)	Supports	
Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.		
1.3.2 Meaningful Sequence (Level A)	Supports	
When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.		
1.3.3 Sensory Characteristics (Level A)	Not Applicable	
Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, size, visual location, orientation, or sound.		
1.3.4 Orientation (Level AA – WCAG 2.1 only)	Supports	
Content does not restrict its view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.		
1.3.5 Identify Input Purpose (Level AA – WCAG 2.1 only)	Not Evaluated	

Criteria	Conformance Level	Remarks and Explanations
The purpose of each input field collecting information about the user can be programmatically determined when:		
 The input field serves a purpose identified in the Input Purposes for User Interface Components section; and 		
 The content is implemented using technologies with support for identifying the expected meaning for form input data. 		
1.4.1 Use of Color (Level A)	Supports	
Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.		
1.4.2 Audio Control (Level A)	Not Applicable	
If any audio on a Webpage plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level.		
1.4.3 Contrast (Minimum) (Level AA)	Supports	Color contrast is determined by the user, as the
The visual presentation of text and images of text has a contrast ratio of at least 4.5:1, except for the following:		foreground and background colors are customizable. We are looking into improvements in our documentation to highlight best practices when
 Large Text: Large-scale text and images of large-scale text have a contrast ratio of at least 3:1; 		creating forms as it pertains to accessible color choices.
 Incidental: Text or images of text that are part of an inactive user interface component, that are pure decoration, that are not visible to anyone, or that are part of a picture that contains significant other visual content, have no contrast requirement. 		Buttons text, input field text, and question subtext are known to require attention to contrast to support user visual discernment.

Criteria	Conformance Level	Remarks and Explanations
 Logotypes: Text that is part of a logo or brand name has no minimum contrast requirement. 		
1.4.4 Resize text (Level AA)	Supports	
Except for captions and images of text, text can be resized without assistive technology up to 200 percent without loss of content or functionality.		
1.4.5 Images of Text (Level AA)	Supports	
If the technologies being used can achieve the visual presentation, text is used to convey information rather than images of text except for the following:		
 Customizable: The image of text can be visually customized to the user's requirements; 		
 Essential: A particular presentation of text is essential to the information being conveyed. 		
Note: Logotypes (text that is part of a logo or brand name) are considered essential.		
1.4.10 Reflow (Level AA – WCAG 2.1 only)	Not Evaluated	Exception made for parts of the content which require two-dimensional layout for usage or meaning.
Content can be presented without loss of information or functionality, and without requiring scrolling in two dimensions		
for:		Examples of content which require two-dimensional
 Vertical scrolling content at a width equivalent to 320 CSS pixels 		layout are images, maps, diagrams, video, presentations, data tables, and interfaces where it is necessary to keep toolbars in view while
 Horizontal scrolling content at a height equivalent to 256 CSS pixels 		manipulating content.
1.4.11 Non-text Contrast (Level AA – WCAG 2.1 only)	Not Evaluated	

Criteria	Conformance Level	Remarks and Explanations
The visual presentation of the following have a contrast ratio of at least 3:1 against adjacent color(s).		
1.4.12 Text Spacing (Level AA – WCAG 2.1 only)	Not Evaluated	
In content implemented using markup languages that support the following text style properties, no loss of content or functionality occurs by setting all of the following and by changing no other style property:		
 Line height (line spacing) to at least 1.5 times the font size 		
 Spacing following paragraphs to at least 2 times the font size 		
 Letter spacing (tracking) to at least 0.12 times the font size 		
 Word spacing to at least 0.16 times the font size. 		

Where receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden, the following are true:

- Dismissable: A mechanism is available to dismiss the additional content without moving pointer hover or keyboard focus, unless the additional content communicates an input error or does not obscure or replace other content
- Hoverable: If pointer hover can trigger the additional content, then the pointer can be moved over the additional content without the additional content disappearing

Criteria Conformance Level Remarks and Explanations

 Persistent: The additional content remains visible until the hover or focus trigger is removed, the user dismisses it, or its information is no longer valid.

WCAG Principle 2: Operable

User interface components and navigation must be operable. Criteria also apply to Revised Section 508 standards for Web and Software (501), Author Tools (504.2), and Support Documentation (602.3). Report contains Level A and AA only (Revised Section 508 does not apply to AAA).

Table 5: WCAG Principle 2 Success Criteria - Operable

Table 5: WCAG Frinciple 2 Success Chieffa - Operable		
Criteria	Conformance Level	Remarks and Explanations
2.1.1 Keyboard (Level A)	Partially Supports	Signature Question
All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes, except where the underlying function requires input that depends on the path of the user's movement and not just		Requires mouse only interaction and does not allow the user to sign out by keyboard or screen reader.
the endpoints.		Ranking Question
Note 1: This exception relates to the underlying function, not the input technique. For example, if using handwriting to enter text, the input technique (handwriting) requires path-dependent input but the underlying function (text input) does not.		Requires mouse only interaction and does not provide announcement via screen reader.
Note 2: This does not forbid and should not discourage providing mouse input or other input methods in addition to keyboard operation.		
2.1.2 No Keyboard Trap (Level A)	Supports	
If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from		

If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, if it requires more than unmodified arrow or tab keys or other standard exit methods, the user is advised of the method for moving focus away.

Note: Since any content that does not meet this success criterion can interfere with a user's ability to use the whole page, all content on the Webpage (whether it is used to meet other

Criteria	Conformance Level	Remarks and Explanations
success criteria or not) must meet this success criterion. See Conformance Requirement 5: Non-Interference.		
2.1.4 Character Key Shortcuts (Level A – WCAG 2.1 only)	Not Evaluated	
If a keyboard shortcut is implemented in content using only letter (including upper- and lower-case letters), punctuation, number, or symbol characters, then at least one of the following is true:		
 Turn off: A mechanism is available to turn the shortcut off 		
 Remap: A mechanism is available to remap the shortcut to use one or more non-printable keyboard characters (e.g. Ctrl, Alt, etc) 		
 Active only on focus: The keyboard shortcut for a user interface component is only active when that component has focus. 		

2.2.1 Timing Adjustable (Level A)

For each time limit that is set by the content, at least one of the following is true:

- Turn off: The user is allowed to turn off the time limit before encountering it; or
- Adjust: The user is allowed to adjust the time limit before encountering it over a wide range that is at least ten times the length of the default setting; or
- Extend: The user is warned before time expires and given at least 20 seconds to extend the time limit with a simple action (for example, "press the space bar"), and the user is allowed to extend the time limit at least ten times; or

Not Applicable

Criteria Conformance Level Remarks and Explanations

- Real-time Exception: The time limit is a required part of a real-time event (for example, an auction), and no alternative to the time limit is possible; or
- Essential Exception: The time limit is essential and extending it would invalidate the activity; or
- 20 Hour Exception: The time limit is longer than 20 hours.

Note: This success criterion helps ensure that users can complete tasks without unexpected changes in content or context that are a result of a time limit. This success criterion should be considered in conjunction with Success Criterion 3.2.1, which puts limits on changes of content or context as a result of user action.

2.2.2 Pause, Stop, Hide (Level A)

For moving, blinking, scrolling, or auto-updating information, all of the following are true:

- Moving, blinking, scrolling: For any moving, blinking or scrolling information that (1) starts automatically, (2) lasts more than five seconds, and (3) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it unless the movement, blinking, or scrolling is part of an activity where it is essential; and
- Auto-updating: For any auto-updating information that

 (1) starts automatically and (2) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it or to control the frequency of the update unless the auto-updating is part of an activity where it is essential.

Not Applicable

Criteria	Conformance Level	Remarks and Explanations
Note 1: For requirements related to flickering or flashing content, refer to Guideline 2.3.		
Note 2: Since any content that does not meet this success criterion can interfere with a user's ability to use the whole page, all content on the Webpage (whether it is used to meet other success criteria or not) must meet this success criterion. See Conformance Requirement 5: Non-Interference.		
Note 3: Content that is updated periodically by software or that is streamed to the user agent is not required to preserve or present information that is generated or received between the initiation of the pause and resuming presentation, as this may not be technically possible, and in many situations could be misleading to do so.		
Note 4: An animation that occurs as part of a preload phase or similar situation can be considered essential if interaction cannot occur during that phase for all users and if not indicating progress could confuse users or cause them to think that content was frozen or broken.		
2.3.1 Three Flashes or Below Threshold (Level A)	Supports	
Webpages do not contain anything that flashes more than three times in any one second period, or the flash is below the general flash and red flash thresholds.		
Note: Since any content that does not meet this success criterion can interfere with a user's ability to use the whole page, all content on the Webpage (whether it is used to meet other success criteria or not) must meet this success criterion. See Conformance Requirement 5: Non-Interference.		
2.4.1 Bypass Blocks (Level A)	Partially Supports	The skip links navigation appears only when navigated to via keyboard (Tab key), and can be skipped.

Criteria	Conformance Level	Remarks and Explanations
A mechanism is available to bypass blocks of content that are repeated on multiple Webpages.		Landmarks and Headings (for pages, groups, and question labels) can be navigated by keyboard or other assistive technology.
2.4.2 Page Titled (Level A)	Supports	
Webpages have titles that describe topic or purpose.		
2.4.3 Focus Order (Level A)	Partially Supports	Dropdown Questions
If a Webpage can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.		Focus order lost by the screen reader and visible keyboard navigation within selection process for 'Other'.
2.4.4 Link Purpose (In Context) (Level A)	Partially Supports	<u>Map</u>
The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context, except where the purpose of the link would be ambiguous to users in general.		Powered by Esri is identified as a link, but its purpose, which is to link to esri.com, is not identified by the screen reader.
2.4.5 Multiple Ways (Level AA)	Not applicable	
More than one way is available to locate a Webpage within a set of Webpages except where the Webpage is the result of, or a step in, a process.		
2.4.6 Headings and Labels (Level AA)	Supports	
Headings and labels describe topic or purpose.		
2.4.7 Focus Visible (Level AA)	Supports	
Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.		

Criteria	Conformance Level	Remarks and Explanations
2.5.1 Pointer Gestures (Level A – WCAG 2.1 only)	Not Evaluated	
All functionality that uses multipoint or path-based gestures for operation can be operated with a single pointer without a path-based gesture, unless a multipoint or path-based gesture is essential.		
2.5.2 Pointer Cancellation (Level A – WCAG 2.1 only)	Not Evaluated	
For functionality that can be operated using a single pointer, at least one of the following is true:		
 No Down-Event: The down-event of the pointer is not used to execute any part of the function 		
 Abort or Undo: Completion of the function is on the up- event, and a mechanism is available to abort the function before completion or to undo the function after completion 		
Up Reversal: The up-event reverses any outcome of the preceding down-event		
Essential: Completing the function on the down-event is essential		
2.5.3 Label in Name (Level A – WCAG 2.1 only)	Not Evaluated	
For user interface components with labels that include text or images of text, the name contains the text that is presented visually.		
2.5.4 Motion Actuation (Level A – WCAG 2.1 only)	Not Evaluated	
Functionality that can be operated by device motion or user motion can also be operated by user interface components and responding to the motion can be disabled to prevent accidental actuation, except when:		

Criteria Conformance Level Remarks and Explanations

- Supported Interface: The motion is used to operate functionality through an accessibility supported interface
- Essential: The motion is essential for the function and doing so would invalidate the activity

WCAG Principle 3: Understandable

Information and the operation of user interface must be understandable. Criteria also apply to Revised Section 508 standards for Web and Software (501), Author Tools (504.2), and Support Documentation (602.3). Report contains Level A and AA only (Revised Section 508 does not apply to AAA).

Table 6: WCAG Principle 3 Success Criteria - Understandable

Criteria	Conformance Level	Remarks and Explanations
3.1.1 Language of Page (Level A)	Supports	
The default human language of each Webpage can be programmatically determined.		
3.1.2 Language of Parts (Level AA)	Supports	
The human language of each passage or phrase in the content can be programmatically determined except for proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text.		
3.2.1 On Focus (Level A)	Supports	
When any component receives focus, it does not initiate a change of context.		
3.2.2 On Input (Level A)	Supports	
Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.		
3.2.3 Consistent Navigation (Level AA)	Supports	
Navigational mechanisms that are repeated on multiple Webpages within a set of Webpages occur in the same relative order each time they are repeated, unless a change is initiated by the user.		

Criteria	Conformance Level	Remarks and Explanations
3.2.4 Consistent Identification (Level AA) Components that have the same functionality within a set of Webpages are identified consistently.	Supports	
3.3.1 Error Identification (Level A) If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.	Supports	
3.3.2 Labels or Instructions (Level A)	Partially Supports	Date Questions
Labels or instructions are provided when content requires user input.		Form field labelled as "m/d/yyyy" which does not communicate field purpose to user, and date selections not announced when using keyboard to select date in calendar.
		Time Questions
		Form field label does not communicate field purpose to user.
		Dropdown Questions
		Dropdown menu items not clearly labeled, and 'Other' form field does not provide instructions for user input.
3.3.3 Error Suggestion (Level A)	Not Applicable	
If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.		

Criteri	a	Conformance Level	Remarks and Explanations
3.3.4	Error Prevention (Legal, Financial, Data) (Level AA)	Not Applicable	
transa contro	rebpages that cause legal commitments or financial actions for the user to occur, that modify or delete user-blable data in data storage systems, or that submit user esponses, at least one of the following is true:		
•	Reversible: Submissions are reversible.		
•	Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.		
•	Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.		

WCAG Principle 4: Robust

Content must be robust enough that it can be interpreted reliably by a wide variety of user agents, including assistive technologies. Criteria also apply to Revised Section 508 standards for Web and Software (501), Author Tools (504.2), and Support Documentation (602.3). Report contains Level A and AA only (Revised Section 508 does not apply to AAA).

Table 7: WCAG Principle 4 Success Criteria - Robust

Criteria	Conformance Level	Remarks and Explanations
4.1.1 Parsing (Level A)	Not Applicable	
In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.		
Note: Start and end tags that are missing a critical character in their formation, such as a closing angle bracket or a mismatched attribute value quotation mark are not complete.		
4.1.2 Name, Role, Value (Level A)	Supports	
For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies.		
Note: This success criterion is primarily for Web authors who develop or script their own user interface components. For example, standard HTML controls already meet this success criterion when used according to specification.		
4.1.3 Status Messages (Level AA – WCAG 2.1 only)	Not Evaluated	
In content implemented using markup languages, status messages can be programmatically determined through role or		

Criteria Conformance Level Remarks and Explanations

properties such that they can be presented to the user by assistive technologies without receiving focus.

Revised Section 508 Report

Chapter 3: Functional Performance Criteria

In the Section 508 tables, when subsections of criteria do not apply to the product, the section may be summarized or removed as long as an explanation is provided explaining why a criterion does not apply. Another alternative is to leave the table and add a summary why the section does not apply.

Table 8: Revised Section 508 Chapter 3 - Functional Performance Criteria

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	Signature Question
Where a visual mode of operation is provided, ICT shall provide at least one mode of operation that does not require user vision.		This element is not accessible by keyboard or screen reader.
302.2 With Limited Vision	Partially Supports	Signature Question
Where a visual mode of operation is provided, ICT shall provide at least one mode of operation that enables users to make use of limited vision.		This element is not accessible by keyboard or screen reader.
302.3 Without Perception of Color	Supports	
Where a visual mode of operation is provided, ICT shall provide at least one visual mode of operation that does not require user perception of color.		
302.4 Without Hearing	Not Applicable	
Where an audible mode of operation is provided, ICT shall provide at least one mode of operation that does not require user hearing.		

Criteria	Conformance Level	Remarks and Explanations
302.5 With Limited Hearing	Not Applicable	
Where an audible mode of operation is provided, ICT shall provide at least one mode of operation that enables users to make use of limited hearing.		
302.6 Without Speech	Not Applicable	
Where speech is used for input, control, or operation, ICT shall provide at least one mode of operation that does not require user speech.		
302.7 With Limited Manipulation	Partially Supports	Signature Question
Where a manual mode of operation is provided, ICT shall provide at least one mode of operation that does not require fine motor control or simultaneous manual operations.		This element is not accessible by keyboard or screen reader.
302.8 With Limited Reach and Strength	Partially Supports	Signature Question
Where a manual mode of operation is provided, ICT shall provide at least one mode of operation that is operable with limited reach and limited strength.		This element is not accessible by keyboard or screen reader.
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	Form elements are only partially accessible by screen reader.
ICT shall provide features making its use by individuals with limited cognitive, language, and learning abilities simpler and easier.		

<u>Chapter 4</u>: Hardware

ArcGIS Survey123 is not impacted by Chapter 4: Hardware. This section has been removed from the report.

<u>Chapter 5</u>: Software

ArcGIS Survey123 is a web-only product, not platform software, and is not impacted by Chapter 5: Software. Refer to information in WCAG 2.1 report sections.

Table 9: Revised Section 508 Chapter 5 - Software

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA		See information in WCAG 2.1 report sections
502 Interoperability with Assistive Technology		
502.2.1 User Control of Accessibility Features	Not Applicable	The product is not platform software
Platform software shall provide user control over platform features that are defined in the platform documentation as accessibility features.		
502.2.2 No Disruption of Accessibility Features	Not Applicable	
Software shall not disrupt platform features that are defined in the platform documentation as accessibility features.		
502.3 Accessibility Services		
502.3.1 Object Information	Not Applicable	
The object role, state(s), properties, boundary, name, and description shall be programmatically determinable.		
502.3.2 Modification of Object Information	Not Applicable	
States and properties that can be set by the user shall be capable of being set programmatically, including through assistive technology.		

Criteria	Conformance Level	Remarks and Explanations
502.3.3 Row, Column, and Headers	Not Applicable	
If an object is in a data table, the occupied rows and columns, and any headers associated with those rows or columns, shall be programmatically determinable.		
502.3.4 Values	Not Applicable	
Any current value(s), and any set or range of allowable values associated with an object, shall be programmatically determinable.		
502.3.5 Modification of Values	Not Applicable	
Values that can be set by the user shall be capable of being set programmatically, including through assistive technology.		
502.3.6 Label Relationships	Not Applicable	
Any relationship that a component has as a label for another component, or of being labeled by another component, shall be programmatically determinable.		
502.3.7 Hierarchical Relationships	Not Applicable	
Any hierarchical (parent-child) relationship that a component has as a container for, or being contained by, another component shall be programmatically determinable.		
502.3.8 Text	Not Applicable	
The content of text objects, text attributes, and the boundary of text rendered to the screen, shall be programmatically determinable.		

Criteria	Conformance Level	Remarks and Explanations
502.3.9 Modification of Text	Not Applicable	
Text that can be set by the user shall be capable of being set programmatically, including through assistive technology.		
502.3.10 List of Actions	Not Applicable	
A list of all actions that can be executed on an object shall be programmatically determinable.		
502.3.11 Actions on Objects	Not Applicable	
Applications shall allow assistive technology to programmatically execute available actions on objects.		
502.3.12 Focus Cursor	Not Applicable	
Applications shall expose information and mechanisms necessary to track focus, text insertion point, and selection attributes of user interface components.		
502.3.13 Modification of Focus Cursor	Not Applicable	
Focus, text insertion point, and selection attributes that can be set by the user shall be capable of being set programmatically, including through the use of assistive technology.		
502.3.14 Event Notification	Not Applicable	
Notification of events relevant to user interactions, including but not limited to, changes in the component's state(s), value, name, description, or boundary, shall be available to assistive technology.		
502.4 Platform Accessibility Features	Not Applicable	The product is not platform software
503 Applications		

Criteria	Conformance Level	Remarks and Explanations
503.2 User Preferences	Not Applicable	
Applications shall permit user preferences from platform settings for color, contrast, font type, font size, and focus cursor. EXCEPTION: Applications that are designed to be isolated from their underlying platform software, including Web applications, shall not be required to conform to 503.2.		
503.3 Alternative User Interfaces	Not Applicable	
Where an application provides an alternative user interface that functions as assistive technology, the application shall use platform and other industry standard accessibility services.		
503.4 User Controls for Captions and Audio Description		
503.4.1 Caption Controls	Not Applicable	
Where user controls are provided for volume adjustment, ICT shall provide user controls for the selection of captions at the same menu level as the user controls for volume or program selection.		
503.4.2 Audio Description Controls	Not Applicable	
Where user controls are provided for program selection, ICT shall provide user controls for the selection of audio descriptions at the same menu level as the user controls for volume or program selection.		
504 Authoring Tools		

Criteria	Conformance Level	Remarks and Explanations
504.2 Content Creation or Editing	See WCAG conformance levels	See information in WCAG 2.1 report sections
Authoring tools shall provide a mode of operation to create or edit content that conforms to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1) for all supported features and, as applicable, to file formats supported by the authoring tool. Authoring tools shall permit authors the option of overriding information required for accessibility.		
Exception: Authoring tools shall not be required to conform to 504.2 when used to directly edit plain text source code.		
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	See WCAG conformance levels	See information in WCAG 2.1 report sections
Authoring tools shall, when converting content from one format to another or saving content in multiple formats, preserve the information required for accessibility to the extent that the information is supported by the destination format.		
504.2.2 PDF Export	Not Applicable	
Authoring tools capable of exporting PDF files that conform to ISO 32000–1:2008 (PDF 1.7) shall also be capable of exporting PDF files that conform to ANSI/AIIM/ISO 14289–1:2016 (PDF/UA– 1) (incorporated by reference, see 702.3.1).		
504.3 Prompts	Not Applicable	
Authoring tools shall provide a mode of operation that prompts authors to create content that conforms to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1) for supported features and, as applicable, to file formats supported by the authoring tool.		

Criteria	Conformance Level	Remarks and Explanations
504.4 Templates	Not Applicable	
Where templates are provided, templates allowing content creation that conforms to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1) shall be provided for a range of template uses for supported features and, as applicable, to file formats supported by the authoring tool.		

<u>Chapter 6</u>: Support Documentation and Services

The language included in this section is based on an internal evaluation of the ArcGIS Survey123 support documentation and services.

Table 10: Revised Section 508 Chapter 6 - Support Documentation and Services

Conformance Level	Remarks and Explanations
Not Applicable	This product report is not impacted by Chapters 4 and 5.
Not Applicable	Web-based electronic support documentation is available for this product.
	Not Applicable Supports

Criteria	Conformance Level	Remarks and Explanations
603.2 Information on Accessibility and Compatibility Features	Not Applicable	This product report is not impacted by Chapters 4 and 5 (as described in 602.2).
ICT support services shall include information on the accessibility and compatibility features required by 602.2.		
603.3 Accommodation of Communication Needs	Supports	Technical support is available directly to the user for
Support services shall be provided directly to the user or through a referral to a point of contact. Such ICT support services shall accommodate the communication needs of individuals with disabilities.		this product, and Esri Accessibility contact information is provided in this report.