



ESRI
 380 New York Street
 Redlands, California 92373-8100
 Phone: 909-793-2853, ext. 1-4441
 Fax: 909-307-3046



Announcing

A special offer of a Hewlett-Packard Designjet 4520mfp, T1120 HD-MFP, or T1120 SD-MFP large-format color copier, scanner, and printer for U.S. Customers Only

ITEM	QTY	DESCRIPTION	PRICE
102811	1	<p>HP Designjet 4520mfp 42-Inch Printer and Scanning System</p> <p>Printer: 1200 dpi Four-Color Thermal Inkjet Printer with 608 MB of Memory, 160 GB Hard Disk, Print Languages: Adobe PostScript 3, Adobe PDF 1.5, TIFF, JPEG, HP-GL/2, HP-RTL, CALS G4; Gigabit Ethernet (1000Base-T) Port, Two FireWire (IEEE 1394a compliant) Ports, Printer Stand and Bin, Two Automatic Roll Feeds, Automatic Roll Switching, Automatic Cutter, Quick Reference Guide, Setup Poster, Serif PosterDesigner Pro Poster, Documentation, Drivers Software, and Maintenance Kit.</p> <p>Scanner: 1 GB of memory, up to 508 dpi Optical Resolution, Gigabit Ethernet (1000Base-T) Port, FireWire (IEEE 1394a compliant) Port, Scanner Stand, Touch Screen (Panel PC), Keyboard, Scanner Documentation CD, System Recovery DVD, Customer Service Guide, Two FireWire Cables, Ethernet Cable, and One-Year On-Site Maintenance.</p> <p>Model: CM769A</p>	\$26,700
102804	1	<p>HP Stacker for Designjet 4520mfp.</p> <p>Model: Q5677B</p>	\$2,200
102812	1	<p>HP Upgrade of 4520mfp One-Year On-Site Warranty to a Three-Year On-Site Warranty at Time of Purchase.</p> <p>Model: UN367E</p>	\$4,500
94590	1	<p>HP Designjet 42-Inch Roll Feed Spindle for 4X20 Printer Only.</p> <p>Model: Q56X5A</p>	\$80
94630	1	<p>HP Designjet Installation.</p> <p>Model: H4518E</p>	\$429



ESRI
 380 New York Street
 Redlands, California 92373-8100
 Phone: 909-793-2853, ext. 1-4441
 Fax: 909-307-3046

ITEM	QTY	DESCRIPTION	PRICE
109755	1	<p>HP Designjet T1120 HD-MFP 44-Inch Printer and Scanning System</p> <p>Printer: 1200 dpi Six-Color Thermal Inkjet Printer with 384 MB of Memory, 80 GB Hard Disk, Print Languages: Adobe PostScript 3, Adobe PDF 1.6, TIFF, JPEG, HP-GL/2, HP-RTL, CALS G4, HP PCL 3 GUI, Gigabit Ethernet (1000Base-T) Port, Hi-Speed USB 2.0 Certified Port, Printer Stand, Quick Reference Guide, Setup Poster, Serif PosterDesigner Pro Poster, Startup Software.</p> <p>Scanner: 1 GB of memory, up to 508 dpi Optical Resolution, Gigabit Ethernet (1000Base-T) Port, FireWire (IEEE 1394a compliant) Port, Touch Screen (Panel PC), Keyboard, Scanner Documentation CD, System Recovery DVD, Customer Service Guide, USB Cable, FireWire Cable, Ethernet Cable, and One-Year On-Site Maintenance.</p> <p>Model: CK841A</p>	\$19,500
117203	1	<p>HP Upgrade of T1120 HD-MFP One-Year On-Site Warranty to a Three-Year On-Site Warranty at Time of Purchase.</p> <p>Model: UN397E</p>	\$3,500
117206	1	<p>HP Designjet T1120 SD-MFP 44-Inch Printer and Scanning System</p> <p>Printer: 1200 dpi Six-Color Thermal Inkjet Printer with 384 MB of Memory, 80 GB Hard Disk, Print Languages: HP-GL/2, HP-RTL, CALS G4, HP PCL 3 GUI, Gigabit Ethernet (1000Base-T) Port, Hi-Speed USB 2.0 Certified Port, Printer Stand, Quick Reference Guide, Setup Poster, Serif PosterDesigner Pro Poster, Startup Software.</p> <p>Scanner: 1 GB of memory, up to 1200 dpi Optical Resolution, Fast Ethernet (10/100Base-T) Port, Hi-Speed USB 2.0 Certified Port, Touch Screen, Customer Service Guide, USB Cable, Ethernet Cable, and One-Year On-Site Maintenance.</p> <p>Model: CM719A</p>	\$15,300
117205	1	<p>HP Upgrade of T1120 SD-MFP One-Year On-Site Warranty to a Three-Year On-Site Warranty at Time of Purchase.</p> <p>Model: UN382E</p>	\$2,900
94630	1	<p>HP Designjet Installation.</p> <p>Model: H4518E</p>	\$429



ESRI
380 New York Street
Redlands, California 92373-8100
Phone: 909-793-2853, ext. 1-4441
Fax: 909-307-3046

ESRI QUOTATION TERMS AND CONDITIONS

These prices and terms are valid only for items purchased within the United States excluding Guam, Puerto Rico, and the Virgin Islands.

This quotation information is proprietary and may not be copied or released other than for the express purpose of system selection and purchase. This information may not be given to outside parties or used for any other purpose without the written consent of ESRI.

ORDER PROCESS

The order process is initiated when ESRI receives an original purchase order or some form of advance payment. Several additional documents (e.g., credit application, if not using credit card, and tax exemption certificate) are required to complete the order.

IMPORTANT! Collectively, these documents contain the authorizations and information necessary to ship proper versions of the software on the correct media. Please return them promptly to avoid unnecessary delays in shipping. Please return all documents by mail or express courier or as otherwise directed.

Please show the following remittance address on your purchase order.

ESRI, File #54630, Los Angeles, CA 90074-4630

DELIVERY

FOB ORIGIN

Software: Allow 30 days from ESRI's receipt of purchase order, signed software license agreement(s), and other documents, as required. ESRI software license agreements may be accessed at www.esri.com/legal.

Hardware: Manufacturer's terms apply. Lead times depend on make/models purchased.

Standard delivery method is ground or two-day air for software and surface carrier for hardware. Actual delivery method may vary depending on weight. Other service is available for an additional fee (e.g., overnight delivery).

PAYMENT TERMS

Net 30 days, on approved credit.

WARRANTY

Warranty and service are provided by manufacturer(s).

TAXES

Prices quoted do not include applicable sales or use taxes unless so stated. In preparing your budget, please allow for applicable sales tax. ESRI reserves the right to collect sales tax assessed by states as required by law. ESRI will add state sales tax to the invoice unless ESRI receives proof with the order that your organization is tax exempt or pays state tax directly.

ESRI collects and pays sales tax in Alabama, Arizona, California, Colorado, Connecticut, Florida, Georgia, Hawaii, Illinois, Indiana, Kansas, Maryland, Massachusetts, Michigan, Minnesota, Missouri, Nebraska, Nevada, New Jersey, New Mexico, New York, North Carolina, North Dakota, Ohio, Oklahoma, Pennsylvania, South Carolina, Tennessee, Texas, Utah, Vermont, Virginia, Washington, and Wisconsin. In preparing your budget, please allow for applicable sales tax. ESRI reserves the right to collect sales tax assessed by additional states as required by law.



ESRI
 380 New York Street
 Redlands, California 92373-8100
 909-793-2853

**HP Designjet 4520mfp, T1120 HD-MFP, or
 T1120 SD-MFP Large-Format Color Copier,
 Scanner, and Printer Domestic Order Form**

7/9/09

BILL TO	
Organization	
Department	P.O. No.
Address	
Attention	
Phone	Fax
E-Mail	

ORDERED BY	
Organization	
Date of Order	P.O. No.
Phone	Fax
Contact	ESRI Customer No.

SHIP TO	
Organization	
Department	
Address	
Attention	
Phone	Fax
E-Mail	

Qty.	Item/Description	Unit Price	Total
	102811—HP Designjet 4520mfp 42-Inch Printer and Scanning System	\$26,700	
	109755—HP Designjet T1120 HD-MFP 44-Inch Printer and Scanning System	\$19,500	
	117206—HP Designjet T1120 SD-MFP 44-Inch Printer and Scanning System	\$15,300	
	94630—HP Designjet Installation	\$429	

<p>* Please add appropriate sales tax in the states of AL, AZ, CA, CO, CT, FL, GA, HI, IL, IN, KS, MA, MD, MI, MN, MO, NC, ND, NE, NJ, NM, NV, NY, OH, OK, PA, SC, TN, TX, UT, VA, VT, WA, and WI. ESRI reserves the right to correct sales tax rates and/or collect the sales tax assessed by additional states as required by law, without notice. Items may be shipped separately.</p>	Shipping Included	
	Sales Tax*	
	Total Due ESRI	
THANK YOU FOR YOUR ORDER!		

FAX YOUR ORDER TO

800-330-7053

ATTN.: Customer Service/Kelly Campos

ESRI
 380 New York Street • Redlands, CA 92373-8100

NOTES

<p>A. If submitting a purchase order, a credit application will need to be completed if one is not already on file with ESRI.</p>	<p>PAYMENT OPTIONS:</p> <p>(a) Enclose a check payable to ESRI with this form. (b) Complete credit card authorization information below. (c) Enclose a completed purchase order with this form. We will not ship without payment or purchase order enclosed. Acceptance of purchase order is based on credit approval.</p>
---	---

CREDIT CARD AUTHORIZATION				
Card Number	Check One			Expiration Date
	AMEX	Disc.	MC Visa	
Cardholder Signature	Approval Code (ESRI use only)			
Cardholder Printed Name				



IN-HOUSE USE
ORIGINATED BY _____ DEPT. _____ PHONE _____ CLIENT'S REQUEST \$ _____

**ESRI
CREDIT APPLICATION
COMPANY INFORMATION**

COMPANY NAME: _____ TELEPHONE: _____
DBA: _____ FAX: _____
ADDRESS: _____ CONTACT: _____

TAX EXEMPT: YES/NO. IF YES, PLEASE ATTACH
COPY OF EXEMPTION CERTIFICATES FOR ALL STATES.
LENGTH OF TIME IN BUSINESS: _____ FEDERAL ID NO.: _____
NUMBER OF EMPLOYEES: _____

CORPORATION _____ PROPRIETORSHIP _____ PARTNERSHIP
IF A CORPORATION, IN WHAT STATE INCORPORATED: _____
DATE OF INCORPORATION: _____
PRESIDENT: _____ VICE PRESIDENT: _____
PARTNER'S NAME(S): _____
PERSONS WITH CORPORATE SIGNATORY AUTHORITY: _____

COMPANY CLASSIFICATION: _____ FORTUNE 500 _____ UNIVERSITY, COLLEGE, OR PUBLIC SCHOOLS

LOCAL, STATE, OR FEDERAL GOVERNMENT _____ NONE OF THE ABOVE
BRIEFLY DESCRIBE YOUR COMPANY'S FUNCTION: _____

BANK REFERENCE

(Please list all banks and banking account numbers; attach additional pages if necessary.)

BANK NAME: _____ TELEPHONE: _____
ADDRESS: _____ CONTACT: _____

CHECKING ACCOUNT NO.: _____
OTHER ACCOUNT NO.: _____
LOAN NO.: _____

VENDOR REFERENCE

(PROVIDE 5)

NAME: _____ NAME: _____
ADDRESS: _____ ADDRESS: _____

TELEPHONE: _____ TELEPHONE: _____
NAME: _____ NAME: _____
ADDRESS: _____ ADDRESS: _____

TELEPHONE: _____ TELEPHONE: _____
NAME: _____
ADDRESS: _____

TELEPHONE: _____

ESRI PAYMENT POLICY:

NET 30 DAYS, 1.5 PERCENT LATE FEE PER MONTH AFTER 30 DAYS.

BY SIGNING BELOW, COMPANY CERTIFIES AND ATTESTS FINANCIAL RESPONSIBILITY FOR ANY AND ALL CORRECT ESRI INVOICES TO COMPANY AND ITS ABILITY TO PAY SUCH INVOICES IN ACCORDANCE WITH ESRI'S PAYMENT POLICY. COMPANY FURTHER AGREES TO PAY REASONABLE ATTORNEY'S FEES PLUS INTEREST IN THE EVENT OF DEFAULT IN PAYMENTS IN COMPLIANCE WITH ESRI POLICY. THE INFORMATION CONTAINED HEREIN IS ONLY FOR THE PURPOSE OF OBTAINING CREDIT AND AUTHORIZES ESRI TO OBTAIN INFORMATION CONCERNING COMPANY'S CREDIT STANDING.

PLEASE FAX TO ESRI CREDIT ANALYST AT 909-307-3031 AND MAIL ORIGINAL.

BY _____ DATE: _____



Technical Specifications for 4520mfp

Print quality/technology	
Print technology	HP Thermal Inkjet
Resolution	Up to 2400 x 1200 optimized dpi from 1200 x 1200 dpi input on glossy media
Print head nozzles	524
Resolution technology	Color layering technology
Ink cartridges	4 (1 each black, cyan, magenta, yellow)
Ink types	Dye-based (C, M, Y); pigment-based (K)
Ink drop size	5 pl (C, M, Y); 15 pl (K)
Paper handling	
Maximum roll length	575 ft.
Document finishing	Printer: two automatic roll feeds; automatic roll switching; automatic cutter; scanner: straight-through scan paper path for sheet and cardboard originals
Duplex printing (printing on both sides of paper)	None (not supported)
Media types	Printer: bond and coated paper (bond, coated, heavyweight coated, super heavyweight plus matte); technical paper (natural tracing, translucent bond, vellum); film (clear, matte, polyester); photographic paper (satin, gloss, semi-gloss, matte, high-gloss); proofing paper (semi-gloss, semi-gloss contract); self-adhesive (indoor paper, polypropylene, vinyl); banner and sign material (outdoor paper, blue back billboard paper); scanner: non-abrasive paper, vellum, Mylar, sepia, blueprints, plastic, film, plastic laminate, foam board, cardboard (No plywood; stone plates; metal plates; or abrasive, dirty, rough, sharp-edged, metal-clamped, or burned surfaces or transparencies)
Media weight, recommended	.16 x .53 lb.
Memory/print languages/typefaces	
Memory, standard	Printer: 608 MB; scanner: 1 GB
Print languages, standard	Adobe PostScript 3; Adobe PDF 1.5; TIFF; JPEG; HP-GL/2; HP-RTL; CALS G4
Scanner specifications	
Scanner type	Sheetfed
Scan size, maximum (flatbed)	42 in. wide
Scan resolution, black (best)	300 x 300 dpi
Scan resolution, color (best)	300 x 300 dpi
Scan resolution, optical	Up to 508 dpi
Linear scan speed	Up to 3 in./sec. (color, 200 dpi/400 dpi Turbo); up to 10 in./sec. (black-and-white, 200 dpi/400 dpi Turbo)



Copier specifications	
Copy reduce/enlarge settings	1 to 10,000%
Maximum number of copies	Up to 1,000 copies
Connectivity	
Connectivity, standard	Printer: 1 Gigabit Ethernet (1000Base-T) port, 2 FireWire (IEEE 1394a compliant) ports, 1 EIO Jetdirect accessory slot; scanner: 1 Gigabit Ethernet (1000Base-T) port, 1 FireWire (IEEE 1394a compliant) port
Connectivity, optional	HP Jetdirect print servers
Macintosh compatible	Yes
Compatible operating systems	
Compatible Operating Systems	Windows Vista® (32 and 64 bit); Windows Server 2008 (32 and 64 bit); Windows XP Home and Professional (32 and 64 bit); Windows Server 2003 (32/64 bit); Mac OS X v 10.4; Mac OS X v 10.5; Linux (see http://www.hplipopensource.com)
Dimensions/weight/warranty	
Product dimensions (W x D x H)	Printer: 76 x 31.5 x 53.2 in.; scanner: 70.8 x 33.4 x 54.3 in.
Dimensions, max. (W x D x H)	Printer: 76 x 31.5 x 53.2 in.; scanner: 70.8 x 40.2 x 54.3 in.
Product weight	408 lb.
Warranty	One-year limited hardware warranty
What's included	
What's included	Printer; 42-in. printer stand and bin; printheads (x8); printhead cleaners (x8); introductory ink cartridges; roll module; user maintenance kit; quick reference guide; setup poster; Serif PosterDesigner Pro poster; documentation and drivers software; scanner; touch screen (panel PC); keyboard; scanner documentation CD; system recovery DVD; customer service guide; FireWire cables (x2); Ethernet cable; power cords
Cable included?	Yes, 2 FireWire (1 scanner to touch screen, 1 touch screen to HP printer); 1 Ethernet
Software included	Serif PosterDesigner Pro poster; documentation and drivers software



Technical Specifications for T1120 HD-MFP

Print quality/technology	
Print technology	HP Thermal Inkjet
Resolution	Up to 2400 x 1200 optimized dpi from 1200 x 1200 input dpi with maximum detail selected
Print head nozzles	1,056
Resolution technology	Color layering technology
Ink cartridges	6 (cyan, gray, magenta, matte black, photo black, yellow)
Ink types	Dye-based (C, M, Y, G, PK); pigment-based (MK)
Ink drop size	6 pl (C, M, PK, G), 9 pl (Y, MK)
Paper handling	
Maximum roll length	300 ft.
Document finishing	Printer: sheet feed; roll feed; automatic cutter; scanner: sheet feed
Duplex printing (printing on both sides of paper)	None (not supported)
Media sizes, standard	A, B, C, D, E
Media types	Printer: bond and coated paper (bond, coated, heavyweight coated, super heavyweight plus matte, colored), technical paper (natural tracing, translucent bond, vellum), film (clear, matte, polyester), photographic paper (satin, gloss, semi-gloss, matte, high-gloss), backlit, self-adhesive (two-view cling, indoor paper, polypropylene, vinyl); scanner: non-abrasive paper, vellum, Mylar, sepia, blueprints, plastic film, plastic laminate, foam board, cardboard (No plywood; stone plates; metal plates; or abrasive, dirty, rough, sharp-edged, metal-clamped, or burned surfaces or transparencies)
Memory/print languages/typefaces	
Memory, standard	Printer: 384 MB; scanner: 1 GB
Print languages, standard	Adobe PostScript 3; Adobe PDF 1.6; TIFF; JPEG; HP-GL/2; HP-RTL; CALS G4; HP PCL 3 GUI
Scanner specifications	
Scanner type	Sheetfed
Scan size, maximum (flatbed)	42 in. wide
Scan resolution, black (best)	300 x 300 dpi
Scan resolution, color (best)	300 x 300 dpi
Scan resolution, optical	Up to 508 dpi
Linear scan speed	Color (200 dpi/400 dpi Turbo): up to 2 in./sec.; black and white (200 dpi/400 dpi Turbo): up to 6 in./sec.



Copier specifications	
Copy reduce/enlarge settings	1 to 10,000%
Maximum number of copies	Up to 1,000 copies
Connectivity	
Connectivity, standard	Printer: 1 Gigabit Ethernet (1000Base-T) port; 1 Hi-Speed USB 2.0 certified port; 1 EIO Jetdirect accessory slot; scanner: 1 Gigabit Ethernet (1000Base-T) port; 1 FireWire (IEEE 1394a compliant) port
Connectivity, optional	HP Jetdirect print servers
Macintosh compatible	Yes
Compatible operating systems	
Compatible Operating Systems	Windows Vista (32 and 64 bit); Windows Server 2008 (32 and 64 bit); Windows XP Home and Professional (32 and 64 bit); Windows Server 2003 (32/64 bit); Mac OS X v 10.4; Mac OS X v 10.5; Novell NetWare 5.x, 6.x; Citrix XenApp; Citrix XenServer
Dimensions/weight/warranty	
Product dimensions (W x D x H)	74.8 x 39.4 x 63 in.
Dimensions, max. (W x D x H)	78.7 x 55.1 x 63 in.
Product weight	440 lb.
Warranty	One-year limited hardware warranty
What's included	
What's included	Printer; printheads (3 x 2 colors each); introductory ink cartridges; 44-in. stand; quick reference guide; setup poster; Serif PosterDesigner Pro poster; startup software; scanner; touch screen (panel PC); keyboard; scanner documentation CD; system recovery DVD; customer service guide; USB cable; FireWire cable; Ethernet cable; power cords
Cable included?	Yes, 1 Ethernet; 1 USB; 1 FireWire
Software included	HP Instant Printing Utility



Technical Specifications for T1120 SD-MFP

Print quality/technology	
Print technology	HP Thermal Inkjet
Resolution	Up to 2400 x 1200 optimized dpi from 1200 x 1200 input dpi with maximum detail selected
Print head nozzles	1,056
Resolution technology	Color layering technology
Ink cartridges	6 (cyan, gray, magenta, matte black, photo black, yellow)
Ink types	Dye-based (C, M, Y, G, PK); pigment-based (MK)
Ink drop size	6 pl (C, M, PK, G), 9 pl (Y, MK)
Paper handling	
Maximum roll length	300 ft.
Document finishing	Printer: sheet feed; roll feed; automatic cutter; scanner: sheet feed
Duplex printing (printing on both sides of paper)	None (not supported)
Media sizes, standard	A, B, C, D, E
Media types	Printer: bond and coated paper (bond, coated, heavyweight coated, super heavyweight plus matte, colored), technical paper (natural tracing, translucent bond, vellum), film (clear, matte, polyester), photographic paper (satin, gloss, semi-gloss, matte, high-gloss), backlit, self-adhesive (two-view cling, indoor paper, polypropylene, vinyl); scanner: non-abrasive paper, vellum, Mylar, sepia, blueprints, plastic film, plastic laminate, foam board, cardboard (No plywood; stone plates; metal plates; or abrasive, dirty, rough, sharp-edged, metal-clamped, or burned surfaces or transparencies)
Memory/print languages/typefaces	
Memory, standard	Printer: 384 MB; scanner: 1 GB
Print languages, standard	HP-GL/2; HP-RTL; CALS G4; HP PCL 3 GUI
Scanner specifications	
Scanner type	Sheetfed
Scan size, maximum (flatbed)	44 in. wide
Scan resolution, black (best)	400 x 400 dpi
Scan resolution, color (best)	400 x 400 dpi
Scan resolution, optical	Up to 1200 dpi
Linear scan speed	Color (200 dpi): up to 1.5 in./sec.; black and white (200 dpi): up to 5 in./sec.



Copier specifications	
Copy reduce/enlarge settings	25% to 400%
Maximum number of copies	Up to 50 copies
Connectivity	
Connectivity, standard	Printer: 1 Gigabit Ethernet (1000Base-T) port, 1 Hi-Speed USB 2.0 certified port, 1 EIO Jetdirect accessory slot; scanner: 1 Fast Ethernet (10/100Base-T) port, 1 Hi-Speed USB 2.0 certified port
Connectivity, optional	HP Jetdirect print servers
Macintosh compatible	Yes
Compatible operating systems	
Compatible Operating Systems	Windows Vista (32 and 64 bit); Windows Server 2008 (32 and 64 bit); Windows XP Home and Professional (32 and 64 bit); Windows Server 2003 (32/64 bit); Mac OS X v 10.4; Mac OS X v 10.5; Novell NetWare 5.x, 6.x; Citrix XenApp; Citrix XenServer
Dimensions/weight/warranty	
Product dimensions (W x D x H)	69.7 x 39.4 x 57.1 in.
Product weight	309 lb.
Warranty	One-year limited hardware warranty
What's included	
What's included	Printer; printheads (3 x 2 colors each); introductory ink cartridges; 44-in. stand; quick reference guide; setup poster; Serif PosterDesigner Pro poster; startup software; scanner; touch screen; customer service guide; USB cable; Ethernet cable; power cords
Cable included?	Yes, 1 Ethernet; 1 USB
Software included	HP Instant Printing Utility