



ESRI
 380 New York Street
 Redlands, California 92373-8100
 Phone: 909-793-2853, ext. 1-4441
 Fax: 909-307-3046



Announcing an Offer of Small Format Hewlett-Packard Printers

HP Designjet 130nr Printer

ITEM	QTY	DESCRIPTION	PRICE
107157	1	HP Designjet 130nr Printer, 24-inch, 2400 x 1200 dpi Resolution, Automatic Roll Feed, HP Jetdirect Network Card, Power Cord, 6 Printheads, 6 Print Cartridges, Input/Output Tray, Software Set Up for Windows CD, User documentation CD, Setup Poster, Quick-Start Guide, Media Samples and Customer Care Document, and One-Year Next Business Day Exchange Warranty. Model: C7791D	\$1,895
107159	1	HP Designjet 130 Spindle Accessory Model: Q1264A	\$60
107160	1	HP Designjet 130 Upgrade of One-Year Next Business Day Exchange Warranty to Three-Year Next Business Day On-site Warranty Model: U3477E	\$349
107171	1	HP Designjet 130nr Printer Installation Model: UC743E	\$350

HP Color LaserJet Printers

ITEM	QTY	DESCRIPTION	PRICE
107172	1	HP Color LaserJet 9500n Printer, Supports up to 11 inch x 17 inch, 24 ppm Speed, Power Cord, Paper Sample Guide, User's Guide, Start Guide, Supplies Installation Guides, Documentation on CD-ROM (Start Guide, User's Guide, HP Jetdirect Print Server Administrator's Guide, Online User Reference Guide), Product Software and Print Drivers on CD-ROM, Control Panel Overlay, and One-Year Next Business Day On-site Warranty Model: C8546A	\$5,995
107173	1	HP Color LaserJet 9500n Printer Upgrade of One-Year Next Business Day On-site Warranty to Three-Year Next Business Day On-site Warranty Model: U6487E	\$3,195
107174	1	HP Color LaserJet 5550n Printer, Supports up to 11 inch x 17 inch, up to 27 ppm Speed, Software and User's Guide on CD; Getting Started Guide; Network Installation Guide; Power Cord; 100-Sheet Multipurpose Tray; 500-Sheet Input Tray; HP Jetdirect 620n Fast Ethernet Internal Print Server, and One-Year Next Business Day On-site Warranty Model: Q3714A	\$2,995
107175	1	HP LaserJet 5550 Series Printer Stand Model: C9669B	\$449
107115	1	HP Color LaserJet 5550n Printer Upgrade of One-Year Next Business Day On-site Warranty to Three-Year Next Business Day On-site Warranty Model: H5549E	\$1,645
107116	1	HP Color LaserJet CP4005n Printer, up to 8.5 inch x 14 inch, up to 25 ppm Speed, 100-Sheet Multipurpose Tray, Power Cable, Software Drivers and Documentation on CD-ROM, In-box Documentation (Getting Started Guide), HP Jetdirect Fast Ethernet Embedded Print Server, 500-Sheet Input Tray, and One-Year Next Business Day On-site Warranty Model: CB503A	\$1,099
107117		HP Color LaserJet CP4005n Printer Stand Model: Q7501A	\$299
107118	1	HP Color LaserJet CP4005n Printer Upgrade of One-Year Next Business Day On-site Warranty to Three-Year Next Business Day On-site Warranty Model: H3113E	\$795
107119	1	HP Color LaserJet Printer Installation Model: H2872E	\$355



ESRI
380 New York Street
Redlands, California 92373-8100
Phone: 909-793-2853, ext. 1-4441
Fax: 909-307-3046

ESRI QUOTATION TERMS AND CONDITIONS

These prices and terms are valid only for items purchased within the United States excluding Guam, Puerto Rico, and the Virgin Islands.

This quotation information is proprietary and may not be copied or released other than for the express purpose of system selection and purchase. This information may not be given to outside parties or used for any other purpose without the written consent of ESRI.

ORDER PROCESS

The order process is initiated when ESRI receives an original purchase order or some form of advance payment. Several additional documents (e.g., credit application, if not using credit card, and tax exemption certificate) are required to complete the order.

IMPORTANT! Collectively, these documents contain the authorizations and information necessary to ship proper versions of the software on the correct media. Please return them promptly to avoid unnecessary delays in shipping. Please return all documents by mail or express courier; faxed documents cannot be accepted.

Please show the following remittance address on your purchase order.

ESRI, File #54630, Los Angeles, CA 90074-4630

DELIVERY

FOB ORIGIN

Standard delivery method is ground or two-day air for software and surface carrier for hardware. Actual delivery method may vary depending on weight. Other service is available for an additional fee (e.g., overnight delivery).

PAYMENT TERMS

Net 30 days, on approved credit.

WARRANTY

Warranty and service are provided by manufacturer(s).

TAXES

Prices quoted do not include applicable sales or use taxes unless so stated. In preparing your budget, please allow for applicable sales tax. ESRI reserves the right to collect sales tax assessed by states as required by law. ESRI will add state sales tax to the invoice unless ESRI is shown proof with the order that your organization is tax exempt or pays state tax directly.

ESRI collects and pays sales tax in Alabama, Arizona, California, Colorado, Connecticut, Florida, Georgia, Hawaii, Illinois, Indiana, Kansas, Maryland, Massachusetts, Michigan, Minnesota, Missouri, Nebraska, Nevada, New Jersey, New Mexico, New York, North Carolina, North Dakota, Ohio, Oklahoma, Pennsylvania, South Carolina, Tennessee, Texas, Utah, Vermont, Virginia, Washington, and Wisconsin. In preparing your budget, please allow for applicable sales tax. ESRI reserves the right to collect sales tax assessed by additional states as required by law.



ESRI
 380 New York Street
 Redlands, California 92373-8100
 909-793-2853

ESRI/HP Small Format Printer Domestic Order Form

4/10/07

ORDERED BY	
Organization	
Date of Order	P.O. No.
Phone	Fax
Contact	ESRI Customer No.

BILL TO	
Organization	
Department	P.O. No.
Address	
Attention	
Phone	Fax
E-Mail	

SHIP TO	
Organization	
Department	
Address	
Attention	
Phone	Fax
E-Mail	

Qty.	Model No./Description	Unit Price	Total

* Please add appropriate sales tax in the states of AL, AZ, CA, CO, CT, FL, GA, HI, IL, IN, KS, MA, MD, MI, MN, MO, NC, ND, NE, NJ, NM, NV, NY, OH, OK, PA, SC, TN, TX, UT, VA, VT, WA, and WI. ESRI reserves the right to correct sales tax rates and/or collect the sales tax assessed by additional states as required by law, without notice. Items may be shipped separately.

Shipping	Included
Sales Tax*	
Total Due ESRI	

THANK YOU FOR YOUR ORDER!

FAX YOUR ORDER TO 800-330-7053 ATTN.: Customer Service/Kelly Campos ESRI 380 New York Street • Redlands, CA 92373-8100

NOTES	
<p>A. If submitting a purchase order, a credit application will need to be completed if one is not already on file with ESRI.</p>	<p>PAYMENT OPTIONS:</p> <p>(a) Enclose a check payable to ESRI with this form. (b) Complete credit card authorization information below. (c) Enclose a completed purchase order with this form. We will not ship without payment or purchase order enclosed. Acceptance of purchase order is based on credit approval.</p>

CREDIT CARD AUTHORIZATION					
Card Number	Check One				Expiration Date
	AMEX	Disc.	MC	Visa	
Cardholder Signature	Approval Code (ESRI use only)				
Cardholder Printed Name					



IN-HOUSE USE
ORIGINATED BY _____ DEPT. _____ PHONE _____ CLIENT'S REQUEST \$ _____

**ESRI
CREDIT APPLICATION
COMPANY INFORMATION**

COMPANY NAME: _____ TELEPHONE: _____
DBA: _____ FAX: _____
ADDRESS: _____ CONTACT: _____

TAX EXEMPT: YES/NO. IF YES, PLEASE ATTACH
COPY OF EXEMPTION CERTIFICATES FOR ALL STATES.
LENGTH OF TIME IN BUSINESS: _____ FEDERAL ID NO.: _____
NUMBER OF EMPLOYEES: _____

CORPORATION _____ PROPRIETORSHIP _____ PARTNERSHIP
IF A CORPORATION, IN WHAT STATE INCORPORATED: _____
DATE OF INCORPORATION: _____
PRESIDENT: _____ VICE PRESIDENT: _____
PARTNER'S NAME(S): _____
PERSONS WITH CORPORATE SIGNATORY AUTHORITY: _____

COMPANY CLASSIFICATION: _____ FORTUNE 500 _____ UNIVERSITY, COLLEGE, OR PUBLIC SCHOOLS
LOCAL, STATE, OR FEDERAL GOVERNMENT _____ NONE OF THE ABOVE
BRIEFLY DESCRIBE YOUR COMPANY'S FUNCTION: _____

BANK REFERENCE

(Please list all banks and banking account numbers; attach additional pages if necessary.)

BANK NAME: _____ TELEPHONE: _____
ADDRESS: _____ CONTACT: _____

CHECKING ACCOUNT NO.: _____
OTHER ACCOUNT NO.: _____
LOAN NO.: _____

VENDOR REFERENCE

(PROVIDE 5)

NAME: _____ NAME: _____
ADDRESS: _____ ADDRESS: _____

TELEPHONE: _____ TELEPHONE: _____
NAME: _____ NAME: _____
ADDRESS: _____ ADDRESS: _____

TELEPHONE: _____ TELEPHONE: _____
NAME: _____
ADDRESS: _____

TELEPHONE: _____

ESRI PAYMENT POLICY:

NET 30 DAYS, 1.5 PERCENT LATE FEE PER MONTH AFTER 30 DAYS.

BY SIGNING BELOW, COMPANY CERTIFIES AND ATTESTS FINANCIAL RESPONSIBILITY FOR ANY AND ALL CORRECT ESRI INVOICES TO COMPANY AND ITS ABILITY TO PAY SUCH INVOICES IN ACCORDANCE WITH ESRI'S PAYMENT POLICY. COMPANY FURTHER AGREES TO PAY REASONABLE ATTORNEY'S FEES PLUS INTEREST IN THE EVENT OF DEFAULT IN PAYMENTS IN COMPLIANCE WITH ESRI POLICY. THE INFORMATION CONTAINED HEREIN IS ONLY FOR THE PURPOSE OF OBTAINING CREDIT AND AUTHORIZES ESRI TO OBTAIN INFORMATION CONCERNING COMPANY'S CREDIT STANDING.

PLEASE FAX TO ESRI CREDIT ANALYST AT 909-307-3031 AND MAIL ORIGINAL.

BY: _____ DATE: _____



HP Designjet 130nr Printer

Specifications	
Model size	24 in
Maximum print length	50 ft
Speed/monthly volume	
Print speed, color (normal quality mode)	Up to 1.7 ppm
Monthly duty cycle	Up to 900 pages
Print quality/technology	
Print technology	HP Thermal Inkjet
Print quality, color	2400 x 1200 dpi
Resolution	2400 x 1200 dpi
Cartridge colors	Black, cyan, magenta, yellow, light cyan, light magenta
Ink types	HP Vivera fade-resistant dye-based inks
Ink drop size	4 pl
Print head nozzles	304
Paper handling/media	
Paper tray(s), standard	1
Paper tray(s), maximum	1
Input capacity, standard	Up to 70
Input capacity, maximum	Up to 70
Output capacity, standard	Up to 50
Output capacity, maximum	Up to 50
Duplex printing (printing on both sides of paper)	None (not supported)
Document finishing	Sheetfed (input tray, manual single-sheet feed, rear path), automatic roll feed, automatic cutter
Media sizes, standard	Letter, legal, tabloid, executive, C, D, C+, D+, envelopes, banners
Media sizes, custom	Sheets: 3 x 5.6 to 24.6 x 64 in; roll feed (width): 24 in
Media types	Paper (brochure/flyer, coated, glossy, heavyweight coated, inkjet, plain, photo, proofing, semi-gloss), transparencies (A4/letter size only)
Media weight, recommended	17 to 56 lb



Memory/print languages/typefaces	
Memory, standard	64 MB
Print languages, standard	PCL 3-GUI RGB 24-bit Contone
Print languages, optional	Adobe PostScript® 3™ via software RIP
Typefaces	None
Connectivity	
Connectivity, standard	USB 1.1 (USB 2.0 compliant), Centronics parallel IEEE-1284 (ECP compliant), 1 EIO slot, HP Jetdirect WIO 10/100 Internal Print Server
Macintosh compatible	Dual 1 GHz PowerPC G4, 512 MB RAM
Print drivers, standard	Raster driver for Mac OS 9.x, X.1, X.2, X.3; PCL 3-GUI Windows driver; Microsoft Windows drivers 95, 98, Me, NT 4.0, 2000, XP including support for AutoCAD 2000, USB and ECP drivers
Minimum system requirements	PC: Microsoft® Windows® 98, Me: Pentium I, 133 MHz, 128 MB RAM, 300 MB available hard disk space; Microsoft Windows NT 4.0: Pentium II, 300 MHz, 128 MB RAM, 400 MB available hard disk space; Microsoft Windows 2000, Server 2003: Pentium II, 300 MHz, 128 MB RAM, 400 MB available hard disk space; Microsoft Windows XP: Pentium III, 733 MHz, 256 MB RAM, 400 MB available hard disk
Compatible network operating systems	
Compatible Operating Systems	Windows 98, Me, NT 4.0, 2000, Server 2003, XP
Dimensions/weight/warranty	
Dimensions, W x D x H	41.3 x 40.1 x 8.7 in
Weight, U.S.	50.7 lb
Warranty, standard	One-year, next business day exchange warranty
What's in the box	
What's in the box	HP Designjet 130nr Printer, automatic roll feed, HP Jetdirect Network card, power cord, printheads (6), print cartridges (6), input/output tray, software set up for Windows CD, software set up for Mac OS CD, user documentation CD, Setup Poster, Quick Start Guide, media samples, customer care document
Cable included?	Yes
Software included	HP Designjet Windows software, HP Designjet Macintosh software



HP Color LaserJet 9500n Printer

Print quality/technology	
Print technology	Laser
Print quality, black	ImageREt 4800
Print quality, color	ImageREt 4800
Cartridge colors	Black, cyan, magenta, yellow
Speed/monthly volume	
Print speed, black (best quality mode)	Up to 24 ppm
Print speed, black (normal quality mode)	Up to 24 ppm
Print speed, color (best quality mode)	Up to 24 ppm
Print speed, color (normal quality mode)	Up to 24 ppm
Recommended monthly print volume	5,000 to 25,000 pages
*Footnote for recommended monthly print volume	HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
Monthly duty cycle	Up to 200,000 pages
*Footnote for duty cycle	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
Paper handling/media	
Paper tray(s), standard	3
Paper tray(s), maximum	3
Input capacity, standard	Up to 1,100
Input capacity, maximum	Up to 1,100
Envelope feeder	No
Envelope input, standard	Up to 10
Output capacity, standard	Up to 600
Output capacity, maximum	Up to 600
Duplex printing (printing on both sides of paper)	Automatic (optional)
Document finishing	Auto-duplexing (with optional duplex unit)



Media sizes, standard	Tray 1: letter, letter-R, legal, executive, tabloid (11 x 17 in), commercial No. 10 envelopes, C5 envelopes, B5 envelopes, DL envelopes, Monarch envelopes; Tray 2, 3: letter, letter-R, legal, executive, foolscap (8.5 x 13 in), tabloid (11 x 17 in)
Media sizes, custom	Tray 1: 3.9 x 7.5 to 12.1 x 18.5 in; Trays 2, 3: 5.8 x 8.3 to 11.7 x 17 in
Media types	Tray 1: paper (plain, preprinted, letterhead, prepunched, bond, glossy, HP heavy glossy, non-HP heavy glossy, recycled, color, cardstock), tough paper, envelopes, transparencies, labels; Tray 2, 3: paper (plain, preprinted, letterhead, prepunched, bond, glossy, HP heavy glossy, non-HP heavy glossy, recycled, color, cardstock), tough paper, transparencies
Memory/print languages/typefaces	
Memory, standard	160 MB
Hard disk	Optional, 20 GB
Print languages, standard	PostScript 3 emulation, PCL 5c, PCL 6, direct PDF
Typefaces	80 TrueType™ internal scalable in PCL, 80 TrueType internal scalable in PS; Euro symbol supported
Connectivity	
Connectivity, standard	IEEE 1284 Type-C parallel, HP Jet-Link, HP Jetdirect 620n Fast Ethernet Print Server in EIO slot, 2 open EIO slots
Connectivity, optional	HP Fast Infrared Receiver (FIR), HP Jetdirect EIO cards (including 802.11b wireless), Ethernet, Token Ring, Fast Ethernet 10/100TX, LocalTalk, serial & USB (for more information, refer to http://www.hp.com/go/jetdirect)
Print drivers, standard	PCL 5c, PCL 6: Microsoft Windows 98, Me, NT 4.0, 2000, XP; PostScript 3 emulation: Microsoft Windows 95, 98, Me, NT 4.0, 2000, XP, Mac OS 8.6 and higher
Minimum system requirements	PC: Microsoft Windows 98: Pentium® 90 with 16 MB RAM, Windows Me: Pentium 150 with 32 MB RAM, Windows NT 4.0: Pentium 90 with 32 MB RAM, Windows 2000: 300 MHz Processor with 64 MB RAM, Microsoft Windows XP: 233 MHz processor with 64 MB RAM, 180 MB free hard disk space for Windows, 160 MB for Mac, Mac OS 8.6, 9.0, 9.04, 9.1, 9.2, 10.1, CD-ROM drive or Internet connection, dedicated IEEE 1284 parallel port
Compatible network operating systems	
Compatible Operating Systems	Windows NT 4.0; Windows 98; Windows 2000; Windows Me; Windows XP Home; Windows XP Professional; Windows XP Professional x64; Windows Server 2003; Windows Vista(TM) Ready
Dimensions/weight/warranty	
Dimensions, W x D x H	59 x 48 x 35 in (with left bin, all trays opened and extended)
Weight, U.S.	221.0 lb
Warranty, standard	One-year, next business day On-site warranty
What's in the box	
What's in the box	HP Color LaserJet 9500n Printer, power cord, HP Color LaserJet 9500 Paper Sample Guide, User's Guide, Start Guide, accessory (if purchased) and supplies installation guides, documentation on CD-ROM (Start Guide, User's Guide, HP Jetdirect Print Server Administrator's Guide, Online User Reference Guide), product software and print drivers on CD-ROM, control panel overlay, left bin, black print cartridge, cyan print cartridge, magenta print cartridge, yellow print cartridge, black image drum, cyan image drum, magenta image drum, yellow image drum, image cleaning kit, image transfer kit, image fuser kit
Cable included?	Yes
Software included	Product software on CD-ROM: print drivers software [PCL 5c (not available in AP, JP), PCL 6, PostScript 3 emulation], installer/uninstaller, screen fonts, HP Web Jetadmin, installation customization, Printer Status and Alerts, HP LaserJet utility for Macintosh



HP Color LaserJet 5550n Printer

Print quality/technology	
Print technology	Laser
Print quality, black	Up to 600 x 600 dpi
Print quality, color	Up to 600 x 600 dpi
Cartridge colors	Black, cyan, magenta, yellow
Speed/monthly volume	
Print speed, black (best quality mode)	Up to 27 ppm
Print speed, black (normal quality mode)	Up to 27 ppm
Print speed, color (best quality mode)	Up to 27 ppm
Print speed, color (normal quality mode)	Up to 27 ppm
Recommended monthly print volume	2,500 to 10,000 pages
*Footnote for recommended monthly print volume	HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
Monthly duty cycle	Up to 120,000 pages
*Footnote for duty cycle	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
Paper handling/media	
Paper tray(s), standard	2
Paper tray(s), maximum	5
Input capacity, standard	Up to 600
Input capacity, maximum	Up to 2,100
Envelope feeder	No
Envelope input, standard	Up to 20
Output capacity, standard	Up to 250
Output capacity, maximum	Up to 250
Duplex printing (printing on both sides of paper)	Manual (driver support provided)
Document finishing	Sheetfed
Media sizes, standard	Letter, legal, executive, 11 x 17 in, ledger, envelopes (No. 10, Monarch), statement



Media sizes, custom	Tray 1: 3 x 5 to 12.05 x 18.5 in; automatic two-sided printing, Trays 2, 3, 4, 5: 5.8 x 8.3 to 11.7 x 17 in
Media types	Paper (extra heavy, glossy, heavy, heavy glossy, high gloss images, intermediate, light, plain, recycle, tough), envelopes, labels, cardstock, transparencies
Memory/print languages/typefaces	
Memory, standard	160 MB
Hard disk	Optional, 20 GB
Print languages, standard	HP PCL 6, HP PCL 5c (HP PCL 5c driver available from the Web only), HP PostScript Level 3 emulation, native PDF printing (v1.3)
Typefaces	80 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP PostScript Level 3 emulation (Euro symbol built-in); additional font solutions available via third-party flash memory cards
Connectivity	
Connectivity, standard	IEEE 1284-C compliant bidirectional parallel port, USB 1.1 port, HP Jetdirect 620n Fast Ethernet Print Server in EIO slot, 2 open EIO slots, Jetlink port (for third-party paper handling devices)
Connectivity, optional	HP Jetdirect EIO internal print servers, HP Jetdirect external print servers, HP wireless print servers, HP Jetdirect EIO connectivity card for USB/serial/LocalTalk
Print drivers, standard	HP PCL 5c, HP PCL 6, HP PostScript Level 3 emulation
Minimum system requirements	PC: Microsoft Windows 98: Pentium 90 with 16 MB of RAM; Windows Me: Pentium 150 with 32 MB of RAM; Windows NT 4.0: Pentium 90 with 32 MB of RAM; Windows 2000: 300 MHz Processor with 64 MB of RAM; Windows XP: 233 MHz Processor with 64 MB of RAM; 180 MB free hard disk space for Windows, 160 MB for Mac; Mac OS 9.0, 9.04, 9.1, 9.2, 10.1; CD-ROM drive or Internet connection; dedicated IEEE-1284 parallel port
Compatible network operating systems	
Compatible Operating Systems	Windows NT 4.0; Windows 98; Windows 2000; Windows Me; Windows XP Home; Windows XP Professional; Windows Server 2003 (32/64 bit); Windows Vista™ Ready
Dimensions/weight/warranty	
Dimensions, W x D x H	22.7 x 61 x 25.2 in
Weight, U.S.	114.0 lb
Warranty, standard	One-year, next business day On-site warranty
What's in the box	
What's in the box	HP Color LaserJet 5550n Printer; HP black, cyan, magenta and yellow print cartridges; software and User's Guide on CD; Getting Started Guide; Network Installation Guide; power cord; 100-sheet multipurpose tray; 500-sheet input tray; HP Jetdirect 620n Fast Ethernet internal print server
Software included	Print drivers and installation software on CD-ROM: HP PCL 6, HP PostScript Level 3 emulation (32-bit drivers only), HP PCL 5c (provided on add printer install)



HP Color LaserJet CP4005 Printer

Print quality/technology	
Print technology	Laser
Print quality, black	Up to 600 x 600 dpi
Print quality, color	Up to 600 x 600 dpi
Cartridge colors	Black, cyan, magenta, yellow
Speed/monthly volume	
Print speed, black (best quality mode)	Up to 30 ppm
Print speed, black (normal quality mode)	Up to 30 ppm
Print speed, color (best quality mode)	Up to 25 ppm
Print speed, color (normal quality mode)	Up to 25 ppm
Recommended monthly print volume	2,000 to 7,500 pages
*Footnote for recommended monthly print volume	HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
Monthly duty cycle	Up to 80,000 pages
*Footnote for duty cycle	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
Paper handling/media	
Paper tray(s), standard	2
Paper tray(s), maximum	3
Input capacity, standard	Up to 600
Input capacity, maximum	Up to 1,100
Envelope feeder	No
Envelope input, standard	Up to 20
Output capacity, standard	Up to 500
Output capacity, maximum	Up to 500
Duplex printing (printing on both sides of paper)	Manual (driver support provided)
Document finishing	Sheetfed
Media sizes, standard	Letter, legal, statement, executive, envelopes (No. 10, Monarch)



Media sizes, custom	Multipurpose tray: 3 x 5 to 8.5 x 14 in; 500-sheet input trays: 5.8 x 8.3 to 8.5 x 14 in
Media types	Multipurpose tray: paper (plain, glossy, colored, preprinted, letterhead, recycled, HP tough and high-gloss laser), envelopes, transparencies, labels, cardstock; 500-sheet input trays: paper (plain, glossy, colored, preprinted, letterhead, recycled, HP tough and high-gloss laser), transparencies, labels
Memory/print languages/typefaces	
Memory, standard	128 MB
Print languages, standard	HP PCL 6, HP PCL 5c, HP PostScript Level 3 emulation, direct PDF printing v 1.4
Typefaces	93 internal TrueType fonts scalable in HP PCL and HP PostScript Level 3 emulation
Connectivity	
Connectivity, standard	Hi-Speed USB 2.0 port (compatible with USB 2.0 specifications), HP Jetdirect internal print server for Fast Ethernet 10/100Base-TX
Connectivity, optional	HP Jetdirect external print servers, HP Jetdirect wireless external print servers
Print drivers, standard	HP PCL 6, HP PCL 5c, HP PostScript Level 3 emulation, HP-GL/2
Minimum system requirements	PC: 64 MB RAM (Windows 2000); 233 MHz processor, 64 MB RAM (XP Home, XP Professional); 550 MHz processor, 128 MB RAM [Windows Server 2003 (standard edition)], 220 MB available hard disk space, IEEE 1284-compliant bidirectional parallel port, USB 1.1 port, Hi-Speed USB 2.0 port, CD-ROM drive or Internet connection
Compatible network operating systems	
Compatible Operating Systems	Windows 2000; Windows XP Home; Windows XP Professional; Windows XP Professional x64; Windows Server 2003; Windows Vista Ready; Mac OS X v 10.2 or higher
Dimensions/weight/warranty	
Dimensions, W x D x H	20.5 x 37.4 x 22.9 in (with paper tray extended)
Weight, U.S.	104.5 lb
Warranty, standard	One-year, next-day, On-site warranty; no installation
What's in the box	
What's in the box	HP Color LaserJet CP4005n Printer, 100-sheet multipurpose tray, power cable, software drivers and documentation on CD-ROM, in-box documentation (Getting Started Guide), full-capacity 7,500-page black and 7,500-page cyan, magenta and yellow HP color LaserJet print cartridges with HP ColorSphere Toner, HP Jetdirect Fast Ethernet embedded print server, 500-sheet input tray
Cable included?	No
Software included	Print drivers and installation software on CD-ROM: HP PCL 5c, HP PCL 6, HP PostScript Level 3 emulation, HP LaserJet utility, Macintosh software, PostScript Printer Description files