



## ADDENDUM 1 PRODUCT-SPECIFIC TERMS OF USE

### SOFTWARE

The following list identifies additional terms of use that apply to specific Software. Each Product listing identifies one or more footnotes that apply to that Product. These footnotes supplement the terms of the Agreement. The definitions for each footnote follow the list. Unless otherwise noted in the applicable Ordering Document, extensions to Software follow the same scope of use as that granted for the corresponding Software.

#### Desktop Products

- ArcGIS Desktop (Advanced, Standard, or Basic) (26)
- ArcGIS Earth (65)
- ArcGIS Explorer Desktop (20)
- ArcGIS for AutoCAD (20)
- ArcPad (13)
- ArcReader (20)
- ArcGIS for Windows Mobile (15; 54)
- ArcGIS for Personal Use (3, 26)

#### Server Products

- ArcGIS Enterprise
  - Standard or Advanced (21; 31)
  - Workgroup Standard or Advanced (21; 28; 29; 30)
  - ArcGIS GIS Server (Standard or Advanced) (31)
  - ArcGIS GIS Server Basic (39)
  - ArcGIS GIS Server Workgroup (Standard or Advanced) (28; 29; 30)
  - ArcGIS GIS Server Workgroup Basic (39)
  - ArcGIS GIS Server Extension
  - ArcGIS Maritime: Server (2)
  - ArcGIS Image Server, ArcGIS GeoEvent Server, ArcGIS GeoAnalytics Server (4)
- Esri Business Analyst Server
  - Workgroup (28; 29; 30; 31; 39)
  - Enterprise (31; 39)
- World Geocoder for ArcGIS Basic (67)

#### Developer Tools

- AppStudio for ArcGIS Standard (11, 16, 19)
- ArcGIS Runtime SDK for Android, iOS, Java, Mac OS X, Microsoft .NET Framework (Windows [desktop], Windows Phone, Windows Store), Qt, or WPF (16; 19)
- ArcGIS Runtime Basic Level for Android, iOS, Java, Mac OS X, Microsoft .NET Framework (Windows [desktop], Windows Phone, Windows Store), Qt, or WPF (1)
- ArcGIS Runtime Basic, Standard, Advanced Levels and the Analysis Extension for Android, iOS, Java, Mac OS X, Microsoft .NET Framework (Windows [desktop], Windows Phone, Windows Store), Qt, or WPF (15; 18)
- ArcGIS Engine Developer Kit and Extensions (16, 19; 22, 26)
- ArcGIS Engine for Windows/Linux and Extensions (15; 22; 26)
- ArcGIS Web Mapping (including ArcGIS API for JavaScript/HTML5, ArcGIS API for Flex, ArcGIS API for Microsoft Silverlight) (15; 16; 64; 66)

- ArcGIS Developer Subscription (24; 26)
- Esri File Geodatabase API (47)

### Mobile

- Navigator for ArcGIS (14)

### Footnotes:

1. May not be used to edit an Enterprise Geodatabase via Direct Connect.
2. Not for use in navigation.
3. Licensed for Personal Use only.
4. When used with ArcGIS Enterprise Workgroup
  - Limited to 1 four-core server.
  - Can be installed on a separate machine.
- 5–10. Reserved.
11. Applications built with AppStudio for ArcGIS Standard are subject to the terms of use for ArcGIS Runtime Standard Level.
12. Reserved.
13. Licensed as a Dual Use License.
14. May be used for navigational purposes.
15. Licensed as a Deployment License.
16. Customer may use the SDKs or APIs to create Value-Added Applications and distribute and license those Value-Added Applications to its end users to use the Value-Added Applications anywhere not prohibited under export regulation.
17. Reserved.
18. The Deployment License is per Value-Added Application per computer for stand-alone applications.
19. License may not be used to develop Internet or server-based Value-Added Applications.
20. Licensed as a Redistribution License.
21. Customer may build a Value-Added Application(s) for use by Customer's Named Users. Customer may not (i) embed Named User credentials in Value-Added Applications or (ii) embed or use App Login Credentials in Value-Added Applications. Customer may permit (x) public access to Value-Added Applications without credentials or (y) access using unique, individual Named User login credentials.
22. a. An end user must acquire a license in either ArcGIS Engine for Windows/Linux Software or other ArcGIS Desktop Software (Basic, Standard, or Advanced) to obtain the right to run an ArcGIS Engine application on 1 computer; and
  - b. The ArcGIS Engine for Windows/Linux extensions shall not be used in combination with ArcGIS Desktop Software to run ArcGIS Engine Value-Added Applications. A single user can have multiple ArcGIS Engine Value-Added Applications installed on 1 computer for use only by that end user.
23. Reserved.
24. Software may be used only for the purposes of development, testing, and demonstration of a prototype Value-Added Application and creating map caches. Value-Added Applications and map caches can be used with Staging and Deployment ArcGIS Enterprise servers. Software and Data may be installed on multiple computers for use by any ArcGIS Developer Subscribers with Builder or higher plan subscriptions; all other Software is licensed as a Single Use License.
25. Reserved.
26. A Personal Edition geodatabase is restricted to 10 gigabytes of Customer's data.
27. Reserved.
28. Use is limited to 10 concurrent end users of applications other than ArcGIS Enterprise Workgroup or ArcGIS GIS Server Workgroup applications. This restriction includes use of ArcGIS Desktop Software, ArcGIS Engine Software, and third-party applications that connect directly to any ArcGIS Enterprise Workgroup or ArcGIS GIS Server Workgroup geodatabase. There are no limitations on the number of connections from web applications.
29. Software requires a supported version of SQL Server Express. Supported versions are listed with the system requirements for the product on the Esri website.
30. Use is restricted to a maximum of 10 gigabytes of Customer's data.

31. Includes a Failover License.
32. Reserved.
- 33–38. Reserved.
39. Any editing functionality included with ArcGIS GIS Server is not permitted for use with ArcGIS GIS Server Basic and ArcGIS GIS Server Workgroup Basic.
- 40–46. Reserved.
47. Customer may develop and distribute Value-Added Applications that use Esri File Geodatabase API to Customer's end users.
- 48–53. Reserved.
54. ArcGIS for Windows Mobile Deployments are licensed for use with ArcGIS Enterprise (Advanced or Standard), ArcGIS Enterprise Workgroup (Advanced), ArcGIS Desktop (Advanced, Standard, Basic), and ArcGIS Engine Value-Added Applications.
- 55–63. Reserved.
64. Value-Added Application(s) for web deployment must be used in conjunction with other Esri Product(s). Third-party technologies may also be used in conjunction with Value-Added Application(s) as long as the Value-Added Application(s) is always used in conjunction with other Esri Product(s).
65. Can only be used in conjunction with other Esri Product(s). Third-party technologies may also be used in conjunction with ArcGIS Earth as long as ArcGIS Earth is always used in conjunction with other Esri Product(s).
66. For desktop applications, each license is per organization. For the purposes of this license, *organization* is equivalent to a principal registered unique domain identifier. *Domain* is the Internet domain name registered with a domain name registrar. For instance, in example.com, example.com is the registered unique domain identifier. Similarly, in example.com.xx, where xx is a registered country code, example.com.xx is the registered unique domain identifier. Desktop applications can be used by any employee of the organization with the principal registered unique domain identifier. There is no limit to the number of applications that can be built and deployed within an organization.
67. Limited to 250,000,000 geocodes per annual subscription.

## ONLINE SERVICES

The following list identifies additional terms of use that apply to specific Online Services. Each Product listing identifies one or more footnotes that apply to that Product. The definitions for each footnote follow the list. Unless otherwise noted in the applicable Ordering Document, extensions to Software follow the same scope of use as that granted for the corresponding Software.

- ArcGIS Online Developer Deployment subscriptions are available through multiple Selling Programs:
  - Commercial Retail, EAs; Government Programs
    - + Free Subscription (1; 9; 10; 13; 16)
    - + Paid Subscription (1; 9; 10; 11; 13)
  - Education Programs (Free or Paid Subscriptions) (1; 3; 4; 5; 6; 9; 10; 13; 16)
  - NGO/NPO, Press/Media Programs (Free or Paid Subscription) (1; 3; 4; 5; 6; 9; 10; 13; 16)
- ArcGIS Online subscriptions are available through multiple Selling Programs:
  - Commercial Retail, EAs; Government Programs (1; 2; 3; 11; 12; 14; 17)
  - Education Program (1; 2; 14; 16; 17)
  - Non-Profit Program (1; 2; 14; 16; 17)
- Public Plan
  - Commercial Retail, EAs; Government; NGO/NPO; Press/Media Programs (1; 4; 5; 6; 7; 9; 10; 15; 16)
  - Education Programs (1; 4; 5; 6; 7; 9; 10; 15; 16)

### Footnotes:

1. Customer may not store the geocoded results generated by World Geocoding Service without an ArcGIS Online subscription. Customer may use the data accessible through Infographics Service for display purposes only and may not save any data accessible through this service.
2. May be used for any business purpose of the Customer's organization.
3. May be used for development and test purposes for the Customer's organization.
4. May be used for teaching purposes in educational organizations.
5. May be used for the benefit of the Customer's qualified NGO/NPO organization.
6. May be used for the benefit of press or media organizations.
7. May be used for personal use.
8. (reserved)
9. Customer may enable third-party use of Value-Added Applications only by publicly sharing using Sharing Tools. Customer may not use this subscription to power a Value-Added Application for its own business use unless Customer is an educational institution using the Value-Added Application for teaching purposes only, a qualified NGO/NPO organization, or a media or press organization.
10. Customer is not permitted to create private groups or participate in any private groups.
11. Customer may make Value-Added Applications available to third parties for a fee.
12. Customer may use this subscription to create or participate in private groups.
13. Each subscription is limited to 1,000,000 basemap and 1,000,000 geosearch transactions per month in conjunction with Customer's subscription. Transactions include both basemap data and geocode search transactions. One basemap data transaction is equivalent to eight 256x256 tile requests. One geocode search transaction is equivalent to one address or place. If the results are stored in any manner such as after batch geocoding, the stored results are not counted towards the transaction limit. However, storage does consume service credits.
14. Each subscription is limited to a combined 50,000,000 basemap and geosearch transactions in any 12-month period. Transactions include both basemap data and geocode search transactions. One basemap data transaction is equivalent to eight 256x256 tile requests. One geocode search transaction is equivalent to one address or place. If the results are stored in any manner such as after batch geocoding, the stored results are not counted towards the transaction limit. However, storage does consume service credits.
15. May permit registered students of an education institution to directly access the Online Services and share a single subscription between more than 1 registered student, for teaching purposes only.
16. Customer may not make Value-Added Applications available to third parties for a fee.
17. A Named User may embed their Named User Credential in an *ArcGIS API for Python* script solely for the purpose of automating a workflow to be used exclusively by the Named User whose Named User Credential is embedded in the script.