

# Uslovi korišćenja za određeni proizvod

---

The following list identifies additional terms of use that apply to specific Products. Svaka stavka proizvoda navodi fusnote koje se odnose na taj proizvod. Te fusnote dopunjuju uslove ovog ugovora. Definicije za svaku fusnotu prate listu. Unless otherwise noted in the applicable Ordering Document, extensions to a Product follow the same scope of use as that granted for the corresponding Product.

## Proizvodi za stone računare

- ArcGIS Desktop (verzija Advanced, Standard ili Basic) (26)
- ArcGIS Earth (20, 65)
- ArcGIS Explorer Desktop (20)
- ArcGIS for AutoCAD (20)
- ArcPad (13)
- ArcReader (20)
- ArcGIS for Personal Use (3, 26)

## Proizvodi za servere

- ArcGIS Enterprise
  - Basic (17)
  - Standard or Advanced (17; 21; 23; 31)
  - Workgroup Standard or Advanced (21; 23; 28; 29; 30)
  - ArcGIS GIS Server (Standard ili Advanced) (31)
  - ArcGIS GIS Server Basic (39)
  - ArcGIS GIS Server Workgroup (Standard ili Advanced) (28; 29; 30)
  - ArcGIS GIS Server Workgroup Basic (39)
  - ArcGIS GIS Server Extension
  - ArcGIS for Maritime: Server (2)
  - ArcGIS Image Server, ArcGIS GeoEvent Server, ArcGIS GeoAnalytics Server (4)
- Esri Business Analyst for Server
  - Workgroup (28; 29; 30; 31; 39)
  - Enterprise (31; 39)
- World Geocoder for ArcGIS Basic (67)

## Razvojni alati

- AppStudio for ArcGIS Standard (11, 16, 19)
- ArcGIS Runtime SDK for Android, iOS, Java, macOS, .NET, Windows Phone, Qt, or WPF (16; 19)
- ArcGIS Runtime Basic Level for Android, iOS, Java, Mac OS X, Microsoft .NET Framework (Windows [desktop], Windows Phone, Windows Store), Qt, or WPF (1, 20)
- ArcGIS Runtime Basic, Standard, Advanced Levels i Analysis Extension for Android, iOS, Java, Mac OS X, Microsoft .NET Framework (Windows [[desktop], Windows Phone, Windows Store), Qt ili WPF (15; 18)
- ArcGIS Engine Developer Kit and Extensions (16, 19; 22; 26)
- ArcGIS Engine for Windows/Linux and Extensions (15; 22; 26)
- ArcGIS Web API for JavaScript (16; 64)
- ArcGIS Developer Subscription (24; 26)
- Esri File Geodatabase API (47)

## Mobilni uređaji

- Navigator for ArcGIS (14)

## Online Services

- ArcGIS Online Developer Deployment Plans are available through multiple selling programs:
  - Komercijalna maloprodaja, ugovori sa preduzećima i državni programi
    - + Free Subscription (68; 75; 76; 79; 81)
    - + Paid Subscription (68; 75; 76; 77; 79)
  - Education Programs (Free or Paid Subscriptions) (68; 70; 71; 72; 73; 75; 76; 79; 81)
  - NGO/NPO, Press/Media Programs (Free or Paid Subscription) (68; 70; 71; 72; 73; 75; 76; 79; 81)
- Pretplate na ArcGIS Online su dostupne kroz više programa za prodaju:
  - Commercial Retail, EAs; and Government Programs (68; 69; 70; 77; 78; 82)
  - Education Programs (68; 69; 81; 82)
  - Non-profit Programs (68; 69; 81; 82)
- Javni program
  - Commercial Retail; enterprise agreements; Government; NGO/NPO; Press/Media Programs (68; 71; 72; 73; 74; 75; 76; 80; 81)
  - Education Programs (68; 71; 72; 73; 74; 75; 76; 80; 81)
- AEC Project Delivery Subscription (83)

## Fusnote:

1. May not be used to edit an enterprise geodatabase via Direct Connect.
2. Nije za korišćenje u navigaciji.
3. Licencirano samo za ličnu upotrebu.
4. Kada se koristi uz ArcGIS Enterprise Workgroup
  - Ograničeno na 1 server sa četiri jezgra.
  - Može da se instalira na zasebnom računaru.
- 5 - 10. Rezervisano.
11. Aplikacije napravljene koristeći AppStudio for ArcGIS Standard su podložne uslovima korišćenja za ArcGIS Runtime Standard Level.
12. Rezervisano.
13. Licencirano kao licenca za dvostruku upotrebu.
14. Može da se koristi u navigacione svrhe.
15. Licencirano kao licenca za implementaciju.
16. Klijent može da koristi SDK ili API za kreiranje aplikacija sa dodatnom vrednošću i distribuiranje i licenciranje tih aplikacija sa dodatnom vrednošću krajnjim korisnicima koji će ih koristiti na lokacijama na kojima to nije zabranjeno propisima o izvozu.
17. Korisnik ne redistribuira Oracle JDBC Driver niti njegovu dokumentaciju koja je priložena uz ovaj proizvod. Oracle je treća strana u ovom ugovoru.
18. Licenca za implementaciju se izdaje za jednu aplikaciju sa dodatnom vrednošću po računaru za samostalne aplikacije.
19. Licenca ne sme da se koristi za razvijanje aplikacija sa dodatnom vrednošću za internet ili server.
20. Licencirano kao licenca za ponovnu distribuciju.
21. Customer may build Value-Added Applications for use by Customer's Named Users. Korisnik ne sme (i) da ugradi akreditivne Imenovanog korisnika u aplikacije sa dodatnom vrednošću niti (ii) da ugradi ili koristi akreditivne za prijavljivanje u aplikaciju u aplikacijama sa dodatnom vrednošću. Korisnik može da dozvoli (a) javni pristup aplikacijama sa dodatnom vrednošću bez akreditiva ili (b) pristup pomoću jedinstvenih, pojedinačnih akreditiva za prijavljivanje Imenovanog korisnika.
22. (a) An end user must acquire a license in either ArcGIS Engine for Windows/Linux Software or other ArcGIS Desktop Software (Basic, Standard, or Advanced) to obtain the right to run an ArcGIS Engine application on 1 computer; and  
(b) The ArcGIS Engine for Windows/Linux extensions shall not be used in combination with ArcGIS Desktop Software to run ArcGIS Engine Value-Added Applications. Jedinstveni korisnik može da ima više ArcGIS Engine aplikacija sa dodatnom vrednošću instaliranih na 1 računaru koje sme da koristi samo taj krajnji korisnik.
23. System to System Communication
  - a) Customer may use a basic service login to enable one-way, read-only, system-to-system communications from ArcGIS Enterprise to other third-party, enterprise business system(s) in the customer's organization. Customer may use a Level 1 Named User Credential as a basic service login until Esri implements an

actual service login credential. A specific Level 1 Named User Credential used as a basic service login credential may only be used for system-to-system integration purposes and may not also be used by a Named User to access the system.

- b) Customer may use a standard service login to enable two-way, read-write, system-to-system communications between ArcGIS Enterprise and other third-party, enterprise business system(s) in the customer's organization. Customer may use a Level 2 Named User Credential as a standard service login until Esri implements an actual service login credential. A specific Level 2 Named User Credential used as a standard service login credential may only be used for system-to-system integration purposes and may not also be used by a Named User to access the system.
- 24. Softver može da se koristi samo za razvijanje, testiranje i demonstriranje prototipa aplikacije sa dodatnom vrednošću i kreiranje keš memorije mapa. Korisnik može da koristi aplikacije sa dodatnom vrednošću i keširane mape sa licencama za ArcGIS pripremni server i licencama za implementacijski server: Softver i podaci mogu da budu instalirani na više računara koje mogu da koriste pretplatnici na ArcGIS Developer uz program Builder ili višim planom pretplate; svi drugi softveri su licencirani kao licenca za jednog korisnika.
- 25. Rezervisano.
- 26. Geo-baza podataka je ograničena na 10 gigabajta podataka Korisnika.
- 27. Rezervisano.
- 28. Korišćenje je ograničeno na 10 istovremenih krajnjih korisnika aplikacija koje ne pripadaju aplikacijama ArcGIS Enterprise Workgroup ili ArcGIS GIS Server Workgroup. Ograničenje obuhvata korišćenje softvera ArcGIS Desktop, ArcGIS Engine i aplikacija treće strane koje se povezuju direktno na bilo koju geo-bazu podataka za ArcGIS Enterprise Workgroup ili ArcGIS GIS Server Workgroup. Nema ograničenja na broj veza sa veb-aplikacija.
- 29. Softver zahteva podržanu verziju programa SQL Server Express. Podržane verzije su navedene sa sistemskim zahtevima za proizvod na veb-lokaciji kompanije Esri.
- 30. Korišćenje je ograničeno na najviše 10 gigabajta podataka Korisnika.
- 31. Includes a Failover License.
- 32. Rezervisano.
- 33 - 38. Rezervisano.
- 39. Svaka funkcija za uređivanje uključena u ArcGIS GIS Server nije dozvoljena za korišćenje uz ArcGIS GIS Server Basic i ArcGIS GIS Server Workgroup Basic.
- 40 - 46. Rezervisano.
- 47. Klijent može da razvija i distribuira aplikacije sa dodatnom vrednošću koje koriste Esri File Geodatabase API krajnjim korisnicima klijenta.
- 48 - 53. Rezervisano.
- 54. Reserved.
- 55 - 63. Rezervisano.
- 64. Aplikacije sa dodatnom vrednošću za veb primenu moraju da se koriste zajedno sa drugim Esri proizvodima. Takođe, mogu da se koriste tehnologije treće strane uz aplikacije sa dodatnom vrednošću dokle god se one uvek koriste zajedno sa drugim Esri proizvodima.
- 65. May only be used in conjunction with other Esri Product(s). Takođe, mogu da se koriste tehnologije treće strane uz ArcGIS Earth dokle god se ArcGIS Earth uvek koristi zajedno sa drugim Esri proizvodima.
- 66. Reserved.
- 67. Ograničeno na 250.000.000 geokodova po godišnjoj pretplati.
- 68. Korisnik ne sme da skladišti geokodirane rezultate koje generiše usluga za geokodiranje sveta bez pretplate na ArcGIS Online. Klijent može da koristi podatke dostupne putem usluge informativnih grafika samo za prikaz i ne sme da čuva podatke dostupne putem ove usluge.
- 69. Može da se koristi za bilo koju poslovnu namenu organizacije klijenta.
- 70. Može da se koristi za razvijanje i testiranje za organizaciju klijenta.
- 71. Može da se koristi u svrhu podučavanja u obrazovnim organizacijama.
- 72. Može da se koristi za potrebe kvalifikovanih NVO/neprofitnih organizacija Korisnika.
- 73. Može da se koristi za potrebe organizacija štampe ili medija.
- 74. Može da se koristi za ličnu upotrebu.
- 75. Customer may enable third-party use of Value-Added Applications only by publicly sharing using Sharing Tools. Korisnik ne sme da koristi ovu pretplatu za omogućavanje aplikacije sa dodatnom vrednošću za sopstvenu poslovnu upotrebu osim u slučaju kada je Korisnik obrazovna institucija koja koristi aplikaciju

sa dodatnom vrednošću samo u svrhu podučavanja, kvalifikovana NVO/neprofitna organizacija ili organizacija za štampu ili medije.

76. Klijentu nije dozvoljeno da kreira privatne grupe ili da učestvuje u privatnim grupama.
77. Klijent može da omogućiti pristup aplikacijama sa dodatnom vrednošću trećim stranama za određenu naknadu.
78. Klijent može da koristi ovu pretplatu za kreiranje privatnih grupa ili učestvovanje u njima.
79. Each subscription is limited to 1,000,000 geosearch transactions per month in conjunction with Customer's subscription. Transakcije obuhvataju podatke osnovne mape i transakcije geokodiranja. Jedna transakcija podataka osnovne mape je jednaka zahtevima od osam pločica razmere 256x256. Jedna transakcija geokodiranja je jednaka jednoj adresi ili lokaciji. Ako su rezultati sačuvani na bilo koji način, kao, na primer, nakon grupnog geokodiranja, sačuvani rezultati se ne uračunavaju u ograničenje transakcije. Međutim, skladištenje troši kreditne bodove.
80. Može da dozvoli registrovanim učenicima obrazovne institucije da direktno pristupe uslugama na mreži i deli jednu pretplatu između više registrovanih učenika, samo u svrhu podučavanja.
81. Klijent ne sme da omogućiti pristup aplikacijama sa dodatnom vrednošću trećim stranama za određenu naknadu.
82. A Named User may embed its Named User Credential in an ArcGIS API for Python script solely for the purpose of automating a workflow to be used exclusively by the Named User whose Named User Credential is embedded in the script.
83. Customer must use a separate AEC Project Delivery Subscription for each Customer client ("**Client**"). Customer may (i) use the AEC Project delivery Subscription solely to collaborate on project work with its Client; and (ii) provide Client with Named User access to the AEC Project Delivery Subscription to enable Client to access the AEC Project Delivery Subscription to collaborate on project work that Customer performs for Client. Client may not use the Named User License for any other purpose. Customer is solely responsible for Client's compliance with these terms of use and will ensure that Client stops using the AEC Project Delivery Subscription when the project ends.