

Esri Accessibility Conformance Report

ArcGIS Pro

Report Date: JUL 18, 2025

Table of Contents

ESRI ACCESSIBILITY CONFORMANCE REPORT	1
Product Information.....	1
Purpose	2
Background	2
Legal Disclaimer.....	2
Contact Information	2
Applicable Standards and Guidelines	2
Record of Changes	3
Terms	4
REVISED SECTION 508 CONSIDERATIONS	5
Application and Administration	5
Scoping Requirements.....	5
Functional Performance Criteria	5
Hardware	6
Software	6
Support Documentation and Services	6
WEB CONTENT ACCESSIBILITY GUIDELINES (WCAG) REPORT	7
WCAG Principle 1: Perceivable	7

WCAG Principle 2: Operable.....	14
WCAG Principle 3: Understandable.....	22
WCAG Principle 4: Robust	27
REVISED SECTION 508 REPORT.....	29
Chapter 3: Functional Performance Criteria	29
Chapter 4: Hardware.....	36
Chapter 5: Software	37
Chapter 6: Support Documentation and Services	45
EN 301 549 REPORT	47
Chapter 4: Functional Performance Statements (FPS)	47
Chapter 5: Generic Requirements	55
Chapter 6: ICT with Two-Way Voice Communication	55
Chapter 7: ICT with Video Capabilities	55
Chapter 8: Hardware	55
Chapter 9: Web (see WCAG section)	55
Chapter 10: Non-Web Documents	56
Chapter 11: Software	57
Chapter 12: Documentation and Support Services.....	63

List of Tables

Table 1: Applicable Standards and Guidelines.....	2
Table 2: Record of Changes	3
Table 3: Conformance Level Definitions	4
Table 4: WCAG Principle 1 Success Criteria - Perceivable	7
Table 5: WCAG Principle 2 Success Criteria - Operable	14
Table 6: WCAG Principle 3 Success Criteria - Understandable.....	22
Table 7: WCAG Principle 4 Success Criteria - Robust.....	27
Table 8: Revised Section 508 Chapter 3 - Functional Performance Criteria	29
Table 9: Revised Section 508 Chapter 5 - Software	37
Table 10: Revised Section 508 Chapter 6 - Support Documentation and Services	45
Table 11: EN 301 549 Chapter 4 - Functional Performance Statements	47
Table 12: EN 301 549 Chapter 11 - Software.....	57
Table 13: EN 301 549 Chapter 12 - Documentation and Support Services.....	63

Esri Accessibility Conformance Report

Product Information

Product Name/Version: ArcGIS Pro (v 3.4)

Report Template: International Edition VPAT® (based on version 2.5)

Product Release Date: November 07, 2024

Report Date: July 18, 2025

Product Description: ArcGIS Pro is a desktop application on the ArcGIS platform that includes tools for authoring, managing, analyzing, and sharing maps data and reporting.

Notes: The scope of this report reflects the development status of ArcGIS Pro 3.4.2. This product does not contain any prerecorded or live audio-only and video-only content.

Evaluation Methods Used: Testing ArcGIS Pro involved a combination of manual and functional testing on desktop. The product was tested by certified accessibility professionals on a selection of the application representative of ArcGIS Pro using, among other methodology, the screen reader JAWS 2024, exclusive use of the keyboard, and manual inspection of code. Functional testing of typical user workflows was also conducted.

Purpose

The Voluntary Product Accessibility Template (VPAT®) – used to create Esri Accessibility Conformance Reports – is a template used to document a product's conformance with accessibility standards and guidelines. The purpose of the VPAT® is to assist customers and buyers in making preliminary assessments regarding the availability of commercially-available Information and Communication Technology (ICT) products and services with features that support accessibility.

Background

On March 20, 2017, the Architectural and Transportation Barriers Compliance Board (Access Board) revised, updated, and combined standards for ICT developed, procured, maintained, or used by federal agencies covered by Section 508 of the Rehabilitation Act of 1973 and Section 255 of the Communications Act of 1934. The revisions and updates to these standards are intended to ensure that electronic media is accessible to and usable by individuals with disabilities.

Legal Disclaimer

As of the testing date to which this document relates to, this document describes the Esri product's ability to support certain WCAG standards for informational purposes only, and the contents are subject to change without notice. This document does not represent a legal commitment and is provided "As-Is." Esri disclaims that any information in this document will remain accurate after such testing date. Esri monitors the accessibility of its products and provide updates from time to time. Any modification or customization to the product described herein may render some or all of this document to become inapplicable. Esri specifically disclaims any liability with respect to this document, and no contractual obligations are formed either directly or indirectly by this document. Esri further makes no representation concerning the ability of assistive technologies or other products to interoperate with the Esri product described herein.

Contact Information

For more information regarding general accessibility topics at Esri, visit <https://www.esri.com/en-us/accessibility/overview>, or for accessibility information regarding Esri Legal, visit <https://www.esri.com/en-us/legal/accessibility>. For more information about ArcGIS Pro, visit <https://pro.arcgis.com/en/pro-app/latest/get-started/overview-of-accessibility.htm>.

Specific inquiries may be emailed to EsriAccessibility@esri.com, or mailed to Esri, Contracts and Legal Department, 380 New York Street, Redlands, California 92373.

© 2025 Environmental Systems, Research Institute, Inc. (Esri). All rights reserved.

Applicable Standards and Guidelines

Table 1: Applicable Standards and Guidelines

Standards / Guidelines	Included In Report
Web Content Accessibility Guidelines 2.2	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 Standards	(Yes)
EN 301 549 (V3.2.1 - 2021)	(Yes)

Record of Changes

Table 2: Record of Changes

Version	Date	Description of Changes
1.0	07/18/2025	Evaluation results and explanations updated by testing vendor (initial version).
2.0	07/22/2025	Updated to 2.5 VPAT® template and Esri ACR format.
2.1	07/25/2025	Evaluation results and explanations updated by certified accessibility professionals and Esri internal.

Terms

The terms used in the 'Conformance Level' information are defined as follows:

Table 3: Conformance Level Definitions

Conformance Level	Definition
Supports	The functionality of the product has at least one method that meets the criterion or meets with equivalent facilitation.
Partially Supports	Product does not entirely meet the letter and intent of the criterion, but does provide some level of access. OR Product provides alternative methods to meet the intent of the criterion.
Does Not Support	The majority of product functionality does not meet the criterion.
Not Applicable	The criterion is not relevant to the product.
Not Evaluated	The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

Revised Section 508 Considerations

Application and Administration

Information and Communication Technology (ICT) that is procured, developed, maintained, or used by agencies shall conform to these requirements. Section 508 of the Rehabilitation Act (29 U.S.C. 794d) applies to federal departments and agencies, including the U.S. Postal Service. The term “agency” is defined in Section E103 to include the United States Postal Service and other federal agencies and departments as specified in 44 U.S.C. 3502. That section of the U.S.C. defines agency to mean any executive department, military department, Government corporation, Government controlled corporation, or other establishment in the executive branch of the Government (including the Executive Office of the President), or any independent regulatory agency, but does not include (a) the General Accounting Office; (b) Federal Election Commission; (c) the governments of the District of Columbia and of the territories and possessions of the United States, and their various subdivisions; or (d) Government-owned contractor-operated facilities, including laboratories engaged in national defense research and production activities.

All sections of the technical standards may apply to this product and are individually addressed in the following sections. This applies to the majority of ArcGIS software, services, and solutions.

Scoping Requirements

Section 508 Chapter 2 addresses application and scoping of the Revised 508 Standards, including exceptions. Multiple significant changes were made to this chapter, including:

- Adding a category to E205.3, official agency communications that are non-public facing electronic covered content;
- Clarifying the application of WCAG 2.0 to non-Web documents and software; and
- Made corresponding changes to E205.4 and E207.2, including adding E205.4.1 and E207.3, which specify the word substitution necessary to apply WCAG 2.0 to non-Web content.

207.2 WCAG Conformance. User interface components and content of platforms and applications shall conform to Level A and Level AA Success Criteria and Conformance Requirements specified for web pages in WCAG 2.0.

Functional Performance Criteria

301.1 Scope. The requirements of Chapter 3 shall apply to ICT where required by 508 Chapter 2 (Scoping Requirements), 255 Chapter 2 (Scoping Requirements), and where otherwise referenced in any other chapter of the Revised 508 Standards or Revised 255 Guidelines.

Hardware

401.1 Scope. The requirements of Chapter 4 shall apply to ICT that is hardware where required by 508 Chapter 2 (Scoping Requirements), 255 Chapter 2 (Scoping Requirements), and where otherwise referenced in any other chapter of the Revised 508 Standards or Revised 255 Guidelines.

EXCEPTION: Hardware that is assistive technology shall not be required to conform to the requirements of this chapter.

402.1 General. ICT with closed functionality shall be operable without requiring the user to attach or install assistive technology other than personal headsets or other audio couplers, and shall conform to 402.

Software

501.1 Scope. The requirements of Chapter 5 shall apply to software where required by 508 Chapter 2 (Scoping Requirements), 255 Chapter 2 (Scoping Requirements), and where otherwise referenced in any other chapter of the Revised 508 Standards or Revised 255 Guidelines.

EXCEPTION: Where Web applications do not have access to platform accessibility services and do not include components that have access to platform accessibility services, they shall not be required to conform to 502 or 503 provided that they conform to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1).

502.1 General. Software shall interoperate with assistive technology and shall conform to 502.

502.2 Documented Accessibility Features. Software with platform features defined in platform documentation as accessibility features shall conform to 502.2.

Support Documentation and Services

602.1 General. Documentation that supports the use of ICT shall conform to 602.

Web Content Accessibility Guidelines (WCAG) Report

WCAG Principle 1: Perceivable

Information and user interface components must be presentable to users in ways they can perceive. This includes guidelines for [Text Alternatives](#), [Time-based Media](#), and [Adaptable](#) and [Distinguishable](#) content.

Table 4: WCAG Principle 1 Success Criteria - Perceivable

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (WCAG 2.0) (Level A) All non-text content that is presented to the user has a text alternative that serves the equivalent purpose, except for the situations listed below: <ul style="list-style-type: none">• Controls, Input• Time-Based Media• Test• Sensory• CAPTCHA• Decoration, Formatting, Invisible	Partially Supports	<p>The product provides sufficient text alternatives for most non-text content, such as images, icons, and visual affordances, or is hidden from assistive technology. A rating of Partially Supports has been given for the following reason(s):</p> <ul style="list-style-type: none">• Some components throughout the product lack labels or other purpose identifiers, which prevents the use of assistive technology• Some descriptive or decorative content (e.g. images and non-text content) is lacking appropriate tagging to notify assistive technology• Some icons have insufficient alternative text
1.2.1 Audio-only and Video-only (Prerecorded) (Level A) For prerecorded audio-only and prerecorded video-only media, the following are true, except when the audio or video is a media alternative for text and is clearly labeled as such: <ul style="list-style-type: none">• Prerecorded Audio-only: An alternative for time-based media is provided that presents equivalent information for prerecorded audio-only content.	Supports	The product does not currently contain pre-recorded audio-only or pre-recorded video-only content.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> Prerecorded Video-only: Either an alternative for time-based media or an audio track is provided that presents equivalent information for prerecorded video-only content. 		
<p><u>1.2.2 Captions (Prerecorded) (WCAG 2.0) (Level A)</u></p> <p>Captions are provided for all prerecorded audio content in synchronized media, except when the media is a media alternative for text and is clearly labeled as such.</p>	Supports	The product does not currently contain pre-recorded content requiring synchronized captions.
<p><u>1.2.3 Audio Description or Media Alternative (Prerecorded) (WCAG 2.0) (Level A)</u></p> <p>An alternative for time-based media or audio description of the prerecorded video content is provided for synchronized media, except when the media is a media alternative for text and is clearly labeled as such.</p>	Supports	The product does not currently contain any prerecorded video content that would require audio description or a time-based media alternative.
<p><u>1.2.4 Captions (Live) (WCAG 2.0) (Level AA)</u></p> <p>Captions are provided for all live audio content in synchronized media.</p>	Supports	The product does not currently contain live audio content.
<p><u>1.2.5 Audio Description (Prerecorded) (WCAG 2.0) (Level AA)</u></p> <p>Audio description is provided for all prerecorded video content in synchronized media.</p>	Supports	The product does not currently contain any prerecorded video content that would require audio description.
<p><u>1.3.1 Info and Relationships (WCAG 2.0) (Level A)</u></p> <p>Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.</p>	Partially Supports	<p>Most user interface elements in the product provide programmatic and/or textual information about structure and relationships. A rating of Partially Supports has been given for the following reason(s):</p> <ul style="list-style-type: none"> Some controls lack a programmatic name, role, or state information

Criteria	Conformance Level	Remarks and Explanations
<u>1.3.2 Meaningful Sequence (WCAG 2.0) (Level A)</u>	Partially Supports	<ul style="list-style-type: none">Some form groups lack a programmatically associated nameIdentification of some panes, tables, and table headers and values is not announced by the screen reader, and have no clearly identifiable purpose <p>The reading order of most content generally matches the visual and logical order, and/or can be programmatically determined. A rating of Partially Supports has been given due to the following:</p> <ul style="list-style-type: none">In some instances, the focus order and visual layout to not alignIn some instance, non-interactive content has been made part of the focus order
<u>1.3.3 Sensory Characteristics (WCAG 2.0) (Level A)</u>	Supports	The product provides instructions for understanding and operating content that do not rely solely on sensory characteristics.
For requirements related to color, refer to Guideline 1.4.	Supports	The product does not restrict its view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.5 Identify Input Purpose (WCAG 2.1) (Level AA)</p> <p>The purpose of each input field collecting information about the user can be programmatically determined when:</p> <ul style="list-style-type: none"> • The input field serves a purpose identified in Input Purposes for User Interface Components; and • The content is implemented using technologies with support for identifying the expected meaning for form input data. 	Supports	This success criteria does not apply to non-web software. The product does not contain inputs that collect information about the user.
<p>1.4.1 Use of Color (WCAG 2.0) (Level A)</p> <p>Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.</p>	Partially Supports	<p>Throughout most of the product, color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element. A rating of Partially Supports has been given for the following reason(s):</p> <ul style="list-style-type: none"> • Some instances of links are denoted visually using only color
<p>1.4.2 Audio Control (WCAG 2.0) (Level A)</p> <p>If any audio on a Web page plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level.</p>	Supports	The product allows audio content to be controlled by the user. The product does not contain audio that plays automatically.
<p>1.4.3 Contrast (Minimum) (WCAG 2.0) (Level AA)</p> <p>The visual presentation of text and images of text has a contrast ratio of at least 4.5:1, except for the following:</p> <ul style="list-style-type: none"> • Large Text: Large-scale text and images of large-scale text have a contrast ratio of at least 3:1. • Incidental: Text or images of text that are part of an inactive user interface component, that are pure decoration, that are not visible to anyone, or that are part 	Partially Supports	<p>The product meets or exceeds minimum contrast ratios on most components containing text or images of text. A rating of Partially Supports has been given for the following reason(s):</p> <ul style="list-style-type: none"> • Some instances of text do not meet the required level of contrast

Criteria	Conformance Level	Remarks and Explanations
<p>of a picture that contains significant other visual content, have no contrast requirement.</p> <ul style="list-style-type: none"> Logotypes: Text that is part of a logo or brand name has no minimum contrast requirement. 		<ul style="list-style-type: none"> Some elements throughout the product do not meet minimum contrast for visual presentation
<p><u>1.4.4 Resize text (WCAG 2.0) (Level AA)</u></p> <p>Except for captions and images of text, text can be resized without assistive technology up to 200 percent without loss of content or functionality.</p>	Supports	<p>Text can be resized without assistive technology up to 200 percent without loss of content or functionality.</p>
<p><u>1.4.5 Images of Text (WCAG 2.0) (Level AA)</u></p> <p>If the technologies being used can achieve the visual presentation, text is used to convey information rather than images of text except for the following:</p> <ul style="list-style-type: none"> Customizable: The image of text can be visually customized to the user's requirements. Essential: A particular presentation of text is essential to the information being conveyed (includes logotypes). 	Supports	<p>Text is used to convey information rather than images of text, except where a particular presentation of text is essential to the information being conveyed, such as in logotypes.</p>
<p><u>1.4.10 Reflow (WCAG 2.1) (Level AA)</u></p> <p>Content can be presented without loss of information or functionality, and without requiring scrolling in two dimensions for (except for parts of the content which require two-dimensional layout for usage or meaning):</p> <ul style="list-style-type: none"> Vertical scrolling content at a width equivalent to 320 CSS pixels Horizontal scrolling content at a height equivalent to 256 CSS pixels 	Supports	<p>Content in the product responds and reflows as necessary when zoomed and does not require scrolling in two dimensions.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.4.11 Non-text Contrast (WCAG 2.1) (Level AA)</u></p> <p>The visual presentation of the following has a contrast ratio of at least 3:1 against adjacent color(s).</p> <ul style="list-style-type: none"> • User Interface Components: Visual information required to identify user interface components and states (except for inactive components or where the appearance of the component is determined by the user agent and not modified by the author). • Graphical Objects: Parts of graphics required to understand the content (except when a particular presentation of graphics is essential to the information being conveyed). 	Partially Supports	<p>Most user interface components and meaningful graphics in the product have a contrast ratio of at least 3:1 against adjacent colors. A rating of Partially Supports has been given for the following reason(s):</p> <ul style="list-style-type: none"> • In some instances, non-decorative icons do not meet contrast requirements • In some instances, active controls (such as checkboxes) lack sufficient contrast • Some visible indication for focus or to denote selected items does not have sufficient contrast
<p><u>1.4.12 Text Spacing (WCAG 2.1) (Level AA)</u></p> <p>In content implemented using markup languages that support the following text style properties, no loss of content or functionality occurs by setting all of the following and by changing no other style property:</p> <ul style="list-style-type: none"> • Line height (line spacing) to at least 1.5 times the font size. • Spacing following paragraphs to at least 2 times the font size. • Letter spacing (tracking) to at least 0.12 times the font size. • Word spacing to at least 0.16 times the font size. 	Supports	The product is not implemented using markup languages.
<p><u>1.4.13 Content on Hover or Focus (WCAG 2.1) (Level AA)</u></p> <p>Where receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden, the following are true:</p>	Supports	Content made visible via hover or focus is dismissible, hoverable, and persistent throughout the product.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none">• Dismissible: A mechanism is available to dismiss the additional content without moving pointer hover or keyboard focus, unless the additional content communicates an input error or does not obscure or replace other content.• Hoverable: If pointer hover can trigger the additional content, then the pointer can be moved over the additional content without the additional content disappearing.• Persistent: The additional content remains visible until the hover or focus trigger is removed, the user dismisses it, or its information is no longer valid.		

WCAG Principle 2: Operable

User interface components and navigation must be operable. This includes guidelines for [Keyboard Accessibility](#), providing for [Enough Time](#) and [Seizures and Physical Reactions](#), and content that is [Navigable](#) for various [Input Modalities](#).

Table 5: WCAG Principle 2 Success Criteria - Operable

Criteria	Conformance Level	Remarks and Explanations
<p>2.1.1 Keyboard (WCAG 2.0) (Level A)</p> <p>All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes, except where the underlying function requires input that depends on the path of the user's movement and not just the endpoints.</p>	Partially Supports	<p>Most of the basic functionality of the product can be operated through a keyboard interface. A rating of Partially Supports has been given for the following reason(s):</p> <ul style="list-style-type: none"> • Users may experience challenges operating some views, controls, and tooltips • Some controls are not focusable or operable using only the keyboard • Keyboard operability is lost when a screen reader is enabled in some instances • Some non-interactive elements have been placed in the focus order • Keyboard focus is moved without warning or request in some instances
<p>2.1.2 No Keyboard Trap (WCAG 2.0) (Level A)</p> <p>If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, if it requires more than unmodified arrow or tab keys or other standard exit methods, the user is advised of the method for moving focus away.</p>	Supports	The product does not feature any content or controls that cause a keyboard trap.

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.1.4 Character Key Shortcuts (WCAG 2.1) (Level A)</u></p> <p>If a keyboard shortcut is implemented in content using only letter (including upper-case and lower-case letters), punctuation, number, or symbol characters, then at least one of the following is true:</p> <ul style="list-style-type: none"> • Turn off: A mechanism is available to turn the shortcut off. • Remap: A mechanism is available to remap the shortcut to use one or more non-printable keyboard characters (e.g. Ctrl, Alt, etc.). • Active only on focus: The keyboard shortcut for a user interface component is only active when that component has focus. 	Supports	<p>The product includes keyboard shortcuts implemented in content using only letter (including upper- and lower-case letters), punctuation, number, or symbol characters that can be turned off, remapped, or active only when that component has focus.</p> <p>The product does offer the option to quickly enable and disable character key shortcuts using the "alt" key and escape.</p>
<p><u>2.2.1 Timing Adjustable (WCAG 2.0) (Level A)</u></p> <p>For each time limit that is set by the content, at least one of the following is true:</p> <ul style="list-style-type: none"> • Turn off: The user is allowed to turn off the time limit before encountering it. • Adjust: The user is allowed to adjust the time limit before encountering it over a wide range that is at least ten times the length of the default setting. • Extend: The user is warned before time expires and given at least 20 seconds to extend the time limit with a simple action (for example, "press the space bar"), and the user is allowed to extend the time limit at least ten times. • Real-time Exception: The time limit is a required part of a real-time event (for example, an auction), and no alternative to the time limit is possible. 	Supports	<p>The product does not currently contain content that requires time limits or timed interactions.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> Essential Exception: The time limit is essential and extending it would invalidate the activity. 20 Hour Exception: The time limit is longer than 20 hours. 		
<p>This success criterion should be considered in conjunction with Success Criterion 3.2.1, which puts limits on changes of content or context as a result of user action.</p>		
<u>2.2.2 Pause, Stop, Hide (WCAG 2.0) (Level A)</u>	Supports	The product does not currently include elements which move, blink, scroll, or auto-update.
<p>For moving, blinking, scrolling, or auto-updating information, all of the following are true:</p>		
<ul style="list-style-type: none"> Moving, blinking, scrolling: For any moving, blinking or scrolling information that (1) starts automatically, (2) lasts more than five seconds, and (3) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it unless the movement, blinking, or scrolling is part of an activity where it is essential. Auto-updating: For any auto-updating information that (1) starts automatically and (2) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it or to control the frequency of the update unless the auto-updating is part of an activity where it is essential. 		
<u>2.3.1 Three Flashes or Below Threshold (WCAG 2.0) (Level A)</u>	Supports	The product does not contain any content that flashes more than three times in any one second.
<p>Web pages do not contain anything that flashes more than three times in any one second period, or the flash is below the general flash and red flash thresholds.</p>		
<u>2.4.1 Bypass Blocks (WCAG 2.0) (Level A)</u>	Supports	The product contains mechanisms that allows users to bypass blocks of content, such as skip nav links,

Criteria	Conformance Level	Remarks and Explanations
A mechanism is available to bypass blocks of content that are repeated on multiple web pages.		and landmarks and headings which facilitate the bypass function. This success criteria does not apply to non-web software.
<u>2.4.2 Page Titled (WCAG 2.0) (Level A)</u> Web pages have titles that describe topic or purpose.	Supports	Screens of the product provide titles that adequately describe their topic or purpose.
<u>2.4.3 Focus Order (WCAG 2.0) (Level A)</u> If a web page can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.	Partially Supports	Most components within the product receive focus in a meaningful order. A rating of Partially Supports has been given for the following reason(s): <ul style="list-style-type: none"> • Users may experience challenges with meaning and presentation of content due to keyboard focus order • The programmatic focus order does not align with visual layout in some instances • Non-interactive elements have been made part of the focus order in some instances • Some controls cannot gain focus
<u>2.4.4 Link Purpose (In Context) (WCAG 2.0) (Level A)</u> The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context, except where the purpose of the link would be ambiguous to users in general.	Supports	Links are understandable from the text alone or from the surrounding paragraph text.
<u>2.4.5 Multiple Ways (WCAG 2.0) (Level AA)</u> More than one way is available to locate a web page within a set of web pages except where the web page is the result of, or a step in, a process.	Supports	Multiple ways of locating content are provided, such as search and global navigation systems, except when the location is the result of, or a step in, a process.

Criteria	Conformance Level	Remarks and Explanations
		This success criteria does not apply to non-web software.
<p><u>2.4.6 Headings and Labels (WCAG 2.0) (Level AA)</u></p> <p>Headings and labels describe topic or purpose.</p>	Partially Supports	<p>Most content headings and labels are descriptive and unique. A rating of Partially Supports has been given for the following reason(s):</p> <ul style="list-style-type: none"> • Some headers are not programmatically associated with the container they label • Some grids lack programmatic headings
<p><u>2.4.7 Focus Visible (WCAG 2.0) (Level AA)</u></p> <p>Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.</p>	Partially Supports	<p>Most focusable elements in the product have a visible keyboard focus indicator. A rating of Partially Supports has been given for the following reason(s):</p> <ul style="list-style-type: none"> • Some interactive elements do not have a visible focus indicator, or the indicator does not meet contrast requirements • User may experience challenges interacting with tooltips as some are only available on hover and do not receive focus when using keyboard navigation • For some checkboxes, the label gains focus indication rather than the input.
<p><u>2.4.11 Focus Not Obscured (Minimum) (WCAG 2.2) (Level AA)</u></p> <p>When a user interface component receives keyboard focus, the component is not entirely hidden due to author-created content.</p> <ul style="list-style-type: none"> • Where content in a configurable interface can be repositioned by the user, then only the initial positions of user-movable content are considered for testing and conformance of this Success Criterion. 	Supports	The product does not contain components that obscure the interface. Components receiving keyboard focus throughout the product remain at least partially visible, and are never entirely hidden or obscured.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none">Content opened by the user may obscure the component receiving focus. If the user can reveal the focused component without advancing the keyboard focus, the component with focus is not considered hidden due to author-created content.		
Does not currently apply to Revised Section 508 or EN 301 549 Standards.		
2.5.1 Pointer Gestures (WCAG 2.1) (Level A)	Supports	The product does not require multi-point or path-based pointer gestures for operation.
All functionality that uses multipoint or path-based gestures for operation can be operated with a single pointer without a path-based gesture, unless a multipoint or path-based gesture is essential.		
2.5.2 Pointer Cancellation (WCAG 2.1) (Level A)	Supports	The product contains only functionality that can be activated on the up event of a single pointer.
For functionality that can be operated using a single pointer, at least one of the following is true:		
<ul style="list-style-type: none">No Down-Event: The down-event of the pointer is not used to execute any part of the function.Abort or Undo: Completion of the function is on the up-event, and a mechanism is available to abort the function before completion or to undo the function after completion.Up Reversal: The up-event reverses any outcome of the preceding down-event.Essential: Completing the function on the down-event is essential.		

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.5.3 Label in Name (WCAG 2.1) (Level A)</u></p> <p>For user interface components with labels that include text or images of text, the name contains the text that is presented visually.</p>	Partially Supports	<p>The product includes the visible label for most user interface controls within the accessible name. A rating of Partially Supports has been given for the following reason(s):</p> <ul style="list-style-type: none"> Some components throughout the product lack a clearly identifiable label associated with the name
<p><u>2.5.4 Motion Actuation (WCAG 2.1) (Level A)</u></p> <p>Functionality that can be operated by device motion or user motion can also be operated by user interface components and responding to the motion can be disabled to prevent accidental actuation, except when:</p> <ul style="list-style-type: none"> Supported Interface: The motion is used to operate functionality through an accessibility supported interface. Essential: The motion is essential for the function and doing so would invalidate the activity. 	Supports	The product does not contain any functionality that can be operated by device motion or user motion.
<p><u>2.5.7 Dragging Movements (WCAG 2.2) (Level AA)</u></p> <p>All functionality that uses a dragging movement for operation can be achieved by a single pointer without dragging, unless dragging is essential or the functionality is determined by the user agent and not modified by the author.</p> <p>Does not currently apply to Revised Section 508 or EN 301 549 Standards.</p>	Does Not Support	<p>The product contains functionality that can be operated by dragging motion, but cannot also be achieved by a single pointer without dragging. A rating of Does Not Support has been given for the following reason(s):</p> <ul style="list-style-type: none"> Users may experience challenges with some controls throughout the product, as dragging movements are required in some areas
<p><u>2.5.8 Target Size (Minimum) (WCAG 2.2) (Level AA)</u></p> <p>The size of the target for pointer inputs is at least 24 by 24 CSS pixels, except where:</p>	Supports	The size of target for pointer inputs meets requirements (24x24 CSS pixels) throughout the product.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none">• Spacing: Undersized targets (those less than 24 by 24 CSS pixels) are positioned so that if a 24 CSS pixel diameter circle is centered on the bounding box of each, the circles do not intersect another target or the circle for another undersized target.• Equivalent: The function can be achieved through a different control on the same page that meets this criterion.• Inline: The target is in a sentence or its size is otherwise constrained by the line-height of non-target text.• User agent control: The size of the target is determined by the user agent and is not modified by the author.• Essential: A particular presentation of the target is essential or is legally required for the information being conveyed.		

Does not currently apply to [Revised Section 508](#) or [EN 301 549](#) Standards.

WCAG Principle 3: Understandable

Information and the operation of user interface must be understandable. This includes guidelines for content that is [Readable](#) and [Predictable](#), and provides [Input Assistance](#).

Table 6: WCAG Principle 3 Success Criteria - Understandable

Criteria	Conformance Level	Remarks and Explanations
<p>3.1.1 Language of Page (WCAG 2.0) (Level A)</p> <p>The default human language of each web page can be programmatically determined.</p>	Supports	The language of each screen in the product is programmatically determinable.
<p>3.1.2 Language of Parts (WCAG 2.0) (Level AA)</p> <p>The human language of each passage or phrase in the content can be programmatically determined except for proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text.</p>	Supports	Content in the product is only presented in one language at a time.
<p>3.2.1 On Focus (WCAG 2.0) (Level A)</p> <p>When any component receives focus, it does not initiate a change of context.</p>	Supports	User interface components in the product do not initiate a change of context when they receive focus.
<p>3.2.2 On Input (WCAG 2.0) (Level A)</p> <p>Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.</p>	Partially Supports	<p>Most of the product does not cause an unexpected change of context on user input. A rating of Partially Supports has been given for the following reason(s):</p> <ul style="list-style-type: none"> When a select element is found inside of a dialog, selecting an option using the ENTER key can cause the dialog to close Using the arrow keys on a set of tabs can cause focus to be moved into the tab panel content

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.2.3 Consistent Navigation (WCAG 2.0) (Level AA)</u></p> <p>Navigational mechanisms that are repeated on multiple web pages within a set of web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.</p>	Supports	When navigational mechanisms are repeated in the product, they occur in a consistent relative order and appearance.
<p><u>3.2.4 Consistent Identification (WCAG 2.0) (Level AA)</u></p> <p>Components that have the same functionality within a set of web pages are identified consistently.</p>	Supports	Components with the same functionality throughout the product are identified consistently.
<p><u>3.2.6 Consistent Help (WCAG 2.2) (Level A)</u></p> <p>If a web page contains any of the following help mechanisms, and those mechanisms are repeated on multiple web pages within a set of web pages, they occur in the same order relative to other page content, unless a change is initiated by the user:</p> <ul style="list-style-type: none"> • Human contact details • Human contact mechanism • Self-help option • A fully automated contact mechanism 	Supports	Help mechanisms that are repeated throughout the product occur consistently and in the same order relative to other content.
<p>Does not currently apply to Revised Section 508 or EN 301 549 Standards.</p>		
<p><u>3.3.1 Error Identification (WCAG 2.0) (Level A)</u></p> <p>If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.</p>	Partially Supports	<p>Where input errors are automatically detected in the product, the majority of items in error are identified and error messages are conveyed to assistive technologies or in text. A rating of Partially Supports has been given for the following reason(s):</p> <ul style="list-style-type: none"> • Some errors are not announced by the assistive technology, nor is remediation information provided

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.3.2 Labels or Instructions (WCAG 2.0) (Level A)</u></p> <p>Labels or instructions are provided when content requires user input.</p>	Partially Supports	<p>The product provides sufficient instructions for user input in most cases. A rating of Partially Supports has been given for the following reason(s):</p> <ul style="list-style-type: none">• Some elements are missing instructions• Some headers and labels throughout the product have no identifiable purpose, which may cause changes for users of assistive technologies• Some controls have visible labels but lack programmatic association• Some forms with required fields do not communicate the required icon
<p><u>3.3.3 Error Suggestion (WCAG 2.0) (Level AA)</u></p> <p>If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.</p>	Supports	The product provides suggestions to the user when input errors are automatically detected (except where this would jeopardize security).

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.3.4 Error Prevention (Legal, Financial, Data) (WCAG 2.0) (Level AA)</u></p> <p>For web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:</p> <ul style="list-style-type: none">• Reversible: Submissions are reversible• Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them• Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission	Supports	Throughout the product, changes to user-controllable data are reversible, or can be checked or confirmed before finalizing.
<p><u>3.3.7 Redundant Entry (WCAG 2.2) (Level A)</u></p> <p>Information previously entered by or provided to the user that is required to be entered again in the same process is either auto-populated, or available for the user to select. Except when one of the following is true:</p> <ul style="list-style-type: none">• re-entering the information is essential• the information is required to ensure the security of the content• previously entered information is no longer valid	Supports	User information is not required to be entered more than once in multi-step processes, or is otherwise available to select. Otherwise, the product does not currently request user information in multi-step processes.

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.3.8 Accessible Authentication (Minimum) (WCAG 2.2) (Level AA)</u></p> <p>A cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication process unless that step provides at least one of the following:</p> <ul style="list-style-type: none">• Alternative: Another authentication method that does not rely on a cognitive function test.• Mechanism: A mechanism is available to assist the user in completing the cognitive function test.• Object Recognition: The cognitive function test is to recognize objects.• Personal Content: The cognitive function test is to identify non-text content the user provided to the Web site.	Supports	The product does not currently require an authentication process containing a cognitive function test.

WCAG Principle 4: Robust

Content must be robust enough that it can be interpreted reliably by a wide variety of user agents, including assistive technologies. This includes guidelines for content that is [Compatible](#).

Table 7: WCAG Principle 4 Success Criteria - Robust

Criteria	Conformance Level	Remarks and Explanations
<p>4.1.1 Parsing (Obsolete and removed)</p> <p>This criterion was originally adopted to address problems that assistive technology had directly parsing HTML. Assistive technology no longer has any need to directly parse HTML. Consequently, these problems either no longer exist or are addressed by other criteria. This criterion no longer has utility and is removed.</p>	Supports	<p>For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata.</p> <p>This criterion is obsolete and removed for WCAG 2.2.</p>
<p>4.1.2 Name, Role, Value (WCAG 2.0) (Level A)</p> <p>For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies.</p>	Partially Supports	<p>Most user interface components throughout the product convey their name, role, or value to assistive technology. A rating of Partially Supports has been given for the following reason(s):</p> <ul style="list-style-type: none"> • Some form controls with visible labels lack the programmatic association with those labels • Some Tab controls lack programmatic names, roles, and/ or status information • Some menu buttons used to expose additional options have the generic label “Options” • Some spin boxes have an invalid “checked” status • Some links lack programmatic names and roles
<p>4.1.3 Status Messages (WCAG 2.1) (Level AA)</p> <p>In content implemented using markup languages, status messages can be programmatically determined through</p>	Supports	<p>The product is not implemented using a markup language subject to this criterion.</p>

Criteria	Conformance Level	Remarks and Explanations
role or properties such that they can be presented to the user by assistive technologies without receiving focus.		

Revised Section 508 Report

Chapter 3: Functional Performance Criteria

Table 8: Revised Section 508 Chapter 3 - Functional Performance Criteria

Criteria	Conformance Level	Remarks and Explanations
<p>302.1 Without Vision</p> <p>Where a visual mode of operation is provided, ICT shall provide at least one mode of operation that does not require user vision.</p> <p>Related WCAG success criteria:</p> <ul style="list-style-type: none"> • Perceivable: 1.1.1 Non-text Content, 1.2.1 Audio-only and Video-only (Prerecorded), 1.2.3 Audio Description or Media Alternative (Prerecorded), 1.2.5 Audio Description (Prerecorded), 1.3.1 Info and Relationships, 1.3.2 Meaningful Sequence, 1.3.3 Sensory Characteristics, 1.3.5 Identify Input Purpose, 1.4.1 Use of Color, 1.4.2 Audio Control, 1.4.5 Images of Text, 1.4.10 Reflow, 1.4.13 Content on Hover or Focus • Operable: 2.1.1 Keyboard, 2.1.2 No Keyboard Trap, 2.1.4 Character Key Shortcuts, 2.2.1 Timing Adjustable, 2.2.2 Pause, Stop, Hide, 2.4.1 Bypass Blocks, 2.4.2 Page Titled, 2.4.3 Focus Order, 2.4.4 Link Purpose (In Context), 2.4.5 Multiple Ways, 2.4.6 Headings and Labels, 2.5.1 Pointer Gestures, 2.5.2 Pointer Cancellation, 2.5.3 Label in Name, 2.5.4 Motion Actuation • Understandable: 3.1.1 Language of Page, 3.1.2 Language of Parts, 3.2.1 On Focus, 3.2.2 On Input, 3.2.3 Consistent Navigation, 3.2.4 Consistent Identification, 3.3.1 Error Identification, 3.3.2 Labels or Instructions, 3.3.3 Error Suggestion, 3.3.4 Error Prevention • Robust: 4.1.1 Parsing, 4.1.2 Name, Role, Value, 4.1.3 Status Messages 	Partially Supports	<p>A rating of Partially Supports has been given due to the following:</p> <ul style="list-style-type: none"> • Some form controls lack programmatic names, role, and statuses – including instructions, requirements, and errors • Some controls are not part of the programmatic focus order • Some non-interactive elements have been added to the focus order

Criteria	Conformance Level	Remarks and Explanations
<p>302.2 With Limited Vision</p> <p>Where a visual mode of operation is provided, ICT shall provide at least one mode of operation that enables users to make use of limited vision.</p> <p>Related WCAG success criteria:</p> <ul style="list-style-type: none"> • Perceivable: 1.1.1 Non-text Content, 1.2.1 Audio-only and Video-only (Prerecorded), 1.2.2 Captions (Prerecorded), 1.2.3 Audio Description or Media Alternative (Prerecorded), 1.2.4 Captions (Live), 1.2.5 Audio Description (Prerecorded), 1.3.1 Info and Relationships, 1.3.2 Meaningful Sequence, 1.3.3 Sensory Characteristics, 1.3.5 Identify Input Purpose, 1.4.1 Use of Color, 1.4.3 Contrast (Minimum), 1.4.4 Resize Text, 1.4.5 Images of Text, 1.4.10 Reflow, 1.4.11 Non-text Contrast, 1.4.12 Text Spacing, 1.4.13 Content on Hover or Focus • Operable: 2.1.1 Keyboard, 2.1.2 No Keyboard Trap, 2.1.4 Character Key Shortcuts, 2.2.1 Timing Adjustable, 2.2.2 Pause, Stop, Hide, 2.3.1 Three Flashes or Below Threshold, 2.4.1 Bypass Blocks, 2.4.2 Page Titled, 2.4.3 Focus Order, 2.4.4 Link Purpose (In Context), 2.4.5 Multiple Ways, 2.4.6 Headings and Labels, 2.4.7 Focus Visible, 2.5.1 Pointer Gestures, 2.5.2 Pointer Cancellation, 2.5.3 Label in Name, 2.5.4 Motion Actuation • Understandable: 3.1.1 Language of Page, 3.1.2 Language of Parts, 3.2.1 On Focus, 3.2.2 On Input, 3.2.3 Consistent Navigation, 3.2.4 Consistent Identification, 3.3.1 Error Identification, 3.3.2 Labels or Instructions, 3.3.3 Error Suggestion, 3.3.4 Error Prevention • Robust: 4.1.1 Parsing, 4.1.2 Name, Role, Value, 4.1.3 Status Messages 	Partially Supports	<p>A rating of Partially Supports has been given due to the following:</p> <ul style="list-style-type: none"> • Some portions of the product do not update text sizes to align with updates made to the host system's text size • Some text lacks sufficient contrast against its background • Some icons, visual "selected" indicators, and visual focus indicators lack sufficient contrast against adjacent elements • Some active form controls lack sufficient contrast against its background

Criteria	Conformance Level	Remarks and Explanations
302.3 Without Perception of Color Where a visual mode of operation is provided, ICT shall provide at least one visual mode of operation that does not require user perception of color.	Partially Supports	A rating of Partially Supports has been given due to the following: <ul style="list-style-type: none"> Some links are denoted using only color
Related WCAG success criteria: <ul style="list-style-type: none"> Perceivable: 1.3.3 Sensory Characteristics, 1.4.1 Use of Color, 1.4.3 Contrast (Minimum), 1.4.5 Images of Text, 1.4.11 Non-text Contrast, 1.4.12 Text Spacing Operable: 2.2.2 Pause, Stop, Hide, 2.3.1 Three Flashes or Below Threshold, 2.4.3 Focus Order, 2.4.4 Link Purpose (In Context), 2.4.5 Multiple Ways, 2.4.6 Headings and Labels, 2.4.7 Focus Visible, 2.5.3 Label in Name Understandable: 3.2.2 On Input, 3.2.3 Consistent Navigation, 3.2.4 Consistent Identification, 3.3.1 Error Identification, 3.3.4 Error Prevention Robust: 4.1.1 Parsing, 4.1.2 Name, Role, Value, 4.1.3 Status Messages 	Supports	The product does not require the use of hearing.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • Robust: 4.1.1 Parsing, 4.1.2 Name, Role, Value, 4.1.3 Status Messages 		
302.5 With Limited Hearing	Supports	The product does not require the use of hearing.

Where an audible mode of operation is provided, ICT shall provide at least one mode of operation that enables users to make use of limited hearing.

Related WCAG success criteria:

- **Perceivable:** 1.1.1 Non-text Content, 1.2.1 Audio-only and Video-only (Prerecorded), 1.2.2 Captions (Prerecorded), 1.2.3 Audio Description or Media Alternative (Prerecorded), 1.2.4 Captions (Live), 1.2.5 Audio Description (Prerecorded), 1.3.3 Sensory Characteristics, 1.4.2 Audio Control
- **Understandable:** 3.1.1 Language of Page, 3.1.2 Language of Parts, 3.2.1 On Focus, 3.3.4 Error Prevention
- **Robust:** 4.1.1 Parsing, 4.1.2 Name, Role, Value, 4.1.3 Status Messages

302.6 Without Speech	Supports	The product does not require the use of speech.
Where speech is used for input, control, or operation, ICT shall provide at least one mode of operation that does not require user speech.		

Related WCAG success criteria:

- **Robust:** 4.1.1 Parsing, 4.1.2 Name, Role, Value, 4.1.3 Status Messages

Criteria	Conformance Level	Remarks and Explanations
<p>302.7 With Limited Manipulation</p> <p>Where a manual mode of operation is provided, ICT shall provide at least one mode of operation that does not require fine motor control or simultaneous manual operations.</p> <p>Related WCAG success criteria:</p> <ul style="list-style-type: none"> • <u>Perceivable</u>: 1.1.1 Non-text Content • <u>Operable</u>: 2.1.1 Keyboard, 2.1.2 No Keyboard Trap, 2.1.4 Character Key Shortcuts, 2.2.1 Timing Adjustable, 2.2.2 Pause, Stop, Hide, 2.3.1 Three Flashes or Below Threshold, 2.4.1 Bypass Blocks, 2.4.2 Page Titled, 2.4.3 Focus Order, 2.4.4 Link Purpose (In Context), 2.4.5 Multiple Ways, 2.4.6 Headings and Labels, 2.4.7 Focus Visible, 2.5.1 Pointer Gestures, 2.5.2 Pointer Cancellation, 2.5.3 Label in Name, 2.5.4 Motion Actuation • <u>Understandable</u>: 3.2.1 On Focus, 3.2.2 On Input, 3.2.3 Consistent Navigation, 3.2.4 Consistent Identification, 3.3.1 Error Identification, 3.3.2 Labels or Instructions, 3.3.3 Error Suggestion, 3.3.4 Error Prevention • <u>Robust</u>: 4.1.1 Parsing, 4.1.2 Name, Role, Value, 4.1.3 Status Messages 	Partially Supports	<p>A rating of Partially Supports has been given due to the following:</p> <ul style="list-style-type: none"> • Some “drag and drop” functionality loses keyboard support when a screen reader is enabled • Some controls lack keyboard focus and operability • In some instances, keyboard focus is moved without warning or to an unexpected location • Some focus indication is missing or insufficient

Criteria	Conformance Level	Remarks and Explanations
<p>302.8 With Limited Reach and Strength</p> <p>Where a manual mode of operation is provided, ICT shall provide at least one mode of operation that is operable with limited reach and limited strength.</p> <p>Related WCAG success criteria:</p> <ul style="list-style-type: none"> • Perceivable: 1.1.1 Non-text Content, 1.2.2 Captions (Prerecorded) • Operable: 2.1.1 Keyboard, 2.1.2 No Keyboard Trap, 2.1.4 Character Key Shortcuts, 2.2.1 Timing Adjustable, 2.2.2 Pause, Stop, Hide, 2.3.1 Three Flashes or Below Threshold, 2.4.1 Bypass Blocks, 2.4.3 Focus Order, 2.4.4 Link Purpose (In Context), 2.4.5 Multiple Ways, 2.4.6 Headings and Labels, 2.4.7 Focus Visible, 2.5.1 Pointer Gestures, 2.5.2 Pointer Cancellation, 2.5.3 Label in Name, 2.5.4 Motion Actuation • Understandable: 3.2.1 On Focus, 3.2.2 On Input, 3.2.3 Consistent Navigation, 3.2.4 Consistent Identification, 3.3.1 Error Identification, 3.3.2 Labels or Instructions, 3.3.3 Error Suggestion, 3.3.4 Error Prevention • Robust: 4.1.1 Parsing, 4.1.2 Name, Role, Value, 4.1.3 Status Messages 	Supports	The product's features allow people with limited reach to interact with the user interface.
<p>302.9 With Limited Language, Cognitive, and Learning Abilities</p> <p>ICT shall provide features making its use by individuals with limited cognitive, language, and learning abilities simpler and easier.</p> <p>Related WCAG success criteria:</p> <ul style="list-style-type: none"> • Perceivable: 1.1.1 Non-text Content, 1.2.1 Audio-only and Video-only (Prerecorded), 1.2.3 Audio Description or Media Alternative (Prerecorded), 1.2.4 Captions (Live), 1.2.5 Audio Description (Prerecorded), 1.3.1 Info and Relationships, 1.3.2 Meaningful Sequence, 1.3.3 Sensory Characteristics, 1.3.5 Identify Input Purpose, 1.4.1 Use of Color, 1.4.2 Audio 	Partially Supports	<p>A rating of Partially Supports has been given due to the following:</p> <ul style="list-style-type: none"> • Some icons used to indicate required input are not explained before use

Criteria	Conformance Level	Remarks and Explanations
<p>Control, 1.4.3 Contrast (Minimum), 1.4.4 Resize Text, 1.4.5 Images of Text, 1.4.10 Reflow, 1.4.11 Non-text Contrast, 1.4.12 Text Spacing, 1.4.13 Content on Hover or Focus</p> <ul style="list-style-type: none">• <u>Operable</u>: 2.1.1 Keyboard, 2.1.2 No Keyboard Trap, 2.1.4 Character Key Shortcuts, 2.2.1 Timing Adjustable, 2.2.2 Pause, Stop, Hide, 2.3.1 Three Flashes or Below Threshold, 2.4.1 Bypass Blocks, 2.4.2 Page Titled, 2.4.3 Focus Order, 2.4.4 Link Purpose (In Context), 2.4.5 Multiple Ways, 2.4.6 Headings and Labels, 2.4.7 Focus Visible, 2.5.1 Pointer Gestures, 2.5.2 Pointer Cancellation, 2.5.3 Label in Name, 2.5.4 Motion Actuation• <u>Understandable</u>: 3.1.1 Language of Page, 3.1.2 Language of Parts, 3.2.1 On Focus, 3.2.2 On Input, 3.2.3 Consistent Navigation, 3.2.4 Consistent Identification, 3.3.1 Error Identification, 3.3.2 Labels or Instructions, 3.3.3 Error Suggestion, 3.3.4 Error Prevention• <u>Robust</u>: 4.1.1 Parsing, 4.1.2 Name, Role, Value, 4.1.3 Status Messages		

Chapter 4: Hardware

ArcGIS Pro is not impacted by Chapter 4: Hardware. This section has been removed from the report.

Chapter 5: Software

Table 9: Revised Section 508 Chapter 5 - Software

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA		See information in WCAG 2.2 report sections.
502 Interoperability with Assistive Technology		
502.2.1 User Control of Accessibility Features Platform software shall provide user control over platform features that are defined in the platform documentation as accessibility features.	Not Applicable	The product is not platform software
502.2.2 No Disruption of Accessibility Features Software shall not disrupt platform features that are defined in the platform documentation as accessibility features.	Partially Supports	<p>In general, the product does not disrupt platform features that are defined in the platform documentation as accessibility features. Exceptions include:</p> <ul style="list-style-type: none"> • In some instances, the product does not update font-size to align with the platform • In some instances, activation of screen reader technology can cause keyboard operability issues
502.3 Accessibility Services		
502.3.1 Object Information The object role, state(s), properties, boundary, name, and description shall be programmatically determinable.	Partially Supports	<p>In general, the product reports the correct name, role, state, boundary, and description information of objects to assistive technologies. Exception includes:</p> <ul style="list-style-type: none"> • Some form controls, with visible labels, lack the programmatic association with those labels

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> Some Tab controls lack programmatic names, roles and/ or status information Some menu buttons used to expose additional options have the generic label “Options” Some spin boxes have an invalid “checked” status Some links lack programmatic names and roles
502.3.2 Modification of Object Information States and properties that can be set by the user shall be capable of being set programmatically, including through assistive technology.	Partially Supports	In general, states and properties that can be set by the user are able to be set programmatically. Exceptions include: <ul style="list-style-type: none"> Some controls are not keyboard operable
502.3.3 Row, Column, and Headers If an object is in a data table, the occupied rows and columns, and any headers associated with those rows or columns, shall be programmatically determinable.	Partially Supports	In general, if an object is in a data table, the occupied rows and columns, and any headers associated with those rows or columns, are programmatically determinable. Exceptions include: <ul style="list-style-type: none"> Some grids lack programmatic headings
502.3.4 Values Any current value(s), and any set or range of allowable values associated with an object, shall be programmatically determinable.	Supports	Any current value(s), and any set or range of allowable values associated with an object, are programmatically determinable.

Criteria	Conformance Level	Remarks and Explanations
502.3.5 Modification of Values Values that can be set by the user shall be capable of being set programmatically, including through assistive technology.	Partially Supports	In general, values that can be set by the user are capable of being set programmatically, including through assistive technology. Exceptions include: <ul style="list-style-type: none"> Some “drag and drop” functionality is not keyboard operable when a screen reader is enabled Some controls are not part of the focus order and so not operable via the keyboard
502.3.6 Label Relationships Any relationship that a component has as a label for another component, or of being labeled by another component, shall be programmatically determinable.	Partially Supports	In general, any relationship that a component has as a label for another component, or of being labeled by another component, is programmatically determinable. <ul style="list-style-type: none"> Some form labels are not programmatically associated with their form control Some data grid cells lack a programmatically associated label
502.3.7 Hierarchical Relationships Any hierarchical (parent-child) relationship that a component has as a container for, or being contained by, another component shall be programmatically determinable.	Partially Supports	In general, any hierarchical (parent-child) relationship that a component has as a container for, or being contained by, another component shall be programmatically determinable. <ul style="list-style-type: none"> Some form groups lack a programmatically associated name
502.3.8 Text The content of text objects, text attributes, and the boundary of text rendered to the screen, shall be programmatically determinable.	Supports	The content of text objects, text attributes, and the boundary of text rendered to the screen, are programmatically determinable.

Criteria	Conformance Level	Remarks and Explanations
502.3.9 Modification of Text Text that can be set by the user shall be capable of being set programmatically, including through assistive technology.	Supports	Text that can be set by the user is capable of being set programmatically, including through assistive technology.
502.3.10 List of Actions A list of all actions that can be executed on an object shall be programmatically determinable.	Partially Supports	In general, a list of all actions that can be executed on an object is programmatically determinable. Exceptions Include: <ul style="list-style-type: none"> Some controls lack, such as some tabs, lack programmatic role and status information necessary for assistive technology to communicate the available actions accurately
502.3.11 Actions on Objects Applications shall allow assistive technology to programmatically execute available actions on objects.	Partially Supports	In general, applications allow assistive technology to programmatically execute available actions on objects. <ul style="list-style-type: none"> In some instances, like with drag and drop functionality, controls become inoperable via the keyboard when screen readers are used
502.3.12 Focus Cursor Applications shall expose information and mechanisms necessary to track focus, text insertion point, and selection attributes of user interface components.	Partially Supports	In general, the product exposes information and mechanisms necessary to track focus, text insertion point, and selection attributes of user interface components. Exceptions include: <ul style="list-style-type: none"> Some checkbox controls lack visual focus indication Some menu toggles lack focus indication Some menu items lack sufficient focus indication due to low contrast

Criteria	Conformance Level	Remarks and Explanations
502.3.13 Modification of Focus Cursor Focus, text insertion point, and selection attributes that can be set by the user shall be capable of being set programmatically, including through the use of assistive technology.	Partially Supports	In general, focus, text insertion point, and selection attributes that can be set by the user are capable of being set programmatically, including through the use of assistive technology. Exceptions include: <ul style="list-style-type: none"> • In some instances, the screen reader impacts user ability to use “drag and drop” functionality
502.3.14 Event Notification Notification of events relevant to user interactions, including but not limited to, changes in the component’s state(s), value, name, description, or boundary, shall be available to assistive technology.	Partially Supports	In general, notification of events relevant to user interactions, including but not limited to, changes in the component’s state(s), value, name, description, or boundary, are available to assistive technology. Exceptions Include: <ul style="list-style-type: none"> • Upon signing in or out, a visual notification is displayed but not announced to non-visual users • When items are searched / filtered, no announcement is made when the list is updated at times • In the Customize the Quick Access Toolbar dialog, if a user adds or removes an item, it is moved to the correct column, but no announcement is made
502.4 Platform Accessibility Features	Not Applicable	The product is not platform software
503 Applications		

Criteria	Conformance Level	Remarks and Explanations
503.2 User Preferences Applications shall permit user preferences from platform settings for color, contrast, font type, font size, and focus cursor. EXCEPTION: Applications that are designed to be isolated from their underlying platform software, including Web applications, shall not be required to conform to 503.2.	Partially Supports	In general, the product permits user preferences from platform settings for color, contrast, font type, font size, and focus cursor. Some exceptions include: <ul style="list-style-type: none"> Some ribbon elements do not resize to accommodate preferences for larger text
503.3 Alternative User Interfaces Where an application provides an alternative user interface that functions as assistive technology, the application shall use platform and other industry standard accessibility services.	Supports	The product does not provide an alternative user interface that functions as assistive technology.
503.4 User Controls for Captions and Audio Description		
503.4.1 Caption Controls Where user controls are provided for volume adjustment, ICT shall provide user controls for the selection of captions at the same menu level as the user controls for volume or program selection.	Supports	The product does not provide user controls for volume adjustment.
503.4.2 Audio Description Controls Where user controls are provided for program selection, ICT shall provide user controls for the selection of audio descriptions at the same menu level as the user controls for volume or program selection.	Supports	The product does not provide user controls for program selection.
504 Authoring Tools		

Criteria	Conformance Level	Remarks and Explanations
<p>504.2 Content Creation or Editing</p> <p>Authoring tools shall provide a mode of operation to create or edit content that conforms to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1) for all supported features and, as applicable, to file formats supported by the authoring tool. Authoring tools shall permit authors the option of overriding information required for accessibility.</p> <p>Exception: Authoring tools shall not be required to conform to 504.2 when used to directly edit plain text source code.</p>	See WCAG conformance levels	See information in WCAG 2.2 report sections.
<p>504.2.1 Preservation of Information Provided for Accessibility in Format Conversion</p> <p>Authoring tools shall, when converting content from one format to another or saving content in multiple formats, preserve the information required for accessibility to the extent that the information is supported by the destination format.</p>	See WCAG conformance levels	See information in WCAG 2.2 report sections.
<p>504.2.2 PDF Export</p> <p>Authoring tools capable of exporting PDF files that conform to ISO 32000–1:2008 (PDF 1.7) shall also be capable of exporting PDF files that conform to ANSI/AIIM/ISO 14289–1:2016 (PDF/UA– 1) (incorporated by reference, see 702.3.1).</p>	Partially Supports	See information in WCAG 2.2 report sections.
<p>504.3 Prompts</p> <p>Authoring tools shall provide a mode of operation that prompts authors to create content that conforms to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1) for supported features and, as applicable, to file formats supported by the authoring tool.</p>	Partially Supports	See information in WCAG 2.2 report sections.

Criteria	Conformance Level	Remarks and Explanations
504.4 Templates Where templates are provided, templates allowing content creation that conforms to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1) shall be provided for a range of template uses for supported features and, as applicable, to file formats supported by the authoring tool.	Partially Supports	See information in WCAG 2.2 report sections.

Chapter 6: Support Documentation and Services

The language included in this section is based on an internal evaluation of the ArcGIS Pro support documentation and services.

Table 10: Revised Section 508 Chapter 6 - Support Documentation and Services

Criteria	Conformance Level	Remarks and Explanations
602 Support Documentation		
602.2 Accessibility and Compatibility Features Documentation shall list and explain how to use the accessibility and compatibility features required by Chapters 4 and 5. Documentation shall include accessibility features that are built-in and accessibility features that provide compatibility with assistive technology.	Supports	This product report is not impacted by Chapters 4 and 5.
602.3 Electronic Support Documentation Documentation in electronic format, including Web-based self-service support, shall conform to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1).	Partially Supports	Web-based electronic support documentation is available for this product.
602.4 Alternate Formats for Non-Electronic Support Documentation Where support documentation is only provided in non-electronic formats, alternate formats usable by individuals with disabilities shall be provided upon request.	Supports	Web-based electronic support documentation is available for this product.
603 Support Services		

Criteria	Conformance Level	Remarks and Explanations
603.2 Information on Accessibility and Compatibility Features ICT support services shall include information on the accessibility and compatibility features required by 602.2.	Supports	This product report is not impacted by Chapters 4 and 5 (as described in 602.2).
603.3 Accommodation of Communication Needs Support services shall be provided directly to the user or through a referral to a point of contact. Such ICT support services shall accommodate the communication needs of individuals with disabilities.	Supports	Technical support is available directly to the user for this product, and Esri Accessibility contact information is provided in this report.

EN 301 549 Report

Chapter 4: Functional Performance Statements (FPS)

Table 11: EN 301 549 Chapter 4 - Functional Performance Statements

Criteria	Conformance Level	Remarks and Explanations
<p>4.2.1 Usage Without Vision</p> <p>Where ICT provides visual modes of operation, the ICT provides at least one mode of operation that does not require vision. This is essential for users without vision and benefits many more users in different situations.</p> <p>Related WCAG success criteria:</p> <ul style="list-style-type: none"> • Perceivable: 1.1.1 Non-text Content, 1.2.1 Audio-only and Video-only (Prerecorded), 1.2.3 Audio Description or Media Alternative (Prerecorded), 1.2.5 Audio Description (Prerecorded), 1.3.1 Info and Relationships, 1.3.2 Meaningful Sequence, 1.3.3 Sensory Characteristics, 1.3.5 Identify Input Purpose, 1.4.1 Use of Color, 1.4.2 Audio Control, 1.4.5 Images of Text, 1.4.10 Reflow, 1.4.13 Content on Hover or Focus • Operable: 2.1.1 Keyboard, 2.1.2 No Keyboard Trap, 2.1.4 Character Key Shortcuts, 2.2.1 Timing Adjustable, 2.2.2 Pause, Stop, Hide, 2.4.1 Bypass Blocks, 2.4.2 Page Titled, 2.4.3 Focus Order, 2.4.4 Link Purpose (In Context), 2.4.5 Multiple Ways, 2.4.6 Headings and Labels, 2.5.1 Pointer Gestures, 2.5.2 Pointer Cancellation, 2.5.3 Label in Name, 2.5.4 Motion Actuation • Understandable: 3.1.1 Language of Page, 3.1.2 Language of Parts, 3.2.1 On Focus, 3.2.2 On Input, 3.2.3 Consistent Navigation, 3.2.4 Consistent Identification, 3.3.1 Error Identification, 3.3.2 Labels or Instructions, 3.3.3 Error Suggestion, 3.3.4 Error Prevention 	Partially Supports	<p>A rating of Partially Supports has been given due to the following:</p> <ul style="list-style-type: none"> • Some form controls lack programmatic names, role, and statuses – including instructions, requirements, and errors • Some controls are not part of the programmatic focus order • Some non-interactive elements have been added to the focus order

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • Robust: 4.1.1 Parsing, 4.1.2 Name, Role, Value, 4.1.3 Status Messages 		
<p>4.2.2 Usage With Limited Vision</p> <p>Where ICT provides visual modes of operation, the ICT provides features that enable users to make better use of their limited vision. This is essential for users with limited vision and benefits many more users in different situations.</p> <p>Related WCAG success criteria:</p> <ul style="list-style-type: none"> • Perceivable: 1.1.1 Non-text Content, 1.2.1 Audio-only and Video-only (Prerecorded), 1.2.2 Captions (Prerecorded), 1.2.3 Audio Description or Media Alternative (Prerecorded), 1.2.4 Captions (Live), 1.2.5 Audio Description (Prerecorded), 1.3.1 Info and Relationships, 1.3.2 Meaningful Sequence, 1.3.3 Sensory Characteristics, 1.3.5 Identify Input Purpose, 1.4.1 Use of Color, 1.4.3 Contrast (Minimum), 1.4.4 Resize Text, 1.4.5 Images of Text, 1.4.10 Reflow, 1.4.11 Non-text Contrast, 1.4.12 Text Spacing, 1.4.13 Content on Hover or Focus • Operable: 2.1.1 Keyboard, 2.1.2 No Keyboard Trap, 2.1.4 Character Key Shortcuts, 2.2.1 Timing Adjustable, 2.2.2 Pause, Stop, Hide, 2.3.1 Three Flashes or Below Threshold, 2.4.1 Bypass Blocks, 2.4.2 Page Titled, 2.4.3 Focus Order, 2.4.4 Link Purpose (In Context), 2.4.5 Multiple Ways, 2.4.6 Headings and Labels, 2.4.7 Focus Visible, 2.5.1 Pointer Gestures, 2.5.2 Pointer Cancellation, 2.5.3 Label in Name, 2.5.4 Motion Actuation • Understandable: 3.1.1 Language of Page, 3.1.2 Language of Parts, 3.2.1 On Focus, 3.2.2 On Input, 3.2.3 Consistent Navigation, 3.2.4 Consistent Identification, 3.3.1 Error Identification, 3.3.2 Labels or Instructions, 3.3.3 Error Suggestion, 3.3.4 Error Prevention • Robust: 4.1.1 Parsing, 4.1.2 Name, Role, Value, 4.1.3 Status Messages 	Partially Supports	<p>A rating of Partially Supports has been given due to the following:</p> <ul style="list-style-type: none"> • Some portions of the product do not update text sizes to align with updates made to the host system's text size • Some text lacks sufficient contrast against its background • Some icons, visual "selected" indicators, and visual focus indicators lack sufficient contrast against adjacent elements • Some active form controls lack sufficient contrast against its background

Criteria	Conformance Level	Remarks and Explanations
<p>4.2.3 Usage Without Perception of Color</p> <p>Where ICT provides visual modes of operation, the ICT provides a visual mode of operation that does not require user perception of color. This is essential for users with limited color perception and benefits many more users in different situations.</p>	Partially Supports	<p>A rating of Partially Supports has been given due to the following:</p> <ul style="list-style-type: none"> • Some links are denoted using only color
<p>Related WCAG success criteria:</p> <ul style="list-style-type: none"> • Perceivable: 1.3.3 Sensory Characteristics, 1.4.1 Use of Color, 1.4.3 Contrast (Minimum), 1.4.5 Images of Text, 1.4.11 Non-text Contrast, 1.4.12 Text Spacing • Operable: 2.2.2 Pause, Stop, Hide, 2.3.1 Three Flashes or Below Threshold, 2.4.3 Focus Order, 2.4.4 Link Purpose (In Context), 2.4.5 Multiple Ways, 2.4.6 Headings and Labels, 2.4.7 Focus Visible, 2.5.3 Label in Name • Understandable: 3.2.2 On Input, 3.2.3 Consistent Navigation, 3.2.4 Consistent Identification, 3.3.1 Error Identification, 3.3.4 Error Prevention • Robust: 4.1.1 Parsing, 4.1.2 Name, Role, Value, 4.1.3 Status Messages 	Supports	The product does not require the use of hearing.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <u>Understandable</u>: 3.1.1 Language of Page, 3.1.2 Language of Parts, 3.2.1 On Focus, 3.3.4 Error Prevention <u>Robust</u>: 4.1.1 Parsing, 4.1.2 Name, Role, Value, 4.1.3 Status Messages 		
<p>4.2.5 Usage With Limited Hearing</p> <p>Where ICT provides auditory modes of operation, the ICT provides enhanced audio features. This is essential for users with limited hearing and benefits many more users in different situations.</p> <p>Related WCAG success criteria:</p> <ul style="list-style-type: none"> <u>Perceivable</u>: 1.1.1 Non-text Content, 1.2.1 Audio-only and Video-only (Prerecorded), 1.2.2 Captions (Prerecorded), 1.2.3 Audio Description or Media Alternative (Prerecorded), 1.2.4 Captions (Live), 1.2.5 Audio Description (Prerecorded), 1.3.3 Sensory Characteristics, 1.4.2 Audio Control <u>Understandable</u>: 3.1.1 Language of Page, 3.1.2 Language of Parts, 3.2.1 On Focus, 3.3.4 Error Prevention <u>Robust</u>: 4.1.1 Parsing, 4.1.2 Name, Role, Value, 4.1.3 Status Messages 	Supports	The product does not require the use of hearing.
<p>4.2.6 Usage With No or Limited Vocal Capacity</p> <p>Where ICT requires vocal input from users, the ICT provides at least one mode of operation that does not require them to generate vocal output. This is essential for users with no or limited vocal capability and benefits many more users in different situations.</p> <p>Related WCAG success criteria:</p> <ul style="list-style-type: none"> <u>Robust</u>: 4.1.1 Parsing, 4.1.2 Name, Role, Value, 4.1.3 Status Messages 	Supports	The product is usable by those with no or limited vocal capability.

Criteria	Conformance Level	Remarks and Explanations
<p>4.2.7 Usage With Limited Manipulation or Strength</p> <p>Where ICT requires manual actions, the ICT provides features that enable users to make use of the ICT through alternative actions not requiring manipulation, simultaneous action or hand strength. This is essential for users with limited manipulation or strength and benefits many more users in different situations.</p> <p>Related WCAG success criteria:</p> <ul style="list-style-type: none"> • <u>Perceivable</u>: 1.1.1 Non-text Content • <u>Operable</u>: 2.1.1 Keyboard, 2.1.2 No Keyboard Trap, 2.1.4 Character Key Shortcuts, 2.2.1 Timing Adjustable, 2.2.2 Pause, Stop, Hide, 2.3.1 Three Flashes or Below Threshold, 2.4.1 Bypass Blocks, 2.4.2 Page Titled, 2.4.3 Focus Order, 2.4.4 Link Purpose (In Context), 2.4.5 Multiple Ways, 2.4.6 Headings and Labels, 2.4.7 Focus Visible, 2.5.1 Pointer Gestures, 2.5.2 Pointer Cancellation, 2.5.3 Label in Name, 2.5.4 Motion Actuation • <u>Understandable</u>: 3.2.1 On Focus, 3.2.2 On Input, 3.2.3 Consistent Navigation, 3.2.4 Consistent Identification, 3.3.1 Error Identification, 3.3.2 Labels or Instructions, 3.3.3 Error Suggestion, 3.3.4 Error Prevention • <u>Robust</u>: 4.1.1 Parsing, 4.1.2 Name, Role, Value, 4.1.3 Status Messages 	Partially Supports	<p>A rating of Partially Supports has been given due to the following:</p> <ul style="list-style-type: none"> • Some “drag and drop” functionality loses keyboard support when a screen reader is enabled • Some controls lack keyboard focus and operability • In some instances, keyboard focus is moved without warning or to an unexpected location • Some focus indication is missing or insufficient

Criteria	Conformance Level	Remarks and Explanations
<p>4.2.8 Usage With Limited Reach</p> <p>Where ICT products are free-standing or installed, all the elements required for operation will need to be within reach of all users. This is essential for users with limited reach and benefits many more users in different situations.</p>	Supports	The product's features allow people with limited reach to interact with the user interface.
<p>Related WCAG success criteria:</p> <ul style="list-style-type: none"> • <u>Perceivable</u>: 1.1.1 Non-text Content • <u>Operable</u>: 2.1.1 Keyboard, 2.1.2 No Keyboard Trap, 2.1.4 Character Key Shortcuts, 2.2.1 Timing Adjustable, 2.2.2 Pause, Stop, Hide, 2.3.1 Three Flashes or Below Threshold, 2.4.1 Bypass Blocks, 2.4.3 Focus Order, 2.4.4 Link Purpose (In Context), 2.4.5 Multiple Ways, 2.4.6 Headings and Labels, 2.4.7 Focus Visible, 2.5.1 Pointer Gestures, 2.5.2 Pointer Cancellation, 2.5.3 Label in Name, 2.5.4 Motion Actuation • <u>Understandable</u>: 3.2.1 On Focus, 3.2.2 On Input, 3.2.3 Consistent Navigation, 3.2.4 Consistent Identification, 3.3.1 Error Identification, 3.3.2 Labels or Instructions, 3.3.3 Error Suggestion, 3.3.4 Error Prevention • <u>Robust</u>: 4.1.1 Parsing, 4.1.2 Name, Role, Value, 4.1.3 Status Messages 		
<p>4.2.9 Minimize Photosensitive Seizure Triggers</p> <p>Where ICT provides visual modes of operation, the ICT provides at least one mode of operation that minimizes the potential for triggering photosensitive seizures. This is essential for users with photosensitive seizure triggers.</p> <p>Related WCAG success criteria:</p> <ul style="list-style-type: none"> • <u>Perceivable</u>: 1.2.1 Audio-only and Video-only (Prerecorded), 1.2.2 Captions (Prerecorded), 1.2.3 Audio Description or Media Alternative (Prerecorded), 1.2.4 Captions (Live), 1.2.5 Audio Description (Prerecorded), 1.3.3 Sensory Characteristics, 1.4.1 Use of Color, 1.4.3 Contrast (Minimum), 	Supports	The product does not contain photosensitive seizure triggers or flashing content.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.5 Images of Text, 1.4.11 Non-text Contrast, 1.4.13 Content on Hover or Focus</p> <ul style="list-style-type: none"> • Operable: 2.2.2 Pause, Stop, Hide, 2.3.1 Three Flashes or Below Threshold • Robust: 4.1.1 Parsing, 4.1.2 Name, Role, Value, 4.1.3 Status Messages 		

4.2.10 Usage With Limited Cognition, Language, or Learning

The ICT provides features and/or presentation that makes it simpler and easier to understand, operate and use. This is essential for users with limited cognition, language or learning, and benefits many more users in different situations.

Related WCAG success criteria:

- **Perceivable:** 1.1.1 Non-text Content, 1.2.1 Audio-only and Video-only (Prerecorded), 1.2.2 Captions (Prerecorded), 1.2.3 Audio Description or Media Alternative (Prerecorded), 1.2.4 Captions (Live), 1.2.5 Audio Description (Prerecorded), 1.3.1 Info and Relationships, 1.3.2 Meaningful Sequence, 1.3.3 Sensory Characteristics, 1.3.5 Identify Input Purpose, 1.4.1 Use of Color, 1.4.2 Audio Control, 1.4.3 Contrast (Minimum), 1.4.4 Resize Text, 1.4.5 Images of Text, 1.4.10 Reflow, 1.4.11 Non-text Contrast, 1.4.12 Text Spacing, 1.4.13 Content on Hover or Focus
- **Operable:** 2.1.1 Keyboard, 2.1.2 No Keyboard Trap, 2.1.4 Character Key Shortcuts, 2.2.1 Timing Adjustable, 2.2.2 Pause, Stop, Hide, 2.3.1 Three Flashes or Below Threshold, 2.4.1 Bypass Blocks, 2.4.2 Page Titled, 2.4.3 Focus Order, 2.4.4 Link Purpose (In Context), 2.4.5 Multiple Ways, 2.4.6 Headings and Labels, 2.4.7 Focus Visible, 2.5.1 Pointer Gestures, 2.5.2 Pointer Cancellation, 2.5.3 Label in Name, 2.5.4 Motion Actuation

Partially Supports

A rating of Partially Supports has been given due to the following:

- Some icons used to indicate required input are not explained before use

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <u>Understandable</u>: 3.1.1 Language of Page, 3.1.2 Language of Parts, 3.2.1 On Focus, 3.2.2 On Input, 3.2.3 Consistent Navigation, 3.2.4 Consistent Identification, 3.3.1 Error Identification, 3.3.2 Labels or Instructions, 3.3.3 Error Suggestion, 3.3.4 Error Prevention <u>Robust</u>: 4.1.1 Parsing, 4.1.2 Name, Role, Value, 4.1.3 Status Messages 		
<p>4.2.11 Privacy</p> <p>Where ICT provides features for accessibility, the ICT maintains the privacy of users of these features at the same level as other users.</p> <p>Related WCAG success criteria:</p> <ul style="list-style-type: none"> <u>Perceivable</u>: 1.1.1 Non-text Content, 1.2.1 Audio-only and Video-only (Prerecorded), 1.2.3 Audio Description or Media Alternative (Prerecorded), 1.2.5 Audio Description (Prerecorded), 1.3.1 Info and Relationships, 1.3.2 Meaningful Sequence, 1.3.3 Sensory Characteristics, 1.3.5 Identify Input Purpose, 1.4.1 Use of Color, 1.4.5 Images of Text, 1.4.10 Reflow, 1.4.13 Content on Hover or Focus <u>Operable</u>: 2.1.1 Keyboard, 2.1.2 No Keyboard Trap, 2.1.4 Character Key Shortcuts, 2.2.1 Timing Adjustable, 2.2.2 Pause, Stop, Hide, 2.4.1 Bypass Blocks, 2.4.2 Page Titled, 2.4.3 Focus Order, 2.4.4 Link Purpose (In Context), 2.4.5 Multiple Ways, 2.4.6 Headings and Labels, 2.5.1 Pointer Gestures, 2.5.2 Pointer Cancellation, 2.5.3 Label in Name, 2.5.4 Motion Actuation <u>Understandable</u>: 3.1.1 Language of Page, 3.1.2 Language of Parts, 3.2.1 On Focus, 3.2.2 On Input, 3.2.3 Consistent Navigation, 3.2.4 Consistent Identification, 3.3.1 Error Identification, 3.3.2 Labels or Instructions, 3.3.3 Error Suggestion, 3.3.4 Error Prevention <u>Robust</u>: 4.1.1 Parsing, 4.1.2 Name, Role, Value, 4.1.3 Status Messages 	Supports	The product does not cause legal commitments or financial transactions for the user to occur, does not modify or delete user-controllable data in data storage systems, and does not submit user test responses. No spoken version of characters being mashed is available. Use of headphones is not restricted in any way.

Chapter 5: Generic Requirements

ArcGIS Pro is not impacted by Chapter 5: Generic Requirements. This section has been removed from the report.

Chapter 6: ICT with Two-Way Voice Communication

ArcGIS Pro is not impacted by Chapter 6: ICT with Two-Way Voice Communication. This section has been removed from the report.

Chapter 7: ICT with Video Capabilities

ArcGIS Pro is not impacted by Chapter 7: ICT with Video Capabilities. This section has been removed from the report.

Chapter 8: Hardware

ArcGIS Pro is not impacted by Chapter 8: Hardware. This section has been removed from the report.

Chapter 9: Web (see WCAG section)

This section has been removed from the report.

Chapter 10: Non-Web Documents

ArcGIS Pro is not impacted by Chapter 10: Non-Web Documents. This section has been removed from the report.

Chapter 11: Software

Table 12: EN 301 549 Chapter 11 - Software

Criteria	Conformance Level	Remarks and Explanations
11.1.1.1 through 11.4.1.3	See WCAG	See information in WCAG 2.2 report sections.
11.5 Interoperability with Assistive Technology		
11.5.1 Closed		
11.5.2 Accessibility Services		
11.5.2.1 Platform accessibility service support for software that provides a user interface	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.2 Platform accessibility service support for assistive technologies	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.3 Use of accessibility services	Partially Supports	The product's user interface meets some of the criteria. Refer to the criteria 11.5.2.5 to 11.5.2.17.
11.5.2.4 Assistive technology	Partially Supports	The product uses some documented platform accessibility services. Refer to the criteria 11.5.2.5 to 11.5.2.17.

Criteria	Conformance Level	Remarks and Explanations
11.5.2.5 Object information	Partially Supports	<p>In general, the product's user interface elements are programmatically determinable. Exception includes:</p> <ul style="list-style-type: none">• Some form controls have visible labels that are not programmatically associated• Some tab controls do not have programmatic names, roles, or status information• Some menu buttons used to expose additional options are labeled "Options"• Some spin boxes report a "checked" status• Some links do not have programmatic names or roles
11.5.2.6 Rows, columns, and headers	Partially Supports	<p>In general, the product makes the row and column of each cell in a data table, including headers of the row and column if present, programmatically determinable by assistive technologies. Exceptions include:</p> <ul style="list-style-type: none">• Certain data grid cells lack programmatically associated labels
11.5.2.7 Values	Supports	<p>The software makes the current value of a user interface elements and any minimum or maximum values of the range, if the user interface element conveys information about a range of values, programmatically determinable by assistive technologies.</p>

Criteria	Conformance Level	Remarks and Explanations
11.5.2.8 Label relationships	Partially Supports	<p>In general, the relationship between the product's user interface elements and their labels are programmatically determinable. Exceptions include:</p> <ul style="list-style-type: none"> • Some form controls have visible labels that are not programmatically associated • Certain data grid cells lack programmatically associated labels
11.5.2.9 Parent-child relationships	Supports	The product's user interface elements and their parent-child relationships are programmatically determinable.
11.5.2.10 Text	Supports	The product's rendered text, including its contents, attributes, and boundary, are programmatically determinable.
11.5.2.11 List of available actions	Supports	The product's user interface elements provide a list of available actions that are programmatically determinable.
11.5.2.12 Execution of available actions	Partially Supports	<p>In general, the available actions of the product's user interface elements can be programmatically executed. Exceptions include:</p> <ul style="list-style-type: none"> • Occasionally, when the seldom used 'Drag and Drop' feature is activated, having a screen reader enabled can prevent keyboard users from modifying these items • Occasionally, certain controls are excluded from the focus order, making them inaccessible to users who rely solely on a keyboard

Criteria	Conformance Level	Remarks and Explanations
11.5.2.13 Tracking of focus and selection attributes	Supports	The product's user interface elements for text editing provide information and mechanisms necessary to track focus, text insertion point, and selection attributes in a way that is programmatically determinable.
11.5.2.14 Modification of focus and selection attributes	Partially Supports	<p>In general, the product allows assistive technologies to programmatically modify focus, text insertion point, and selection attributes of user interface elements where the user can modify these items. Exceptions include:</p> <ul style="list-style-type: none">• Some "drag and drop" functionality loses keyboard support when a screen reader is enabled• Occasionally, certain controls are excluded from the focus order, making them inaccessible to users who rely solely on a keyboard
11.5.2.15 Change notification	Partially Supports	<p>In general, the product notifies assistive technologies about changes in those programmatically determinable attributes of user interface elements. Exceptions include:</p> <ul style="list-style-type: none">• When signing in or out, a visual notification is displayed but is not announced to screen reader users• When items are searched or filtered, updates to the list are not always announced• In the "Customize the Quick Access Toolbar" dialog, when a user adds or removes an item, it is moved to the appropriate column without an announcement

Criteria	Conformance Level	Remarks and Explanations
11.5.2.16 Modifications of states and properties	Partially Supports	<p>In general, the product allows assistive technologies to programmatically modify states and properties of user interface elements, where the user can modify these items. Exceptions include:</p> <ul style="list-style-type: none"> • Some “drag and drop” functionality loses keyboard support when a screen reader is enabled • Occasionally, certain controls are excluded from the focus order, making them inaccessible to users who rely solely on a keyboard
11.5.2.17 Modifications of values and text	Partially Supports	<p>In general, the product allows assistive technologies to modify values and text of user interface elements using the input methods of the platform, where a user can modify these items without the use of assistive technology. Exceptions include:</p> <ul style="list-style-type: none"> • Some “drag and drop” functionality loses keyboard support when a screen reader is enabled • Occasionally, certain controls are excluded from the focus order, making them inaccessible to users who rely solely on a keyboard.

11.6 Documented Accessibility Usage

11.6.1 User control of accessibility features	Supports	The product is designed to be isolated from the underlying platform software.
11.6.2 No disruption of accessibility features	Supports	The product is designed to be isolated from the underlying platform software.

Criteria	Conformance Level	Remarks and Explanations
11.7 User preferences	Partially Supports	<p>In general, the product follows the values of the user preferences for platform settings for: units of measurement, colour, contrast, font type, font size, and focus cursor except where they are overridden by the user. Exceptions include:</p> <ul style="list-style-type: none"> • In some instances, the product does not increase font size to align with computers settings • The product does not automatically update its theme to align with the computer but does offer a light and dark theme within its settings
11.8 Authoring Tools		
11.8.1 Content Technology		
11.8.2 Accessible content creation	See WCAG conformance levels	See information in WCAG 2.2 report sections.
11.8.3 Preservation of accessibility information in transformations	Partially Supports	See information in WCAG 2.2 report sections.
11.8.4 Repair assistance	Partially Supports	See information in WCAG 2.2 report sections.
11.8.5 Templates	Partially Supports	See information in WCAG 2.2 report sections.

Chapter 12: Documentation and Support Services

The language included in this section is based on an internal evaluation of the ArcGIS Pro support documentation and services.

Table 13: EN 301 549 Chapter 12 - Documentation and Support Services

Criteria	Conformance Level	Remarks and Explanations
12.1 Product Documentation		
12.1.1 Accessibility and Compatibility Features Product documentation provided with the ICT whether provided separately or integrated within the ICT shall list and explain how to use the accessibility and compatibility features of the ICT.	Supports	Web-based electronic support documentation is available for this product.
12.1.2 Accessible Documentation Product documentation provided with the ICT shall be made available in at least one of the following electronic formats: web or non-web.	Supports	Web-based electronic support documentation is available for this product.
12.2 Support Services		
12.2.2 Information on Accessibility and Compatibility Features ICT support services shall provide information on the accessibility and compatibility features that are mentioned in the product documentation.	Supports	Technical support is available directly to the user for this product, and Esri Accessibility contact information is provided in this report.
12.2.3 Effective Communication ICT support services shall accommodate the communication needs of individuals with disabilities either directly or through a referral point.	Supports	Technical support is available directly to the user for this product, and Esri Accessibility contact information is provided in this report.

Criteria	Conformance Level	Remarks and Explanations
12.2.4 Accessible Documentation Documentation provided by support services shall be made available in at least one of the following electronic formats: web or non-web.	Supports	Web-based electronic support documentation is available for this product.