

# ArcGIS Pro 3.0 Issues Addressed

Each [major, minor, and patch release](#) of ArcGIS Pro includes fixes for bugs that were reported to Esri Technical Support. The bugs that were fixed in ArcGIS Pro 3.0 are listed in the table below.

ArcGIS Pro 3.0 also includes extensive new functionality, which is described in the [what's new topic](#).

## Issues addressed at ArcGIS Pro 3.0.6

ArcGIS Pro 3.0.6 fixes the issues listed below and includes the fixes listed in the subsequent sections for ArcGIS Pro 3.0.5, 3.0.4, 3.0.3, 3.0.2, 3.0.1, and 3.0.0.

Issue	Description
<a href="#">BUG-000144682</a>	The calculation attribute rule incorrectly uses initial geometry when the layer is using an attribute-driven symbology.
<a href="#">BUG-000150723</a>	Non-default branch versioned feature services result in missing polygons when running the Split tool in the editing toolbar.
<a href="#">BUG-000152000</a>	Geometry of secured feature services added from a standalone ArcGIS Server does not render in ArcGIS Pro 3.0.x.
<a href="#">BUG-000152296</a>	After editing from the ArcGIS REST Services Directory, the ArcGIS Pro session is unable to make new edits with the following error message, "object has no schema locks" for branch-versioned data is returned.
<a href="#">BUG-000154328</a>	The Evaluate Rules geoprocessing tool does not consider selected rows from tables.
<a href="#">BUG-000155397</a>	Error Inspector options in the UI out of sync with what is being sent to the Evaluate REST end point
<a href="#">BUG-000157409</a>	Unable to change the enterprise geodatabase version more than once after using the Make Route Event Layer tool in ArcGIS Pro.
<a href="#">BUG-000157892</a>	Unable to use the Alter Field geoprocessing tool to change the alias on a registered database view field in ArcGIS Pro 3.1.
<a href="#">BUG-000158046</a>	The attribute rule is not triggered correctly when creating a related feature in ArcGIS Pro.
<a href="#">BUG-000158170</a>	Features are sometimes not displayed or no longer selectable when editing a feature service layer.
<a href="#">BUG-000158561</a>	The error message "RuntimeError: Failed to evaluate Arcade expression." is erroneously returned when running the Calculate Geometry Attributes tool against a feature service that contains attribute rules with the 'Exclude from application evaluation' option unchecked.
<a href="#">BUG-000158684</a>	The error message of a constraint attribute rule is not returned when a relationship is removed if it is configured not to edit or update a specific feature or register.
<a href="#">BUG-000159411</a>	The Create Hosted Imagery Layer wizard in ArcGIS Pro fails to upload data when publishing tiled or dynamic imagery layers.
<a href="#">BUG-000159569</a>	Opening a web scene saved from Scene Viewer in ArcGIS Online opens with the error message "web map.External component has thrown an exception." in ArcGIS Pro on Windows 11 (for non-English operation systems).

## Issues addressed at ArcGIS Pro 3.0.5

ArcGIS Pro 3.0.5 fixes the issues listed below and includes the fixes listed in the subsequent sections for ArcGIS Pro 3.0.4, 3.0.3, 3.0.2, 3.0.1, and 3.0.0.

Issue	Description
<a href="#">BUG-000117894</a>	Globally unique identifier (GUID) fields cannot be used for event parameters in the Make Route Event Layer tool.
<a href="#">BUG-000148996</a>	Unable to copy and paste the utility network between enterprise geodatabases with the error message, "ERROR 000260: DBMS sequence not found" returned.
<a href="#">BUG-000150042</a>	The Import XML Workspace Document tool fails in ArcGIS Pro 3.0 but works in ArcGIS Pro 2.9.2.
<a href="#">BUG-000150887</a>	Creating an enterprise geodatabase in SAP HANA results in the imv_view_name column in the GDB_Table_registry table only allowing 32 characters.
<a href="#">BUG-000150939</a>	A feature-linked annotation in an enterprise geodatabase does not update in ArcGIS Pro 3.0 and 2.9.3 when editing the geometry of the feature it is linked to. When editing the attributes of the feature, the annotation displays the edits made.
<a href="#">BUG-000151010</a>	Using a DBF file as an external table with the Attribute Table function does not work as expected in ArcGIS Pro 3.0.
<a href="#">BUG-000153395</a>	Creating a 3D scene layer package from large-scale multipatch buildings causes ArcGIS Pro 3.0.2 to crash.
<a href="#">BUG-000153703</a>	High random access memory (RAM) consumption and slow performance in ArcGIS Pro when working with a feature service.
<a href="#">BUG-000154004</a>	Instead of returning an exception indicating the user does not have the permission to access the versioned view (_evw), the arcpy.ArcSDESQLExecute execute() method outputs a random value for 'select count(*) from .' when the user does not have the SELECT permission on the versioned view (_evw).
<a href="#">BUG-000154284</a>	A view definition is not displayed for file geodatabase views.
<a href="#">BUG-000154923</a>	After upgrading a PostgreSQL 10.7.1 geodatabase, editing feature classes fails due to some functions not being owned by the data owner anymore.
<a href="#">BUG-000156042</a>	Passing privileges on a feature class in SAP HANA through database roles does not work in ArcGIS Pro.
<a href="#">BUG-000156642</a>	An SQL Server geodatabase connection does not correctly display the list of tables in the catalog when the owner name matches the name of the database.

## Issues addressed at ArcGIS Pro 3.0.4

ArcGIS Pro 3.0.4 fixes the issues listed below and includes the fixes listed in the subsequent sections for ArcGIS Pro 3.0.3, 3.0.2, 3.0.1, and 3.0.0.

Issue	Description
<a href="#">BUG-000140203</a>	Using the table raster type when creating a derived mosaic dataset results in an incorrect number of records in the footprints table of the derived mosaic dataset.
<a href="#">BUG-000143558</a>	In ArcGIS Pro, opening the fields view when designing fields on a feature class returns the error message, "An error occurred loading fields" when the 'Touch Keyboard and Handwriting Panel Service' Windows service is disabled.
<a href="#">BUG-000141134</a>	Exporting selected records from two joined enterprise geodatabase tables in ArcGIS Pro exports only 40 records.
<a href="#">BUG-000144821</a>	The Select Layer By Attribute tool selects an incomplete subset when a join between enterprise geodatabase (EGDB) data is defined.

Issue	Description
<a href="#">BUG-000146556</a>	Some NetCDF data display a gap with no data at the prime meridian.
<a href="#">BUG-000149637</a>	In the Workflow pane in ArcGIS Pro, jobs assigned to a group are unable to run unless the jobAssignAny privilege is enabled in the group's role. The 'Start Step' button is greyed out and the error message, "This command is currently unavailable. Unable to start a step for a job not assigned or cannot be reassigned to you." is displayed.
<a href="#">BUG-000150030</a>	Publishing a Python toolbox from ArcGIS Pro 3.0 and newer to ArcGIS Enterprise 10.9.1 and older returns a 999999 error message during staging.
<a href="#">BUG-000150808</a>	Archive difference (DIFF) tables should be created as global temp tables in Azure SQL Databases
<a href="#">BUG-000150825</a>	The setting scale for dimension line layers is not honored when viewing the feature service in ArcGIS Pro.
<a href="#">BUG-000150828</a>	Setting scale for annotation layers is not honored when viewing a feature service in ArcGIS Pro
<a href="#">BUG-000151277</a>	Issue with editing traverse based records.
<a href="#">BUG-000151792</a>	The Generate Routes tool creates incorrect results.
<a href="#">BUG-000152129</a>	Applying raster function templates to mosaic datasets crashes ArcGIS Pro if the template is created using Vector Field symbols.
<a href="#">BUG-000152746</a>	The Error Inspector does not update correctly if two instances of error layers from a validation-enabled feature service with Arcade attribute rules are present in a map.
<a href="#">BUG-000152782</a>	PolygonBuilderEx.ToGeometry returns an exception, "Destination Array was not long enough. Check the destination index, length, and the array's lower bounds. (parameter 'destinationArray')".
<a href="#">BUG-000152786</a>	Running the Geotagged Photos To Points geoprocessing tool is producing an error in ArcGIS Pro 3.0.
<a href="#">BUG-000152813</a>	ArcGIS Pro stops responding when clicking 'Run' in the Create Routes pane.
<a href="#">BUG-000152963</a>	ArcGIS Pro stops responding when exporting a layout containing the Modern Antique basemap with transparency applied to PDF.
<a href="#">BUG-000152993</a>	When creating a polyline from 3D points, the extent ZMin value is set to 0.
<a href="#">BUG-000153009</a>	ArcGISPortal.SignIn throws the Exception: System.AggregateException: 'A Task's exception(s) were not observed either by Waiting on the Task or accessing its Exception property.'
<a href="#">BUG-000153135</a>	Editing feature layers using the Split tool and Edit Vertices tool in a mobile geodatabase returns inconsistent errors and behavior.
<a href="#">BUG-000153423</a>	ArcGIS Pro crashes when sorting fields in the fields view.
<a href="#">BUG-000153528</a>	Error 999999 is returned when executing an Arcade expression on batch calculation attribute rule with 'Exclude from application evaluation' enabled.
<a href="#">BUG-000153652</a>	ArcGIS Pro 3.x crashes when adding an area of interest to a temporal profile.
<a href="#">BUG-000154043</a>	Some candidates are not returned for inputs that do not have zones when 'Match with no zone' is set to True.
<a href="#">BUG-000154410</a>	The Append or Copy Features tool is massively slower than copy, especially for dimension FeatureClasses with factors 50 up to 500 and more depending on FeatureCount.
<a href="#">BUG-000154543</a>	Update Layer Data Sources tool does not support special characters.
<a href="#">BUG-000154544</a>	The Import Generalization Data is not creating Simplify Tolerances correctly.
<a href="#">BUG-000154590</a>	Thin Indoor Pathways fails when transitions have been modified.
<a href="#">BUG-000154591</a>	Thin Indoor Pathways fails with Error 000354 when Levels NAME_SHORT values are not valid feature class names.

Issue	Description
<a href="#">BUG-000155200</a>	Ensure ArcGIS Pro 3.0.x does not crash when working with 11.1 or later Knowledge Graph Server

## Issues addressed at ArcGIS Pro 3.0.3

ArcGIS Pro 3.0.3 fixes the issues listed below and includes the fixes listed in the subsequent sections for ArcGIS Pro 3.0.2, 3.0.1, and 3.0.0.

Issue	Description
<a href="#">BUG-000139264</a>	Arcpy.exportToTIFF() creates a different output than the Export Map functionality in ArcGIS Pro when a raster layer includes transparency.
<a href="#">BUG-000141160</a>	Certain content management workflows (creating folder, file geodatabase, adding folder connection, using embedded file explorer) fail when accessed through Catalog or using the content management user interface, but succeed when a geoprocessing tool (Create Folder, Create File Geodatabase) or alternate workflow is used.
<a href="#">BUG-000149126</a>	Calculate Max Elevation Figures GP tool does not consider Vertical Obstruction Features when the feature is browsed to in the UI.
<a href="#">BUG-000151220</a>	Shapefiles do not draw when imported to ArcGIS Pro 2.9 and 3.0 from RemoteView 4.7.
<a href="#">BUG-000151616</a>	Aggregate Polygons running for hours before finishing or not finishing at all.
<a href="#">BUG-000151977</a>	The Import AIXM 5.1 Message tool in ArcGIS Pro 3.0 crashes using customer data.
<a href="#">BUG-000152163</a>	Topology property page miss presents rule after adding a 0 (zero) subtype to Connection lines and validation error not show to user via UI
<a href="#">BUG-000152808</a>	Microsoft .NET update results in ArcGIS Pro 2.8 and 2.9 crashing when changing symbology.
<a href="#">BUG-000153572</a>	Add additional crash dump error messaging for licensing issue
<a href="#">BUG-000153625</a>	Addressed OpenSSL 3.0.3 software vulnerabilities: CVE-2022-3786 & CVE-2022-3602.
<a href="#">BUG-000153626</a>	Addressed third-party Curl library software vulnerabilities: CVE-2022-42915 & CVE-2022-42916.

## Issues addressed at ArcGIS Data Interoperability for Pro 3.0.3

ArcGIS Data Interoperability for Pro 3.0.3 fixes the issues listed below.

Issue	Description
<a href="#">BUG-000152297</a>	Python compatibility issue causes some format readers and writers to fail during translation).

## Issues addressed at ArcGIS Pro 3.0.2

ArcGIS Pro 3.0.2 fixes the issues listed below and includes the fixes listed in the subsequent sections for ArcGIS Pro 3.0.1 and 3.0.0.

Issue	Description
<a href="#">BUG-000149595</a>	Unable to connect to a Snowflake database from ArcGIS Pro when the password contains a semi-colon(;).
<a href="#">BUG-000149371</a>	ArcGIS Pro crashes when a new feature class is created in a file geodatabase after a mosaic dataset is added to the ArcGIS Pro Contents pane from an enterprise geodatabase.
<a href="#">BUG-000151872</a>	Crash when creating a new geodatabase in the same instance where an ArcGIS Pro 3.0 or higher release geodatabase named SDE exists.
<a href="#">BUG-000151545</a>	ArcGIS Pro stops responding when running the Collapse Road Detail geoprocessing tool.
<a href="#">BUG-000149525</a>	The Divide tool moves the endpoint of a curved line and causes dangles.
<a href="#">BUG-000151664</a>	In the ground to grid corrections dialog, the user interface shows 1.0 as the scale factor when it is not 1.0.
<a href="#">BUG-000151640</a>	For feature templates, renaming a layer in the Contents pane creates a new template instead of renaming it.
<a href="#">BUG-000146027</a>	A SQL expression used in ArcObjects SDK (.NET) 10.4 (10.4.1) gets a different result when used in ArcObjects SDK (.NET) 10.8 (10.8.1).
<a href="#">BUG-000149570</a>	Unchecking the Restrictive option is not honored when editing a branch versioned feature service with contingent values.
<a href="#">BUG-000149344</a>	The database path in the properties in a mobile geodatabase layer is incorrect.
<a href="#">BUG-000151241</a>	The Feature To Line error message, "ERROR 160196: Invalid Topology" is returned when running output data from the Production Mapping models.
<a href="#">BUG-000149899</a>	Misleading error message and behavior in ArcGIS Pro 2.9.x (ERROR 000816: The tool is not valid.) vs. 2.8.x (00256: Server version <value> tool <value> does not have new parameter).
<a href="#">BUG-000151282</a>	ArcGIS Pro crashes when panning and using roaming mode (F8) in a stereo workspace.
<a href="#">BUG-000151305</a>	ArcGIS Pro stops responding when adding a raster to a map or when panning and zooming.
<a href="#">BUG-000149027</a>	ArcGIS Indoors field mapping fails to write annotation data to any default fields besides Use Type field parameter.
<a href="#">BUG-000150207</a>	The final release of ArcGIS Pro 3.0 is not able to load attribute tables with more than 2.5 million records at once.
<a href="#">BUG-000151036</a>	The FMV Extract Video Frames To Images tool sets corner coordinate values using image resolution instead of using the known coordinates.
<a href="#">BUG-000151328</a>	Extract Video Frames to Images reaches 100% but it never finishes. The tool keeps running without errors.
<a href="#">BUG-000151122</a>	Exported traverse file does not contain the coordinates of the vertices in ArcGIS Pro 3.0.
<a href="#">BUG-000151233</a>	Tasks in ArcGIS Pro do not open some of the editing tool panes unless the project is reopened.
<a href="#">BUG-000152295</a>	Copying annotation dataset taking a much longer time than copying the same number of simple geometry features.

## Issues addressed at ArcGIS Pro 3.0.1

ArcGIS Pro 3.0.1 fixes the issues listed below and includes the fixes listed in the subsequent section for ArcGIS Pro 3.0.0.

Issue	Description
<a href="#">BUG-000145832</a>	An RFT saved from the symbology pane for a multidimensional raster does not display when used as a symbology template for the same layer.

Issue	Description
<a href="#">BUG-000150336</a>	A crash occurs when displaying annotations stored using the SDEBINARY type.
<a href="#">BUG-000150564</a>	Exporting PDFs from ArcGIS Pro 3.0 and combining them in Adobe Acrobat DC causes them to turn blank.
<a href="#">BUG-000150818</a>	A picture element copied from Excel is not displaying after upgrading to ArcGIS Pro 3.0.
<a href="#">BUG-000150851</a>	The application crashes after selecting a web layer or service when overwriting.
<a href="#">BUG-000150875</a>	The Geostatistical Wizard removes points with selection sets and coincident point aggregation.
<a href="#">BUG-000150895</a>	The ArcGIS Pro application may crash when editing annotation features.
<a href="#">BUG-000151195</a>	Network analysis layers created with ArcGIS Online URL as the network data source fail to solve and returns error messages about the locate settings missing the sources key.

## Issues addressed at ArcGIS Pro 3.0.0

Issue	Description
<a href="#">BUG-000088185</a>	The Symbology pane must reflect absolute values for the LAS dataset layer's scan angle rendering.
<a href="#">BUG-000089245</a>	Displaying digital elevation model (DEM) data in a scene in ArcGIS Pro with vertical exaggeration creates gaps in the raster layer at some places.
<a href="#">BUG-000095736</a>	When importing symbology from one feature to another, adding the same feature classes to the map twice with the same name returns the error message, "ERROR 000400: Duplicate inputs are not allowed".
<a href="#">BUG-000107403</a>	The Intersect 3D tool does not always generate closed multipatch output.
<a href="#">BUG-000108419</a>	Saving a model using Save As with an underscore reverts to prior name of model with a '2' added at the end.
<a href="#">BUG-000109124</a>	The typeIdField property in the REST endpoint is not populated with the same syntax used in the fields section.
<a href="#">BUG-000111693</a>	ArcCatalog returns errors when assigning privileges to users on referenced mosaic datasets stored in enterprise geodatabases.
<a href="#">BUG-000112368</a>	Raster statistics fail to update dynamically with the display extent when using stretch symbology imagery and dynamic range adjustment (DRA) in ArcGIS Pro.
<a href="#">BUG-000113421</a>	Failure in importing a specific XML file with representations to a geodatabase.
<a href="#">BUG-000113615</a>	Publishing a service fails if the registered data connection includes the character "ñ" and/or "§" in the database user password.
<a href="#">BUG-000113773</a>	The 'Automatically convert the CAD file to a set of geodatabase feature classes' option does not work in ArcGIS Pro.
<a href="#">BUG-000115361</a>	When a toolbox in ArcGIS Pro is saved using the Save As command, any model builder tools are invisible in the editor.
<a href="#">BUG-000115578</a>	Several libraries and executables are compiled with ASLR disabled in ArcGIS Pro.
<a href="#">BUG-000115579</a>	Several libraries and executables are compiled with DEP disabled in ArcGIS Pro.

Issue	Description
<a href="#">BUG-000116248</a>	The color range applied to a portion of symbols in ArcGIS Pro is not honored.
<a href="#">BUG-000116752</a>	Spaces are considered as separators for multiple tags while publishing a feature service to ArcGIS Online from ArcGIS Pro using the FeatureSharingDraft Python function.
<a href="#">BUG-000117281</a>	The Make Query Layer and Make Query Table tools fail when using the unique identifier field containing a timestamp without the time zone field in the PostgreSQL database.
<a href="#">BUG-000117778</a>	Maps and layouts cannot be organized when many tabs are opened in ArcGIS Pro.
<a href="#">BUG-000118725</a>	Loading a multipatch layer into the Is Closed 3D tool causes crash.
<a href="#">BUG-000118746</a>	Shadow offset values are rounded to the nearest whole number in PDF (Portable Document Format) file exports.
<a href="#">BUG-000120641</a>	Improve the error message returned when Event ID is not mapped or generated in the Append Events tool in ArcGIS Pro 2.3.1.
<a href="#">BUG-000120664</a>	The Manage Tile Cache tool fails to generate cache when using a custom tiling scheme in ArcGIS Pro.
<a href="#">BUG-000120826</a>	In ArcGIS Pro 2.3.1 layout view, adding a picture by creating a bounding box causes gaps with the image and the bounding box.
<a href="#">BUG-000121423</a>	In ArcGIS Pro, related records of a feature layer do not appear in the pop-up window if a join is performed on any of the feature classes involved in a relationship class.
<a href="#">BUG-000121639</a>	The tile layer credits set in ArcGIS Online is displayed as OpenStreetMap in ArcGIS Pro and is not shown in ArcMap.
<a href="#">BUG-000121898</a>	In the Similarity Search tool, the check box for the Collapse_Output_To_Points option is not available for the Standard license.
<a href="#">BUG-000122416</a>	Changing the name of a field with an index built on causes all indexes on the table to disappear in ArcGIS Pro.
<a href="#">BUG-000123133</a>	When the user is a part of more than 53 groups in the ArcGIS Enterprise portal, the Share Package tool fails and returns the following error message, "ERROR 999999: Something unexpected caused the tool to fail. Failed to execute (SharePackage)."
<a href="#">BUG-000123978</a>	The Calculate Field return null values when using a comma as a decimal point.
<a href="#">BUG-000123993</a>	When a relate is created in ArcGIS Pro with a Comma Separated Value (CSV) file, the Explore tool does not show related data of the CSV file.
<a href="#">BUG-000126185</a>	The Qt module causes ArcGIS Pro to crash if a script is run in the Python window.
<a href="#">BUG-000126571</a>	The mosaic dataset incorrectly reads the year (Date) values for Compressed ARC Digitized Raster Graphics (CADRG) images in ArcGIS Pro and ArcMap.
<a href="#">BUG-000127264</a>	In ArcGIS Pro, the output of any conversion tool (when used just before the Feature Class Z To ASCII tool) with the environment setting to enable or disable Z values is not honored by the Feature Class Z To ASCII tool inside a ModelBuilder.

Issue	Description
<a href="#">BUG-000127840</a>	The Alter Field tool after using the Excel to Table tool returns Error 999999 in ModelBuilder.
<a href="#">BUG-000129060</a>	Parallel processing causes the Copy Raster geoprocessing tool to fail.
<a href="#">BUG-000129822</a>	The KML to Layer tool does not honor the setting of the 'overwrite existing datasets' option in ArcGIS Pro.
<a href="#">BUG-000129896</a>	ArcGIS Pro does not honor VBScript extra spacing in labels.
<a href="#">BUG-000129990</a>	Unable to update the packages in ArcGIS Pro after the cloning environment.
<a href="#">BUG-000130096</a>	Using the Register with Geodatabase tool in ArcGIS Pro fails when the query layer is supplied from the Contents pane.
<a href="#">BUG-000130149</a>	ArcGIS Pro requests for the user credentials each time when opening a project with a secured service from a standalone ArcGIS Server even when checking the Save Username/Password option.
<a href="#">BUG-000130192</a>	Disabling the network topology causes ArcGIS Pro 2.5 to crash when the utility network has a Z extent of NaN.
<a href="#">BUG-000130311</a>	Performance issue when rendering features symbolized to vary by attribute in the ArcGIS Pro 2.5 local scene.
<a href="#">BUG-000130599</a>	The MaxHeight and MaxWidth properties fail to restrict the maximum size of a ProWindow.
<a href="#">BUG-000131693</a>	The Select Layer By Attributes tool fails with ERROR 000358 or ERROR 000732 when scheduled in ArcGIS Pro.
<a href="#">BUG-000131710</a>	When running the Near 3D tool within ArcGIS Pro 2.5.1, it provides incorrect values within the output dataset.
<a href="#">BUG-000131771</a>	Field visibility settings are not honored when using the Calculate Field tool in ArcGIS Pro.
<a href="#">BUG-000132004</a>	Unable to add fields via the New Field option for hosted feature services in ArcGIS Pro with a Basic license.
<a href="#">BUG-000132625</a>	A variable in ModelBuilder with a file data type does not recognize .xlsx files when navigating through the Browse... folder icon.
<a href="#">BUG-000132685</a>	The output of the Layer 3D to Feature Class tool results in features being offset when the input data uses geographic coordinate system.
<a href="#">BUG-000133073</a>	The Vary symbology by attribute tab does not honor the changes in the sample size parameter of 'Advanced symbology options' in ArcGIS Pro.
<a href="#">BUG-000133107</a>	Undo or Redo (CTRL+Z/CTRL+Y) works only once while editing in the Format Text window of the Dynamic Text Layout element in ArcGIS Pro.
<a href="#">BUG-000133141</a>	A pop-up in ArcGIS Pro displays a single space for file paths, although there are multiple spaces in the attribute table.
<a href="#">BUG-000133199</a>	Unable to drag multiple layers at one time from the Contents pane into a ModelBuilder in ArcGIS Pro.
<a href="#">BUG-000133466</a>	The ArcGIS Pro Python Package Manager Update tab shows packages unavailable for update.
<a href="#">BUG-000133710</a>	Add the text, "All origins must be in the same time zone when solving an analysis across multiple time zones and using a time-based impedance attribute." to the ArcGIS Pro documentation.
<a href="#">BUG-000133717</a>	Feature services published through Python scripting do not honor the symbology settings when the symbology is set using an Arcade expression.

Issue	Description
<a href="#">BUG-000133723</a>	In ArcGIS Pro 2.6, updating a mutable selection data with contingent values loses the sorting function of the list.
<a href="#">BUG-000133774</a>	In ArcGIS Pro, the cloned Python environments are unable to be deleted if there are two cloned Python environments with the same name in different locations, and if one of the two is active.
<a href="#">BUG-000133896</a>	In ModelBuilder, the Add Join tool still runs successfully after the tool validates and returns the following error messages, "ERROR 000732: Input Layer or Table View: Dataset \$MB=TallThings does not exist or is not supported", and "ERROR 000732: Join Table: Dataset \$MB=Tablez does not exist or is not supported."
<a href="#">BUG-000133929</a>	Adding a CADRG dataset to a mosaic dataset with an existing duplicate causes the duplicate to be overwritten when the versions differ, no matter the version difference.
<a href="#">BUG-000133934</a>	The ArcGIS Pro service area solve freezes when using the BA 2020 NA dataset and the date and time option.
<a href="#">BUG-000135023</a>	The Append Routes geoprocessing tool fails and returns the following error, "160145: The field is not nullable.[ASSETTYPE]."
<a href="#">BUG-000135109</a>	When running the Create Replica tool for the second time from the Results window, the replica data is not updated to the latest changes.
<a href="#">BUG-000135184</a>	The compression quality export parameter is not honored when saving, closing, and reopening an ArcGIS Pro project in a new session.
<a href="#">BUG-000135186</a>	The Embed Fonts, Export Map Georeference Information, and Simulate Overprint settings are cleared when selecting and deselecting the 'Output as image' parameter in the ArcGIS Pro export PDF setting.
<a href="#">BUG-000135399</a>	Toolboxes saved in ArcGIS Pro 2.6.2 and opened in ArcMap or ArcCatalog 10.8.1 fail to display models despite being saved as the correct version.
<a href="#">BUG-000135738</a>	Running the LAS Building Multipatch tool returns the following error message, "Error 999999 Something unexpected caused the tool to fail."
<a href="#">BUG-000135864</a>	Sum calculations and headers are incorrect or not displayed in the ArcGIS Pro report.
<a href="#">BUG-000136024</a>	Attempts to import the Field Notes template feature layer from ArcGIS Online to a local file geodatabase in ArcGIS Pro with the Feature Class To Geodatabase tool fail, and return the following warning message, "Failed to convert: (Areas. can only join an iterable."
<a href="#">BUG-000136166</a>	In ArcGIS Pro, running the Python script in the Trim Archive History geoprocessing tool trims different BeforeDates when data is from an Oracle database.
<a href="#">BUG-000136238</a>	Attempts to connect to a Web Map Service (WMS) show intermittent failures in ArcGIS Pro.
<a href="#">BUG-000136441</a>	There are duplicate symbology colors when using critical breaks on polygons in a graduated color symbology in ArcGIS Pro.
<a href="#">BUG-000136675</a>	Zooming and panning with a dynamic range adjustment (DRA) does not show changes in ranges under the Contents pane.
<a href="#">BUG-000136842</a>	Using the Identify tool in the ArcGIS Server Rest API returns one result if a layer is configured as a raster layer.

Issue	Description
<a href="#">BUG-000136939</a>	The error message, "Segmentation is unavailable for current Data Source" is returned when using any options in the Target Marketing toolset within the Business Analyst toolbox for ArcGIS Pro.
<a href="#">BUG-000137298</a>	The error message, "ERROR 130051: Input feature class is not registered as versioned." is returned when attempting to execute Calculate Geometry for area on layers with relationships.
<a href="#">BUG-000137849</a>	The Calculate Geometry Attributes geoprocessing tool fails when there is an attribute rule activated on a non-versioned feature class.
<a href="#">BUG-000137859</a>	Unable to view attributes created using null geometry or no geometry in the attribute table if the attributes are stored within a GeoPackage.
<a href="#">BUG-000138129</a>	Using a grid raster as an exploratory training raster in the 'Forest-based Classification and Regression' tool returns the following error message, "Problem extracting values from <path> using origin location <X,Y Coordinates. Failed to execute (Forest)."
<a href="#">BUG-000138174</a>	The ArcGISPortal.GetToken() parameter returns token from another logged-in Portal.
<a href="#">BUG-000138242</a>	Running the 'Polygon to Raster' geoprocessing tool on a large feature class does not honor the CELL_CENTER method parameter.
<a href="#">BUG-000138573</a>	Unchecked legend items from map services are showing in exports.
<a href="#">BUG-000138616</a>	When using Summary Statistics in a report, the null values of a globally unique identifier (GUID) field are not excluded from the count.
<a href="#">BUG-000138659</a>	Importing to ArcGIS Pro through the Import 3D Files tool or as 3D object feature layers, large .obj files lose textures.
<a href="#">BUG-000138861</a>	In ArcGIS Pro, the Cost Connectivity tool fails and returns error 999999 if the cost raster contains cell values of zero (0) instead of a proper error message.
<a href="#">BUG-000138955</a>	Some multidimensional netCDF data do not load in ArcGIS Pro 2.7.
<a href="#">BUG-000139328</a>	Publishing a web tool or geoprocessing service from ArcGIS Pro to ArcGIS Server automatically sets the geometry type as esriGeometryPoint or esriGeometryPolygon if the input feature class is using the point or polygon geometry.
<a href="#">BUG-000139354</a>	The locator with a Point Address locator role incorrectly matches addresses in ArcGIS Pro.
<a href="#">BUG-000139593</a>	The LayoutAddedEvent triggers when Export Layout is run in ArcGIS Pro.
<a href="#">BUG-000140419</a>	The Buffer geoprocessing tool configured with flat end types and listed fields as dissolve type returns rounded ends when using projected coordinate systems.
<a href="#">BUG-000140556</a>	ArcGIS Pro crashes when adding a sublayer of a map image layer with the linear referencing capability to the map.
<a href="#">BUG-000140702</a>	Right-clicking and selecting paste does not work when attempting to paste a value into the query builder in the Select By Attributes tool.
<a href="#">BUG-000140769</a>	When running the Kernel Density tool in ArcGIS Pro 2.8, the output does not cover the entire mask extent. The correct output is produced when running the same process in ArcGIS Pro 2.7.3.
<a href="#">BUG-000140779</a>	When reconciling edits on a feature service with a set time zone, date type fields display incorrectly in the Conflict Manager.

Issue	Description
<a href="#">BUG-000140962</a>	Editor Tracking assigns editor fields for the Creator category when Creator is set to None.
<a href="#">BUG-000140987</a>	In ArcGIS Pro, unable to add a GRIB multidimensional raster to map and read its properties from the Catalog pane.
<a href="#">BUG-000141107</a>	Textures are lost when importing an OBJ file with a file path containing Chinese characters.
<a href="#">BUG-000141183</a>	After changing the size of the straight text, the layout element's anchor position changes.
<a href="#">BUG-000141203</a>	The supportsCalculate property is set to false when bulk publishing feature services from an enterprise database.
<a href="#">BUG-000141235</a>	The Create Drive-Time Areas tool fails when a public routing utility service from another portal is implemented.
<a href="#">BUG-000141275</a>	Sorting order for related records (3rd listing level) set in the pop-up configuration is not honored in ArcGIS Pro.
<a href="#">BUG-000141315</a>	Copying a file geodatabase into an Oracle database results in a truncated target source name for the relationship class.
<a href="#">BUG-000141436</a>	The Calculate Prediction Zones tool fails to generate zones for dates at the end of the temporal range of influence when no time is set.
<a href="#">BUG-000141485</a>	Unable to load ArcGIS Notebook from a Universal Naming Convention (UNC) path.
<a href="#">BUG-000141559</a>	The Clip Layers tool does not work correctly in ArcGIS Pro 2.8.x for layers excluded from clipping if Layer Blend is set to a different option than Normal or Exclusion.
<a href="#">BUG-000141668</a>	Dynamic labels overlap features with certain symbology when using the Maplex Label Engine.
<a href="#">BUG-000141723</a>	Date field elements display database time rather than the formatted date when including the date into a report.
<a href="#">BUG-000141805</a>	Unable to remove a BIM cloud connection from the Catalog pane.
<a href="#">BUG-000141808</a>	The leader tolerance text to 'Automatically snap the leader to the text' is cut off when working with the French language pack.
<a href="#">BUG-000141824</a>	ArcGIS World Geocoding Service API does not consider the 'searchExtent' parameter when geocoding addresses for China.
<a href="#">BUG-000142076</a>	Changing the depth of a multidimensional raster layer does not display correctly in ArcGIS Pro 2.8.2.
<a href="#">BUG-000142107</a>	Segment Skyline attributes do not populate when the Segment Skyline option is enabled in the Skyline tool.
<a href="#">BUG-000142117</a>	The Export Raster tool in ArcGIS Pro returns the error message, "Failed to export <raster name>: Failed to export the data."
<a href="#">BUG-000142125</a>	The error message, "ERROR 130051: Input feature class is not registered as versioned" is returned when running Calculate Geometry on layers containing joins stored in an enterprise geodatabase in ArcGIS Pro.
<a href="#">BUG-000142182</a>	The Modify Association pane appears to succeed when creating an invalid connectivity association in a file geodatabase.
<a href="#">BUG-000142183</a>	The Apply Symbology From Layer geoprocessing tool crashes with mosaic datasets when the 'Update ranges' option is selected.

Issue	Description
<a href="#">BUG-000142227</a>	Overlying dialog windows hinders the 'ArcGIS Project: Save Changes to' dialog from working correctly.
<a href="#">BUG-000142271</a>	Field Calculator with Python 3 as the expression type changes the decimals in ArcGIS Pro.
<a href="#">BUG-000142304</a>	Additional TrueType Fonts (.TTF) installed on a machine and used in ArcGIS Pro display dots above and/or below, and/or adjacent to various characters of a label when a halo with no transparency is applied.
<a href="#">BUG-000142319</a>	Issue with the zoom-in function while having a map in a rotated state where it is zoomed out instead.
<a href="#">BUG-000142398</a>	Esri China basemaps from Tianditu Web Map Tile Service (WMTS) fail to load in ArcGIS Pro, as it appears there are two parameters for tokens.
<a href="#">BUG-000142441</a>	The attachment is not retained when running a feature service through ModelBuilder.
<a href="#">BUG-000142463</a>	Clicking the Previous Extent tool in the Quick Access Toolbar does not return to the previous extent.
<a href="#">BUG-000142466</a>	In ArcGIS Pro, the Construct Sight Lines tool does not recognize the correct elevation value for the Target Height Field parameter with a float field type.
<a href="#">BUG-000142500</a>	Federal Geographic Data Committee (FGDC) metadata elements are lost when upgrading to the ArcGIS metadata format.
<a href="#">BUG-000142525</a>	When word wrapping is enabled, table frame columns are not vertically balanced as expected, and some field rows are missing.
<a href="#">BUG-000142545</a>	In ArcGIS Pro, running arcpy.management.CalculateFields() returns the error message, "Error 000735: Value is required" when passing a value table to the fields parameter.
<a href="#">BUG-000142552</a>	Layer search does not work as expected in ArcGIS Pro when the data is stored in an enterprise geodatabase.
<a href="#">BUG-000142556</a>	ArcGIS Pro report does not print the field values with domain attached, unless a subtype field is included in the report.
<a href="#">BUG-000142584</a>	In a model in ArcGIS Pro, when the Select Layer By Location tool's Layer With Selection output variable is set to 'Add To Display', the name of the layer added to the map is derived from the Output Layer Names output variable.
<a href="#">BUG-000142713</a>	The error message, "ERROR 000824: The tool is not licensed. Failed to execute (CreateThiessenPolygons)" is returned when executing the Neighborhood Summary Statistics tool with a Basic license in ArcGIS Pro.
<a href="#">BUG-000142798</a>	ArcGIS Pro does not retain the Open Sans font as the Text Symbol Font.
<a href="#">BUG-000142814</a>	The Linear Burn type does not have georeferencing information in PDF when using the WGS 1984 Web Mercator (Auxiliary Sphere) projection.
<a href="#">BUG-000142821</a>	Unable to modify the default values for the legend item properties if the layer name is empty in ArcGIS Pro.
<a href="#">BUG-000142879</a>	When trying to calculate the field of a joined hosted feature layer, the error message, "Error 999999: Something unexpected caused the tool to fail" is returned.
<a href="#">BUG-000142997</a>	In ArcGIS Pro, the multidimensional raster layer only displays NoData with certain netCDF files.

Issue	Description
<a href="#">BUG-000143017</a>	When adding custom raster function templates to ArcGIS Online, the raster data does not honor the image display configuration.
<a href="#">BUG-000143077</a>	ArcGIS Pro 2.8.x Python Package Manager is unable to install GeoPandas.
<a href="#">BUG-000143130</a>	In ArcGIS Pro, after running the Convert Time Field tool in a standalone Excel table with the Enable Undo check box unchecked, the table view cannot be opened and the error message, "An expected field was not found or could not be retrieved properly." is returned.
<a href="#">BUG-000143151</a>	Using ST_Geometry increases the processing time when creating a join from a feature class to a table.
<a href="#">BUG-000143229</a>	ArcGIS Pro does not parse dynamic job property tokens in ArcGIS Workflow Manager (Classic).
<a href="#">BUG-000143285</a>	An error is returned while creating a query layer in a geodatabase on the Microsoft Azure SQL Server instance with the Lithuanian_CI_AS collation.
<a href="#">BUG-000143289</a>	In ArcGIS Pro 2.9, the layout element returns incorrect values when rotated.
<a href="#">BUG-000143326</a>	ArcGIS Pro 2.8.1 incorrectly interprets or imports U and V components when adding GRIB data while ArcMap 10.8.1 interprets correctly.
<a href="#">BUG-000143389</a>	When performing a join in ArcGIS Pro, the matching join field name displays intermittently with changed cases.
<a href="#">BUG-000143393</a>	When publishing from ArcGIS Pro 2.8.3 to ArcGIS Image Server 10.9, ArcGIS Server folders are not visible in the Publish Image Server window.
<a href="#">BUG-000143414</a>	Loading the Configure Pop-ups pane for a web map with a custom field order only displays the original field order.
<a href="#">BUG-000143425</a>	The Multipart To Singlepart tool does not generate all of the expected results.
<a href="#">BUG-000143430</a>	The Eyedropper tool in the Symbology pane does not work when the Symbology pane is set to auto-hide.
<a href="#">BUG-000143455</a>	There are empty output and lack of output display when converting multipatch features to KMZ in ArcGIS Pro 2.7.2, 2.8, 2.8.1, and 2.8.3.
<a href="#">BUG-000143478</a>	Error 999999 is returned when trying to convert the LAS files in format 1.4 to an earlier format using the Convert LAS tool in ArcGIS Pro.
<a href="#">BUG-000143485</a>	Updates to utility network point feature m-values using the Edit Vertices tool in ArcGIS Pro do not persist when saved.
<a href="#">BUG-000143529</a>	The error is returned when running the Service Area analysis tool, "Error DBMS table not found Invalid object name 'sde.sessions_137833_5'".
<a href="#">BUG-000143543</a>	The Python 3 runtime in ArcGIS Pro 2.7 and above crashes when attempting to create a service definition file (.sd) of the Workflow Manager (Classic) service type by using the createSD method of the WorkflowConnection object.
<a href="#">BUG-000143548</a>	The error message, "The connection property set was missing a required property or the property value was unrecognized" is returned when attempting to create a project or map package in ArcGIS Pro.
<a href="#">BUG-000143587</a>	Using a group template to create features in Gas Utility Network does not establish connectivity between a network line and a midspan device.

Issue	Description
<a href="#">BUG-000143589</a>	Geodatabase.ApplyEdits() returns the following error message, "GeodatabaseRowException: A requested row object could not be located" when applying edits to a utility network in ArcGIS Pro 2.8.x.
<a href="#">BUG-000143599</a>	The annotation sublayer's Layer IDs are not in sequential order when published from ArcGIS Pro.
<a href="#">BUG-000143601</a>	The Extract by Attribute (Spatial Analyst - Toolset/ Extraction) tool is not working correctly in ArcGIS Pro 2.8.3 or ArcGIS Pro 2.9 Beta if a comma is defined as the decimal delimiter in the region settings of the operating system (OS).
<a href="#">BUG-000143605</a>	The Raster Calculator tool fails to execute in a model with an iterator when the layer name in 'Map Algebra expression' contains the '%' symbol in ArcGIS Pro.
<a href="#">BUG-000143614</a>	The Add Variable Based Suitability Criteria (Business Analyst) tool fails when using variables from a Statistical Data Collection (SDCX) layer.
<a href="#">BUG-000143639</a>	In ArcGIS Online, when using a routing service with a custom travel mode, the Generate Service Areas tool presents a disk output when ring output is selected.
<a href="#">BUG-000143655</a>	Memory leak due to the panning cartographic representations causes ArcMap to crash.
<a href="#">BUG-000143659</a>	Error writing i3sREST with international characters to Amazon Web Services (AWS), Alibaba, or Google Cloud Store.
<a href="#">BUG-000143686</a>	Unable to use the output of the Trace tool as an input for analysis in IDLE (Integrated Development Environment).
<a href="#">BUG-000143779</a>	After posting changes to a protected default version, the map display is not correctly refreshed.
<a href="#">BUG-000143782</a>	Unable to view description information for an output generated in ArcGIS Pro using the Layer To KML tool.
<a href="#">BUG-000143788</a>	Unable to run the 'Export as Graphics' option on a data containing Japanese characters when the extension is .png or .jpeg.
<a href="#">BUG-000143805</a>	Merge parcel features with an active record performs much more slowly than when no active record is set.
<a href="#">BUG-000143839</a>	Tables created from PgAdmin or PostgreSQL using Chinese characters are not visible under the database in ArcMap.
<a href="#">BUG-000143877</a>	The Feature to NetCDF tool returns the error message, "Error: 999999" when an input of 40,000 records and 3 dimensions are added to the data.
<a href="#">BUG-000143892</a>	Reconcile fails with the error message, "An expected field was not found" returned on Utility Network version 3.
<a href="#">BUG-000143910</a>	The Merge tool in ArcGIS Pro produces a table with <Null> values when the input tables are browsed from a disk.
<a href="#">BUG-000143931</a>	There is a difference in the naming convention between ArcGIS Pro 2.5 and ArcGIS Pro 2.8.3 for the font directories of custom fonts in vector tile packages.
<a href="#">BUG-000143940</a>	The Validate Network Topology tool does not include the success flag to statusUrl when run asynchronously and Success = true.

Issue	Description
<a href="#">BUG-000143972</a>	The Package Map tool in ArcGIS Pro fails to create a map package (.mpkx) to be used with ArcGIS Runtime Local Server when the 'Reference all data for Runtime' check box is checked.
<a href="#">BUG-000143987</a>	The group sharing configuration is not maintained when overwriting a service after switching the active portal.
<a href="#">BUG-000143994</a>	When using the JSON To Features (Conversion) geoprocessing tool, field types and text field lengths for the output feature class are changed from the original data. Add a note regarding limitations in documentation or revise the tool to not modify the schema.
<a href="#">BUG-000144001</a>	Enriching a trade ring in ArcGIS Pro using a statistical data collection calculation variable sourced from Portal for ArcGIS results in the error message, "ERROR: 999999" is returned if the calculation results in zero.
<a href="#">BUG-000144029</a>	ArcGIS Pro freezes and crashes when exporting mosaic imagery to TIFF format.
<a href="#">BUG-000144030</a>	The Spatially Constrained Multivariate Clustering tool creates '(' point symbology after the first 30 point symbols.
<a href="#">BUG-000144038</a>	When exporting a data clock, calendar heat chart, or matrix heat chart in ArcGIS Pro as a graphic, the chart does not export the file in a .png or .jpeg format.
<a href="#">BUG-000144087</a>	Running the Repair Geometry tool on a multipoint feature class causes ArcGIS Pro to crash.
<a href="#">BUG-000144103</a>	The ImportAixm51 function imports embedded fixToleranceArea instead of trajectory into AIS.ProcedureLeg.
<a href="#">BUG-000144159</a>	The Pivot Table geoprocessing tool does not work as expected.
<a href="#">BUG-000144178</a>	In ArcGIS Pro 2.8.x, the horizontal scroll bar does not allow scrolling over an entirely new section of columns at a time, as previously possible in ArcGIS Pro 2.7.x.
<a href="#">BUG-000144198</a>	Using a non-multidimensional raster as an input for the Summarize Categorical Raster tool crashes ArcGIS Pro.
<a href="#">BUG-000144200</a>	The 'Modified in this version' option for the Error Inspector is not displayed after changing version from one child version to another from the Contents pane in ArcGIS Pro.
<a href="#">BUG-000144209</a>	Unable to enable time on a related table in ArcGIS Pro.
<a href="#">BUG-000144240</a>	The Export Subnetwork tool has performance issues with certain feeders.
<a href="#">BUG-000144263</a>	The time slider does not display the data if the regional format is set in Thai (Thailand).
<a href="#">BUG-000144269</a>	When the regional settings of the PC are set to decimal symbol ',' and digit grouping symbol '.' the Find Local Peaks Or Valleys tool returns the following error message, "could not convert string to float".
<a href="#">BUG-000144322</a>	When using the Skyline Graph tool, the Base Visibility Angle user interface validator returns an incorrect error message.
<a href="#">BUG-000144330</a>	When using the Skyline Graph tool, the Output Graph Image title is auto-populated with extra and unnecessary characters.
<a href="#">BUG-000144332</a>	Maps containing in-memory layers are copied when layouts are copied and pasted.

Issue	Description
<a href="#">BUG-000144339</a>	The Merge Divided Roads tool creates an output table displaying three or four input road segments contributing to a single output road segment in some areas.
<a href="#">BUG-000144346</a>	The Append tool skips matching attributes for additional feature classes after the first with the NO_TEST option but works in ArcMap.
<a href="#">BUG-000144352</a>	Version independent note for the Trim Archive History geoprocessing tool help.
<a href="#">BUG-000144357</a>	When running Append Events for non-alpha routes, the action fails and the error message, "Error: 999999" is returned.
<a href="#">BUG-000144361</a>	The documentation for the Db2 geodatabase must include information that TEMPORARY TABLESPACE (and USE privilege for it) is necessary for some geodatabase operation to succeed.
<a href="#">BUG-000144366</a>	The Table Compare tool fails on database views.
<a href="#">BUG-000144370</a>	Save web map creates from a Web Coverage Service (WCS) instead of referencing the Web Coverage Service (WCS) endpoint in the web map.
<a href="#">BUG-000144376</a>	The Create Parcel Records tool hangs at 91% for days when the tool is used for 10 Mio Parcels.
<a href="#">BUG-000144415</a>	Unable to publish to servers secured with PKI prior to federation with a PKI secured portal.
<a href="#">BUG-000144420</a>	Reconcile fails with a collation conflict error when a database collation is different than an instance collation.
<a href="#">BUG-000144443</a>	Some suggestions may vanish and reappear or show incorrect results after certain characters are reached within a locator.
<a href="#">BUG-000144500</a>	Deep Learning inference tools fail when input is a public tiled imagery layer that is using the JPEG compression and used by a different organization.
<a href="#">BUG-000144501</a>	Deep Learning inference tools, such as Classify Pixels, and Detect Change returns the error message, "ERROR 001009: The raster dataset is not a mosaic raster dataset" when the input is a folder containing an image.
<a href="#">BUG-000144520</a>	When two or more map frames are in a layout and either the linked map frame extent or the linked map frame center map constraint is used, the intersecting layer appears to be cleared when switching from one map frame to another under the Contents pane.
<a href="#">BUG-000144522</a>	ArcGIS Pro crashes when using the 'Create 3D Object Scene Layer Package' tool.
<a href="#">BUG-000144527</a>	The legend patches from the ArcGIS Living Atlas of the World layers appear smaller when exported to PDF.
<a href="#">BUG-000144529</a>	The dirty area renderer for terrain datasets is missing in ArcGIS Pro.
<a href="#">BUG-000144534</a>	Creating geoprocessing services that have a defined input parameter schema in a Python toolbox causes ArcGIS Pro to crash.
<a href="#">BUG-000144542</a>	The symbology applied in an input layer using the Import option in the Appearance tab changes the pop-ups configured based on the symbology layer.
<a href="#">BUG-000144547</a>	The 'move edits to base' option does not list in Manage Properties for Registered As Versioned (Traditional) once the dataset is set versioned with move edits to base.

Issue	Description
<a href="#">BUG-000144561</a>	The Python window calls to FindSpaceTimeMatches returns the error, "ERROR 000735: primary_start_date_field: Value is required."
<a href="#">BUG-000144585</a>	An error message, "Invalid characters in the Workspace" is returned when creating the Spatial ETL tool with a non-Latin alphabet in ArcGIS Pro 2.9.0.
<a href="#">BUG-000144596</a>	The Zoom To Layer functionality does not account for a definition query in ArcGIS Pro 2.9 when data is stored in an enterprise geodatabase.
<a href="#">BUG-000144632</a>	The feature created using the Create Features tool does not show in the Attributes window of ArcGIS Pro 2.9 if the feature class has a definition query defined.
<a href="#">BUG-000144636</a>	The table name in the Attributes tree view does not match with the table name in Contents pane when multiple instances of the same table are in the map.
<a href="#">BUG-000144659</a>	Unable to render a preview image when more than 1,000 datasets are selected in a mosaic dataset.
<a href="#">BUG-000144666</a>	In ArcGIS Pro, the long-running Save Edits operation in a branch version returns the following error message, "Save Edits Failed."
<a href="#">BUG-000144689</a>	When an export map request that includes a definition expression on an invalid map layer is performed on a dynamic map service, the service returns incorrect query results until it is restarted.
<a href="#">BUG-000144695</a>	When using the Calculate Field tool, there is a conflict between the date and text fields when the date field is used as the first parameter of a method created in the code block.
<a href="#">BUG-000144700</a>	When reconciling, the following error message is returned, "ERROR: Insufficient permissions [StructureBoundary]" if the service is published by a database user without permissions to a utility network present in the same database by another database user
<a href="#">BUG-000144715</a>	In ArcGIS Pro 2.8.x and 2.9, listLayers()" in a map returns corrupt layers for annotation class (sub) layers, if sub-layer index greater than 9.
<a href="#">BUG-000144716</a>	In ArcGIS Pro 2.9, adding a web feature service (WFS) layer to a map displays a standalone table instead of the feature layer.
<a href="#">BUG-000144728</a>	The Terrain and Obstacle Profile element displays multiple runway centerlines when running the Generate OIS Profile Data tool with the Sample Runway Features option enabled.
<a href="#">BUG-000144745</a>	Installing an earlier version of a Python package fails, and the current version is installed instead.
<a href="#">BUG-000144795</a>	In ArcGIS Pro, the raster layers are not correctly displayed with CMYK values although color management is enabled.
<a href="#">BUG-000144804</a>	Polygons with the Split output geometry type overlap in a service area.
<a href="#">BUG-000144815</a>	The service area solver creates polygons with null geometry for a combination of polygon detail options, overlap options, and the trim distance.
<a href="#">BUG-000144821</a>	The Select Layer By Attribute tool selects an incomplete subset when a join between enterprise geodatabase (EGDB) data is defined.
<a href="#">BUG-000144828</a>	Versioning a feature class with a Spatial Index V2 index type returns the following error message, "ORA-02327: cannot create index on expression with datatype ADT."

Issue	Description
<a href="#">BUG-000144865</a>	Lines from a service area with a Split output geometry type are not as expected.
<a href="#">BUG-000144871</a>	When reverse geocoding using the Chinese geocoder, the following error message, "Error 200: unable to parse" is returned intermittently.
<a href="#">BUG-000144876</a>	The error message, "There was a problem in sending the error report." is returned when submitting ArcGIS Pro crash dumps within a certain size range.
<a href="#">BUG-000144877</a>	Running the Update Subnetwork tool does not propagate the network attribute values into a configured field.
<a href="#">BUG-000144881</a>	The Enable Editor Tracking tool incorrectly moves Last Editor Field into Creator Field if Creator Field is left empty.
<a href="#">BUG-000144917</a>	Unable to apply 3D symbology files if the file names include Japanese characters.
<a href="#">BUG-000144951</a>	The profile view of a layout is exported incorrectly from ArcGIS Pro.
<a href="#">BUG-000144963</a>	The Share as Web Layer option fails and returns the error message, "Federated server not available" when ArcGIS Enterprise is federated with port 6443 and the ArcGIS Server WebAdaptor access is disabled.
<a href="#">BUG-000144966</a>	ArcGIS Pro crashes when upgrading a utility network.
<a href="#">BUG-000144967</a>	The Python script fails in ArcGIS Pro 2.9, but runs in ArcGIS Pro 2.8.
<a href="#">BUG-000144972</a>	The Table To Table tool in ArcGIS Pro 2.9 creates a table in DBF format rather than CSV format when the output name is fully uppercase.
<a href="#">BUG-000144983</a>	The Run Generalization script tool does not execute when the language in ArcGIS Pro is set to German.
<a href="#">BUG-000144988</a>	Editing a curve centerline not associated with a route returns a 3D error message.
<a href="#">BUG-000144993</a>	In ArcGIS Pro, the Divide tool gives an incorrect preview for the Proportional Area method and does not divide the features if a geographic coordinate system is used.
<a href="#">BUG-000144999</a>	ArcGIS Pro stops responding when executing the Thin Spot Heights geoprocessing tool.
<a href="#">BUG-000145008</a>	The Generate Topographic Contours script does not execute on a machine running ArcGIS Server 10.9.1 when using the ArcGIS Pro-based runtime engine.
<a href="#">BUG-000145031</a>	The Resample tool in ModelBuilder reverts to the original cell size if the input raster name variable is changed.
<a href="#">BUG-000145043</a>	The ArcGIS Pro documentation in the Japanese language does not contain 'Licensing information' for all tools.
<a href="#">BUG-000145058</a>	For map services published from ArcGIS Pro, edits made to datasets from file geodatabases can return stale query results.
<a href="#">BUG-000145121</a>	Unable to put a margin greater than 100% when attempting to constraint secondary map frame extents to the main map frame extent.
<a href="#">BUG-000145132</a>	ArcGIS Pro allows publishing a database view in an editable feature service if it is not registered with the geodatabase.
<a href="#">BUG-000145172</a>	When the X or Y column of a XY Event layer is based on a feature class, publishing the map as a feature service fails staging and no analyzer warning is returned.

Issue	Description
<a href="#">BUG-000145186</a>	Exporting selected features from a joined layer in ArcGIS Pro 2.9 generates Null values in the resulting layer's attribute table's joined fields.
<a href="#">BUG-000145187</a>	Without reconciling and posting, the attachments added to a branch version fail to open after closing ArcGIS Pro.
<a href="#">BUG-000145244</a>	The PDF To TIFF (Conversion) tool fails if the region format is set to Spanish and the decimal separator set to ','. When the region format is changed to the regional setting and the decimal separator is set as '.', the tool works on the second run, no ma
<a href="#">BUG-000145253</a>	Overwriting a hosted feature layer on ArcGIS Online from ArcGIS Pro fails and deletes the initial hosted feature layer.
<a href="#">BUG-000145258</a>	Slow performance occurs with the Calculate Geometry Attributes geoprocessing tool in ArcGIS Pro.
<a href="#">BUG-000145295</a>	The input fields for the Geocode Addresses tool within ModelBuilder reset upon validating the model.
<a href="#">BUG-000145298</a>	Printing a 11x17 layout map series directly from ArcGIS Pro shifts the map frames about an inch to the right.
<a href="#">BUG-000145300</a>	A parcel type line feature class does not draw on a map and contains a parcel polygon symbology when the parcel type feature class contain subtypes.
<a href="#">BUG-000145322</a>	The Update Subnetwork tool fails and return the error message, "Error 999999: Arithmetic overflow error converting float to data type numeric."
<a href="#">BUG-000145324</a>	In ArcGIS Pro, importing tables to a geodatabase from Revit files fails and returns an error message when using the Table to Geodatabase tool in a geoprocessing model which is run for the second time. Restarting ArcGIS Pro is needed after each run.
<a href="#">BUG-000145329</a>	Racing conditions cause data loss in certain cases when a large number of concurrent edits are performed on the default version.
<a href="#">BUG-000145334</a>	A dirty area returns "Status 9" after validation when the errors are created (expect '8').
<a href="#">BUG-000145341</a>	Include more details in the documentation on acceptable rasters for the Boundary Clean tool in ArcGIS Pro.
<a href="#">BUG-000145350</a>	ModelBuilder does not accept the inline variable as a valid input if the Reclassify Field tool is used.
<a href="#">BUG-000145356</a>	The Export Data Changes Message tool has inconsistent behavior depending on the delta file's path length.
<a href="#">BUG-000145357</a>	Propagation is not working correctly for lines connected to the same terminal on a device with multiple terminals.
<a href="#">BUG-000145363</a>	Log4J - ArcGIS Workflow Manager Server.
<a href="#">BUG-000145364</a>	Running the Add Attribute Rule tool headlessly and via the design view bypasses the name and description character length limits.
<a href="#">BUG-000145368</a>	ArcGIS Pro crashes when a LiDAR data without statistics is provided as an input for the Prepare Point Cloud Training Data tool.
<a href="#">BUG-000145396</a>	Update the parameter names in the Select By Attributes tool in ArcGIS Pro to match the upper case and lower case letters.
<a href="#">BUG-000145398</a>	Valid annotation features are failing to upgrade with the Upgrade Dataset tool in certain cases.

Issue	Description
<a href="#">BUG-000145440</a>	Moving a toolbox using the Save As option causes the custom models to not load properly in ModelBuilder.
<a href="#">BUG-000145459</a>	In ArcGIS Pro, the Make Building Layer tool fails and returns the following error message, "999999: something unexpected caused the tool to fail" when an IFC dataset is set as the 'Input Feature Dataset' parameter in the tool.
<a href="#">BUG-000145485</a>	When an apostrophe (') is used in #Description of the Python script in an advanced labeling expression in ArcGIS Pro 2.9, the error message, "Invalid Expression. NameError: name 'FindLabel' is not defined" is returned.
<a href="#">BUG-000145486</a>	The Share As Route Layers tool returns the "Error 030200" error message when sharing a solved vehicle routing problem layer.
<a href="#">BUG-000145516</a>	Inserting multiple shapefiles as the input of the Append tool returns the error message, "The shape type of <> is not the same as that of previously entered datasets."
<a href="#">BUG-000145523</a>	When adding a web feature service (WFS) to an ArcGIS Pro map, the error message, "Error: Cannot create a table with duplicate column" is returned.
<a href="#">BUG-000145524</a>	ArcGIS Pro's Community Profile report does not abide by the transparency property applied to a hosted feature layer.
<a href="#">BUG-000145529</a>	The Extract Values to Points tool fails and returns the following error message, "Error 010005: Unable to allocate memory when points fall outside of the raster."
<a href="#">BUG-000145596</a>	The Antialiasing mode configured in ArcGIS Pro is not honored in the ArcGIS Server REST endpoint.
<a href="#">BUG-000145598</a>	When repeatedly rearranging the order of a group of point layers in a web map published to Portal for ArcGIS 10.9 or 10.9.1 and subsequently saving in ArcGIS Pro 2.9.0, each layer's symbology is gradually distorted or blurred.
<a href="#">BUG-000145599</a>	Remove Log4j from GeoAnalytics Tools and Apache Spark in ArcGIS Pro.
<a href="#">BUG-000145600</a>	Log4J - Update Log4J in the Python module SAS-ArcGIS Bridge (SASPY).
<a href="#">BUG-000145606</a>	Update the ArcGIS Data Interoperability extension to take advantage of the Log4J updates.
<a href="#">BUG-000145655</a>	The fields of the ACE_Attributes in an AutoCAD DWG file are blank when the file is added to ArcGIS Pro.
<a href="#">BUG-000145680</a>	The GRIB2 data is unable to be opened nor added in ArcGIS Pro.
<a href="#">BUG-000145734</a>	When upgrading the geodatabase to 10.9.1/2.9, the problems are not correctly detected and result in the SDE-Repository corruption of the upgrades.
<a href="#">BUG-000145735</a>	Update the ArcGIS Data Reviewer documentation to include information indicating a Standard license is required when using the new Data Reviewer Ready to Use Rules.
<a href="#">BUG-000145742</a>	In ArcGIS Pro 2.9, saved tables within the Weighted Overlay geoprocessing tool are not displayed in the 'Select weighted overlay table to be loaded' window.
<a href="#">BUG-000145757</a>	It is possible to truncate a feature service with the Truncate Table tool.
<a href="#">BUG-000145760</a>	The Calculate Geometry tool fails, and returns a traceback error message in ArcGIS Pro 2.9 when the feature class has an attribute rule.

Issue	Description
<a href="#">BUG-000145762</a>	The route's geometry does not match the route's attribute information in the ArcGIS Enterprise 10.9.1 Network Analyst Vehicle Routing Problem (VRP) solver.
<a href="#">BUG-000145780</a>	Overwriting an ArcGIS Online hosted feature layer that contains layer views fails when ArcGIS Pro is not logged in to the item owner's account.
<a href="#">BUG-000145808</a>	In ArcGIS Pro, the Import AIXM 5.1 Message tool is not importing any airspace data from customer-supplied messages.
<a href="#">BUG-000145816</a>	The Project tool enlarged the SLPK file created from the Create Integrated Mesh Scene Layer Package tool with no texture optimization.
<a href="#">BUG-000145898</a>	Clipping an annotation layer returns an error message, "Application has stopped working".
<a href="#">BUG-000145921</a>	The following error message, "Error 999999" is returned when using the Copy Parcels tool with data with editor tracking disabled.
<a href="#">BUG-000145933</a>	A hosted vector tile layer does not display at certain zoom levels in the ArcGIS Field Maps mobile app.
<a href="#">BUG-000145954</a>	Editor tracking values are not preserved when the Copy Parcels (Parcel) tool is run with an input parcel fabric layer that has selected polygons.
<a href="#">BUG-000145972</a>	When loading band_1 of a new TIFF file, selecting 'Yes' to calculate statistics crashes ArcGIS Pro.
<a href="#">BUG-000146003</a>	Joining a versioned feature class with a table containing the feature class's name in its name fails and returns an error message.
<a href="#">BUG-000146006</a>	A VRP solver object initialized using an ArcGIS portal URL does not map time window fields on Orders, resulting in no solution or an invalid solution.
<a href="#">BUG-000146031</a>	Quick Import contains a string (,,,_FME_DATASET_IS_SOURCE_true"), and fails to open the Specify Data Source dialog box.
<a href="#">BUG-000146098</a>	After running the Add Join tool and exporting the joined data to a new feature class through the export feature, the attribute values change to <Null> in ArcGIS Pro 2.9.1.
<a href="#">BUG-000146110</a>	Creating a map package in ArcGIS Pro fails when the map contains a layer referencing a feature class with a German umlaut like ä, ö, and ü in its name.
<a href="#">BUG-000146144</a>	The 'Nearby Restaurants' Infographic template fails through the Summary Reports tool when the Business Analyst Data Source is set to the 2021 installed Canada Dataset.
<a href="#">BUG-000146160</a>	In ArcGIS Pro 2.9.1, when the decimal separator is set to comma, the Calculate Geometry Attributes tool fails on a float or double field and returns the following error message, "Calculate Geometry Attributes failed".
<a href="#">BUG-000146207</a>	ArcGIS field data types documentation states acceptable inputs for Scale of Double Data Types are 0+. However, using 0 in both the Add Field geoprocessing tool and attribute table returns the error message, "Cannot add field (field name) to (feature class)."
<a href="#">BUG-000146210</a>	The total number of training blocks being processed is incorrectly calculated in the Train Point Cloud Classification Model tool.

Issue	Description
<a href="#">BUG-000146211</a>	An error message is returned in the ArcGIS Pro LAS dataset pyramid when pyramid-building fails due to tree architecture reaching its maximum number of levels.
<a href="#">BUG-000146231</a>	In ArcGIS Drone2Map, when a project is in a CRS with US Survey Foot units, the Volume tool only acknowledges the DTM as the elevation surface.
<a href="#">BUG-000146235</a>	A crash is encountered when attempting to draw LAS dataset points.
<a href="#">BUG-000146237</a>	The simple line callouts with geometry do not upgrade or display in ArcGIS Pro.
<a href="#">BUG-000146238</a>	The Transfer Attributes (Editing) tool does not transfer true curves in ArcGIS Pro.
<a href="#">BUG-000146250</a>	The documentation does not state that navigating to the Execution option is required to import a script in a toolbox in ArcGIS Pro 2.9.x.
<a href="#">BUG-000146309</a>	In ArcGIS Pro, the dynamic scale does not update upon switching the map to an existing bookmark.
<a href="#">BUG-000146342</a>	The Utility Network service fails to start with the error message, "The dataset name is invalid" returned.
<a href="#">BUG-000146357</a>	Pop-ups do not display for sub-type group layers when the Explore tool is set to 'Visible layers' and the layer is not selectable.
<a href="#">BUG-000146370</a>	When saving the Environments settings from the Analysis ribbon to preserve the Global IDs prior to creating a new model and only when running the model from the Task Scheduler inside ArcGIS Pro, the Environments settings are not honored and the Global IDs
<a href="#">BUG-000146391</a>	The cartographic realignment of a route with a high number of vertices and multiple time slices is taking an excessive amount of time to complete.
<a href="#">BUG-000146454</a>	In ArcGIS Pro 2.9.1, copying and pasting a map with a query layer produces a broken data source for the query layer in the copied map.
<a href="#">BUG-000146481</a>	Some operations against feature services with branch versioned data that use asynchronous processing are being allowed for portal users that are not version administrators when the default version has protected access.
<a href="#">BUG-000146484</a>	The Calculate Geometry tool fails when using an enterprise geodatabase connection with Windows operating system authentication.
<a href="#">BUG-000146492</a>	Buffer calculations use the U.S. survey foot when converting units between imperial and metric, which is to be deprecated this year.
<a href="#">BUG-000146494</a>	The Spatial Join tool merges fields instead of append in ArcGIS Pro.
<a href="#">BUG-000146496</a>	The error message, "Error: Split point results in a zero length polyline" is returned when using the Split Into COGO Lines tool against a coordinate geometry (COGO)-enabled feature service.
<a href="#">BUG-000146497</a>	When opening a new project in ArcGIS Pro 2.9.1, after saving and reopening the project, Styles under the Catalog pane are broken and have to be repaired.
<a href="#">BUG-000146505</a>	The cursor of the Reshape tool changes when executing it multiple times in ArcGIS Pro.
<a href="#">BUG-000146516</a>	Error codes are required in the Analyze Airport Features tool to inform users of the missing required schema.

Issue	Description
<a href="#">BUG-000146518</a>	In the ArcGIS Pro 2.9 Analyze Airport Features help document, the usage point incorrectly mentions Input Runway Features for the Airport Control Point schema.
<a href="#">BUG-000146519</a>	In the Analyze Airport Features help documentation, the output fields, AGL, MSL, and VUOM, are not explained.
<a href="#">BUG-000146520</a>	The Analyze Airport Features populates VUOM in meters in the output table but all inputs have vertical units in Foot_US.
<a href="#">BUG-000146530</a>	Feature class with the WGS 1984 projection fails to export the upper section when the map frame is set to the Wagner VII projection at the 1:40,000,000 scale.
<a href="#">BUG-000146572</a>	The Update Subnetworks geoprocessing tool for a specific subnetwork fails with the error message, "Error 999999, Error: Unexpected Operation" returned.
<a href="#">BUG-000146576</a>	Geocode services published from locators supporting a single feature type do not return records unless the Feature Type parameter is specified during reverse geocoding.
<a href="#">BUG-000146606</a>	The 'Ignore Invalid Locations' option in the Network Analyst solver is not honored for locations beyond a specified search tolerance.
<a href="#">BUG-000146610</a>	A segment from the branch versioned scenario documentation is misleading and requires adjustment.
<a href="#">BUG-000146618</a>	ArcGIS Pro crashes when executing the Match Layer Symbology To A Style tool within a script tool.
<a href="#">BUG-000146639</a>	The WFS To Feature Class tool fails when the input layer has a field name with double underscores.
<a href="#">BUG-000146650</a>	The contingent values are not ported over when switching from the default version to a child version using the Contents pane.
<a href="#">BUG-000146664</a>	ArcGIS Pro label properties fail and the labels disappear after importing a symbology from the ArcMap .lyr file.
<a href="#">BUG-000146673</a>	The points do not display at certain scales when viewed in a stereo map.
<a href="#">BUG-000146677</a>	The GetZsFromSurfaceAsync method does not produce the correct values compared to the Add Surface Information geoprocessing tool.
<a href="#">BUG-000146699</a>	Incorrect variable use in the sample code from the import and copy metadata section in the documentation.
<a href="#">BUG-000146727</a>	ArcGIS Pro 2.9.1 crashes after switching the language to Czech when editing the metadata.
<a href="#">BUG-000146729</a>	The hyperlink in the pop-up is not clickable when the folder path has non-Latin characters.
<a href="#">BUG-000146745</a>	Creating mobile map packages fails for a large area with ArcGIS StreetMap Premium data from ArcGIS Online.
<a href="#">BUG-000146749</a>	When trying to view geodatabase connection properties for a database connection without a saved username or password, ArcGIS Pro 2.9.1 crashes.
<a href="#">BUG-000146752</a>	Relating a branch versioned point to a related table record in a child version does not display in the Version Changes window when the relationship class is attributed.

Issue	Description
<a href="#">BUG-000146772</a>	Unregistering a feature class as a versioned data removes the updates to the default data version.
<a href="#">BUG-000146789</a>	The Export Subnetwork tool fails and returns the error message, "Operation is only allowed by the owner of the version" unless the user is the owner of the version or the version access is public.
<a href="#">BUG-000146802</a>	The Disable Network Topology tool succeeds but leaves the topology in an enabled state.
<a href="#">BUG-000146831</a>	For Expat (aka libexpat) versions before 2.4.4, there is a signed integer overflow in XML_GetBuffer for configurations with a nonzero XML_CONTEXT_BYTES.
<a href="#">BUG-000146832</a>	OpenSSL before 1.1.1L has a critical security vulnerability.
<a href="#">BUG-000146833</a>	When attempting to open a table from a Snowflake cloud environment running on Windows in Spanish version in ArcGIS Pro, it fails with the error message, "Failed to open table. The number of points is less than required for feature."
<a href="#">BUG-000146889</a>	The Import Associations tool fails with the error message, "Error 000192: Invalid value for ASSOCIATIONTYPE" when using the Utility Network Package tools.
<a href="#">BUG-000146893</a>	Slow performance in ArcGIS Pro 2.9.1 when using the Aggregate Polygons (Cartography Tools) geoprocessing tool but takes seconds to complete the process in ArcMap 10.8.1.
<a href="#">BUG-000146920</a>	Attempting to publish a web layer with a tile cache from ArcGIS Pro to ArcGIS Online generates an error if the map frame name contains a trailing space.
<a href="#">BUG-000146934</a>	Semicolon delimited files with decimal values in certain formats (#.###, ##.###, ###.###) are not imported correctly in ArcGIS Pro 2.9.
<a href="#">BUG-000146959</a>	When exporting rasters from a mosaic dataset using the Export Raster pane, deselecting build pyramids is re-selected when the Output Format is changed.
<a href="#">BUG-000146968</a>	Exporting a raster with the transparency setting configured to a PDF file format in ArcGIS Pro 2.9.1 results in an opaque output.
<a href="#">BUG-000146996</a>	The Add Surface Information (Spatial Analyst) tool does not work unless a 3D Analyst license is assigned.
<a href="#">BUG-000146998</a>	Restoring a row via Conflict Manager can create scenario where dirty areas become out of sync.
<a href="#">BUG-000147004</a>	The features in the Web Feature Service (WFS) are rendered on the map at the wrong location when the service is published in the ArcGIS Enterprise 10.9.1 portal.
<a href="#">BUG-000147006</a>	Unable to type in or change the dots per inch (DPI) when using ArcGIS Drone2Map to export a map to PDF, even though the documentation says it is possible.
<a href="#">BUG-000147010</a>	In ArcGIS Pro 2.6.8, the error message, "Realign Route failed unexpectedly" is returned with the Engineering network.
<a href="#">BUG-000147014</a>	Switching options for 'Allow Null' in ArcGIS Pro field design crashes the client when working with SQL Server geodatabase.

Issue	Description
<a href="#">BUG-000147030</a>	ArcGIS Pro 2.9.x crashes when running the Create Cloud Storage Connection File geoprocessing tool.
<a href="#">BUG-000147040</a>	The Split Features tool fails with the error message, "There was an error during processing."
<a href="#">BUG-000147058</a>	The ArcGIS REST API, Vehicle Routing Problem (VRP) is returning incorrect departure and arrival time values after latest update to StreetMap Premium Data.
<a href="#">BUG-000147086</a>	The "Warning 240005" warning message is untranslated in ArcGIS Pro although a Japanese language pack is installed.
<a href="#">BUG-000147089</a>	Snapping stops working after using the Edit Vertices or Move tool with a specific workflow.
<a href="#">BUG-000147104</a>	The Extract Values to Points tool runs on empty input and returns the error message, "ERROR 999999."
<a href="#">BUG-000147126</a>	Changing the name of the Details Field Value text in the Contents pane corrupts the PDF export.
<a href="#">BUG-000147130</a>	ArcGIS Pro crashes when running the Collapse Road Detail geoprocessing tool.
<a href="#">BUG-000147141</a>	After using the Align Parcels tool, certain areas from one parcel type polygon feature class are moved and become unaligned with another parcel type polygon feature class.
<a href="#">BUG-000147165</a>	Date and time values do not get converted to UTC for XY Event layer when the source is a query layer.
<a href="#">BUG-000147175</a>	Include the example 'D' as a valid result for the 'Intersect' method under the 'Select multipoint using multipoint' spatial relationship in ArcGIS Pro's 'Select By Location graphic examples' help documentation.
<a href="#">BUG-000147186</a>	The Export Subnetwork tool causes ArcGIS Pro to crash if the text fields included in the Result Fields parameter contain a domain.
<a href="#">BUG-000147212</a>	A shapefile disappears from the map after joining it with a .dbf file stored in the same folder.
<a href="#">BUG-000147233</a>	The Manage Records pane returns duplicate results when the search is repeated.
<a href="#">BUG-000147344</a>	arcpy.CalculateGeometryAttributes_management moves data when input features are in memory and a coordinate system parameter is used with another coordinate system.
<a href="#">BUG-000147431</a>	LRS Editing tools do not recognize selected centerlines when loaded more than once into a map.
<a href="#">BUG-000147465</a>	The camera.setExtent script does not zoom to a layer correctly in ArcGIS Pro 2.9.
<a href="#">BUG-000147510</a>	When using ArcGIS Pro 2.9.x to view a database table or view that is not owned by the current login account, one of the following error messages is returned, "DBMS table not found [ORA-00942: table or view does not exist]" or "Failed to open table."
<a href="#">BUG-000147547</a>	ArcGIS Pro fails to include field length when adding the global unit identifier (GUID) fields to ArcGIS Online hosted services.
<a href="#">BUG-000147555</a>	Unable to edit vertices in a utility network when the map projection is different than the layer's projection.

Issue	Description
<a href="#">BUG-000147630</a>	Using the Modify Associations pane in a versioned data results in a long delay, and fails with a deadlock error.
<a href="#">BUG-000147671</a>	The "Error 999999" error message is returned when running the Particle Track tool with the optional Output track polyline features parameter kept empty.
<a href="#">BUG-000147682</a>	The error message, "An unknown error occurred while changing the database version" is returned when changing the version of two maps that contain the same versioned data from the same data source.
<a href="#">BUG-000147698</a>	32-bit floating point NITF files do not open in ArcGIS Pro.
<a href="#">BUG-000147746</a>	A conversion to a Keyhole Markup Language (KML) file does not pick up the feature name from the display field correctly and shows up as 'Placemark' when read in ArcGIS, and 'No Name' when read in Google apps.
<a href="#">BUG-000147765</a>	Certification of Microsoft ODBC Driver 18 for SQL Server connections.
<a href="#">BUG-000147789</a>	Unable to edit the attribute table for branch versioned feature services when two feature services are from the same source and one of them has the editor information capability (realm) enabled on ArcGIS Server Manager.
<a href="#">BUG-000147792</a>	The 'linkage' tags in the MD_DigitalTransferOptions section are missing when exporting metadata in the ISO 19115-3 format.
<a href="#">BUG-000147808</a>	The Layer 3D To Feature Class tool shows "Tool is not licensed" when opening it with an ArcGIS Pro Basic license.
<a href="#">BUG-000147820</a>	When running the Refresh Excel tool, the tool fails to execute and the error message, "ERROR 999999: Something unexpected caused the tool to fail. Contact Esri Technical Support ( <a href="http://esriurl.com/support">http://esriurl.com/support</a> ) to Report a Bug, and refer to the error help for potential solutions or workarounds" is returned.
<a href="#">BUG-000147834</a>	Attachments added to a branch service using Map Viewer in Portal for ArcGIS is not shown in ArcGIS Pro after a refresh.
<a href="#">BUG-000147851</a>	The label is broken into new lines when using the custom Arcade expression in Map Viewer.
<a href="#">BUG-000147861</a>	Creating an association through an attribute rule fails with the error message, "unknown error" in an SQL Server Enterprise environment. The server incorrectly reports that the association already exists.
<a href="#">BUG-000147899</a>	The Import Message tool fails when the delta file uses a long file pathname.
<a href="#">BUG-000147966</a>	Unable to select a geodata service for the relative replica connection using ArcGIS Pro.
<a href="#">BUG-000147975</a>	Some Canadian addresses have the incorrect X and Y coordinate results when using the findAddressCandidates operation in the ArcGIS World Geocoding Service.
<a href="#">BUG-000147993</a>	Overwriting the hosted feature service in Portal for ArcGIS 10.9.1 created from a CSV file utilizing Military Grid Reference System (MGRS) addresses is unsuccessful and crashes the service.
<a href="#">BUG-000148005</a>	Unable to set values 0 in the 'Left House Number From' or 'Right House Number From' field when creating a custom street address locator in ArcGIS Pro.

Issue	Description
<a href="#">BUG-000148055</a>	In ArcGIS Pro 2.9.2, the Network Common Data Form (netCDF) layer added to the mosaic dataset displays in an incorrect location with an incorrect shape and spatial extent.
<a href="#">BUG-000148057</a>	The error message, "Compress edits in Default version before unregistering" is not displayed when unregistering a feature dataset in ArcGIS Pro.
<a href="#">BUG-000148070</a>	Missing geometry for some features after running the Export Subnetwork tool with the Include Geometry parameter enabled.
<a href="#">BUG-000148075</a>	Features disappear when zooming in and out after completing the edits.
<a href="#">BUG-000148090</a>	The ArcGIS Pro Calculate Field expression type defaults to SQL for branch version feature services (which support SQL expressions) and returns the incorrect error "002118: Operation not supported on a table that has archiving enabled."
<a href="#">BUG-000148098</a>	Unable to set the ArcGIS Pro default font to Microsoft JhengHei in a Chinese environment.
<a href="#">BUG-000148116</a>	The AddRastersToMosaicDataset command is inoperable after upgrading to ArcGIS Image Server 10.9.1 in Python 3.x.
<a href="#">BUG-000148136</a>	Unable to upgrade a Postgres enterprise geodatabase in Amazon Web Services (AWS) Relational Database Service (RDS) and returns the following error, "Error: -25 ERROR: must be the owner of relation i14. The sde user cannot perform the upgrade. A user with dbo privileges is required."
<a href="#">BUG-000148177</a>	When using the New Big Data Connection dialog box to connect to the dataset and setting the spatial reference of the geometry to either MGI 1901 Slovene National Grid (WKID 3912) or Slovenia 1996 Slovene National Grid (WKID 3794), the Big Data feature class projects to the wrong country, Italy, instead of Slovenia.
<a href="#">BUG-000148178</a>	The Sun Shadow Frequency tool in ArcGIS Pro fails with error 999999 when using certain multipatch features.
<a href="#">BUG-000148203</a>	The ArcGIS Business Analyst data source cannot be selected when the language setting in ArcGIS Pro is set to Japanese.
<a href="#">BUG-000148241</a>	When exporting a map to PDF with the 'PDF Layers and Features Attributes' option enabled, a different domain's code appears instead of the description.
<a href="#">BUG-000148265</a>	Layout exports fail to render layers when the map includes a specific layer with a definition query.
<a href="#">BUG-000148266</a>	In ArcGIS Pro 2.9.2, MapTips do not display for the Preset Subtype group.
<a href="#">BUG-000148331</a>	The IsDirty property is not set to 'True' after editing an embedded tier in the utility network. Subsequently, Subnetwork Name for lower tiers is not updated, even after running Update Subnetwork.
<a href="#">BUG-000148339</a>	When printing a map image in ArcGIS Enterprise 10.9.1 without a legend, the /legend method is still called in the request and causes performance issues.
<a href="#">BUG-000148344</a>	The exportImage operation fails on an image service published from a mosaic dataset built with OptimizeRasters raster proxies.

Issue	Description
<a href="#">BUG-000148390</a>	Setting M-values to a polyline feature in ArcGIS Pro places the values in the wrong order.
<a href="#">BUG-000148399</a>	Using NcML data as an input OPeNDAP URL for the Make OPeNDAP Raster Layer (Multidimension) geoprocessing tool causes ArcGIS Pro to crash.
<a href="#">BUG-000148419</a>	ArcGIS Pro 2.9.x crashes when using the Reconcile option on the Versioning tab if the Version Changes window is opened.
<a href="#">BUG-000148467</a>	A service created with the SDO_GEOMETRY data type and referencing a non-enterprise geodatabase fails to query when using both the Geometry and the Output Statistics parameters.
<a href="#">BUG-000148474</a>	In ArcGIS Pro 2.9.2, the error message, "Edit operation failed. The row contains a bad value. [LAYER]The row contains a bad value [FIELD]," is returned when entering long strings in the fields with newly expanded Length values in the Attribute pane.
<a href="#">BUG-000148495</a>	Hydrology tools (Fill, Flow Direction, and Flow Accumulation) hang when run in ArcGIS Pro 2.9.2 on Windows 11.
<a href="#">BUG-000148576</a>	The following French geocoding logic: BIS, TER, QUATER, and QUINQUIES are not recognized as part of the house number.
<a href="#">BUG-000148577</a>	The slope result between the planar and geodesic options in ArcGIS Pro is incorrect.
<a href="#">BUG-000148583</a>	The error message, "Error 002777 The name is invalid" is returned when saving a locator with a period between the pathname in the Create Locator tool.
<a href="#">BUG-000148590</a>	Provide the ability to run the Integrate tool on two-point curves such that the curves are not lost or straightened.
<a href="#">BUG-000148624</a>	Running the Directional Distribution tool creates ellipsoids with sharp corners and flat edges.
<a href="#">BUG-000148664</a>	In ArcGIS Pro, the user type extension check is still available when connecting to Portal for ArcGIS 11.0.
<a href="#">BUG-000148727</a>	The Reverse Values operation in the raster symbology is not applied in Map Viewer although the symbology changes in the Symbology and Contents panes.
<a href="#">BUG-000148866</a>	FirstName issues in French geocoding logic.
<a href="#">BUG-000148890</a>	In ArcGIS Pro, splitting features from a hosted feature service deletes the values in the attribute table when a domain is assigned.
<a href="#">BUG-000148909</a>	When the polygon hatched fill symbols are used, Export Map to PDF results in display errors in PDF. The map is rotated and the exported map extent only shows some parts of the polygons.
<a href="#">BUG-000148920</a>	When using the utility network's Remove Association tool, the edit operation fails when attempting to remove the association through the Attributes pane.
<a href="#">BUG-000148939</a>	Number 11 vs french word 'onze' is not available in French geocoding logic.
<a href="#">BUG-000149079</a>	Exporting a model to Python results in an additional .tbx extension in the path to the toolbox.
<a href="#">BUG-000149081</a>	The error message, "Error 030206" is returned when attempting to share a route analysis layer based on an ArcGIS StreetMap Premium routing network dataset to a client portal.

Issue	Description
<a href="#">BUG-000149159</a>	The Map Production System (MPS) app fails to generate annotation features.
<a href="#">BUG-000149259</a>	Publishing a MapImageService with a Clustering-Symbology fails in an operating system with decimal characters other than '.'.
<a href="#">BUG-000149375</a>	ArcGIS Pro fails to open the attribute table of text files that require delimited field names.
<a href="#">BUG-000149386</a>	Clustering does not work when using shared instances.
<a href="#">BUG-000149452</a>	Dividing an ArcGIS Parcel Fabric returns the "Divide Features failed" error message in ArcGIS Pro 2.9.2 and ArcGIS Enterprise 10.9.1 when dividing a parcel alongside an active record.
<a href="#">BUG-000149479</a>	Output attribute values from the 'Extract Values to Points' tool are shifted to one field to the right.
<a href="#">BUG-000149497</a>	When importing associations, logically deleted records must be filtered during duplication check with Utility Network 4.
<a href="#">BUG-000149552</a>	The map service outStat fails for the SDO geometry storage type.
ENH-000105410	'LAS Building Multipatch' tool doesn't support building footprint features that have true curves in them
ENH-000109762	Allow editing in Arcgis Pro the high and low values of the stretch renderer
ENH-000115683	Provide Conda Error messages in the python package manager interface in ArcGIS Pro
ENH-000117079	Provide the same editing options under ArcGIS Pro's Configuration > Operations that are available in ArcGIS Online and ArcGIS Enterprise.
ENH-000120269	Extend the "Transfer field domain description" geoprocessing environment option to include Enterprise databases (non-geodatabase).
ENH-000120281	ArcGIS Pro 2.4 is unable to use old Python environments yielding warning for Version Mismatch. Please allow future upgrades of ArcGIS Pro to also include previous python environments in the process.
ENH-000125074	In ArcGIS Pro, provide the ability to copy complete path of the Feature class (including its name) either through the Feature class properties displaying the location to be copied or selecting the layer that displays the path in an address bar.
ENH-000125535	Support connection via Azure AD and with multi-factor authentication (MFA) from ArcGIS to Azure SQL Database
ENH-000126573	In ArcGIS Pro, there is no way to see the size of individual feature layers in a file geodatabase within the Catalog View
ENH-000127015	Allow GeoJSON file format as an input in the FeatureSet.load function.
ENH-000129305	Add functionality to automatically clear display cache when closing project for ArcGIS Pro. ArcGIS Pro required automatically clear display cache while the program close a project or opening new project.
ENH-000130577	Add the ability to see Server connection information in the Favorites window and via detailed popups in ArcGIS Pro
ENH-000132684	Provide a tool that can identify what version of ArcGIS Pro used to create the project.
ENH-000132874	Provide symbology options, to show color ramps and values in farenheit and celsius, for thermal imagery (FLIR) which is processed using Drone2Map for ArcGIS.

Issue	Description
ENH-000133464	ArcGIS Pro Python Manager requires refreshing after Adding package to update the Add and Installed Pages. Automatically update the Add and Installed ArcGIS Pro Python Manager pages
ENH-000133689	Expand Summary Statistics functionality to support concatenation of multiple string/text fields.
ENH-000133728	Provide the ability to preserve the configuration of Select By Location and Select by Attributes option after closing the selection window in ArcGIS Pro.
ENH-000134724	In the Geocoding REST API, the findAddressCandidate operation does not give the full name of a Country, but only the country code.
ENH-000135067	Allow option change the source of related reports without having to rebuild the entire report.
ENH-000137863	Provide the ability to upload custom print templates directly through ArcGIS Enterprise and ArcGIS Online organizations.
ENH-000138029	The documentation for the Geographically Weighted Regression tool needs to clarify what 'Limited' functionality is at a Basic or Standard License level when we do not have a Spatial Analyst or a Geostatistical Analyst License.
ENH-000138126	Allow the Share Package ArcGIS Pro geoprocessing tool to be used in Python without traditional username/password Portal authentication.
ENH-000138205	Include a link or explanation that covers the expected format of a traverse file in the ArcGIS Pro "Import or export a traverse file" documentation
ENH-000138309	Provide a better error message when a Python Toolbox is chosen Default toolbox in ArcGIS Pro
ENH-000138369	Improve documentation for Viewshed 2 to include potential limitations regarding performance after updating GPU
ENH-000138588	Provide an option to mask voxel data when importing for a more accurate interpolation in ArcGIS Pro
ENH-000138712	Request to allow the option to change the flash color or make the flash cross hair appear brightly in ArcGIS Pro
ENH-000139239	When exporting data from the Contents tab in ArcGIS Pro, allow for the Output location file explorer to show and select existing shapefiles for easy overwriting, like in ArcMap.
ENH-000139531	Improve Cancel Performance for Feature Class to Feature Class.
ENH-000139988	Please improve the error message returned when running the Create Integrated Mesh Scene Layer Package geoprocessing tool.
ENH-000140163	In the Image Service Parameters table, under Has Live Data, alternative actions which are important, are not mentioned.
ENH-000140409	Allow users to select a version of Collada when using Multipatch to Collada in ArcGIS Pro
ENH-000140641	Improve Esri documentation on configuring the ExtProc with libst_shapelib.so for an Oracle database within a Solaris Operating System
ENH-000140760	Provide the ability to create a new group layer using arcpy.
ENH-000141201	Allow disabled output fields set in the locator properties to also be disabled in the Detailed View results from the locate tool.

Issue	Description
ENH-000142351	Provide equivalency between ArcGIS Pro & ArcPy to achieve the Overwrite Web Tool workflow.
ENH-000142354	Add new PCS to the Projection Engine for Ontario province, Canada that utilizes the GCS EPSG:8252
ENH-000142648	User receives a transformation warning when opening an existing ArcGIS Pro project containing an HDF multi band raster file that is projected in GCTP. There are no transformations available for these types of datasets and user has to re-add data into the
ENH-000142686	Please provide Pro documentation for Lidar surface constraints, including limitations for what visualizations support surface constraints
ENH-000142791	Add the functionality to create custom settings in the Export Map pane, similar to the custom ratios in the Export Movie pane.
ENH-000143115	Improve UX for none-Supported 3D Symbol (GLB/GLTF 1.0)
ENH-000143128	Product File installers when executed through command line do not honor custom location specified for the INSTALLDIR parameter.
ENH-000143382	Provide the ability to support XMP format in GeoTagged Photos To Points geoprocessing tool in ArcGIS Pro.
ENH-000143423	Display More Obvious Credit Consumption Warning Window for ArcGIS Pro Tools and Processes that Consume Credits
ENH-000143549	Provide the ability for attribute table selections to be automatically cleared when the user creates/applies a new definition query.
ENH-000144669	Request for an additional setting to be added to the Locator Properties pane in which all units will be suggested once the base/main address is fully typed out.
ENH-000145210	Replace the older datum transformation (8968-69) for the new datum transformation (9751-52) for datum 1225. This has been corrected on the EPSG website.
ENH-000145273	Please update the error message for the Fill Missing Values tool to specify that this will not work if polygons are not contiguous.
ENH-000146161	Misleading error message "Geodatabase must be enabled as geodatabase admin user" when enabling Enterprise Geodatabase
ENH-000146253	Calculate Geometry tool Property should take into account the output coordinate system
ENH-000146383	LRS service on ArcGIS Server 10.8.1- Handle invalid "routeld" & "toRouteld" location parameters via REST endpoint without logging .MapServer crash Error
ENH-000147057	Geoprocessing tools that perform unit conversions should provide the option to use International or US Survey imperial units (rather than using US Survey units by default)
ENH-000147202	In An ArcGIS Pro Layout, Allow ability to separate the Service Credits Logo, from the Service Layer Credits text.
ENH-000147368	Provide the ability to choose which transformation you want to use when running the Calculate Geometry Tool inside of the attribute table of ArcGIS Pro
ENH-000149917	Enable automatic updating of a Measure values in a Centerline feature class when running LRS editing tools

