

ArcGIS Pro 3.4 Issues Addressed

Each [major, minor, and patch release](#) of ArcGIS Pro includes fixes for bugs that were reported to Esri Technical Support. The bugs that were fixed in ArcGIS Pro 3.4 are listed in the table below.

More information about an issue on the list can be found by [searching for the BUG number on the Technical Support site](#).

ArcGIS Pro 3.4 also includes extensive new functionality, which is described in the [what's new topic](#).

Issues addressed at ArcGIS Pro 3.4.5

ArcGIS Pro 3.4.5 fixes the issues listed below and includes the fixes listed in the subsequent sections for ArcGIS Pro 3.4.0, 3.4.2, 3.4.3, and 3.4.4.

Issue	Description
BUG-000147541	Creating a donut polygon in stereo mapping using the Split tool adds slivers between shared polygon boundaries.
BUG-000154094	The Check Geometry tool works on a feature class with errors from an OGC GeoPackage but fails when the same feature class is used as a layer.
BUG-000164287	Improve the error message returned when running the Create Unregistered Table or Create Unregistered Feature Class tool in a file geodatabase to provide clearer information and reduce confusion.
BUG-000164439	When a small portion of a polygon's inner part is clipped, the z-values of the outer vertices change.
BUG-000165480	Upgrading a geodatabase in ArcGIS Pro with the German language setting is impossible.
BUG-000166466	In ArcGIS Pro 3.1.x and 3.2.x, when a selection is defined for a hosted feature layer (from ArcGIS Online) with a defined time zone, the attribute table returns data for times before the query begins. The network traffic query respects the time zone until the final part of the query, which is converted to UTC.
BUG-000167466	The Locks list in the Geodatabase Administration dialog box takes a long time to load or remove locks in ArcGIS Pro 3.0.x.
BUG-000168093	ArcGIS Pro crashes when a group layer containing attribute rule error layers is dragged and dropped into the Input Layer parameter of the Change Version tool.
BUG-000169220	In ArcGIS Pro 3.3.1 and ArcGIS Pro 3.2.2 report templates, referencing field names with numbers, such as Facility2 or Facility2_, does not display the field values in the output.
BUG-000173798	The French language pack does not recognize the Geodatabase Version History date field while trying to open database properties, and the following error message, "String was not recognized as a valid DateTime." is returned.
BUG-000174682	States for non-versioned editing get created when the default version's state changes after the initial use in a non-versioned editing session.
BUG-000174790	A Geodatabase Exception occurred when modifying the labelEngine language for an annotation feature layer using ArcGIS Pro SDK for .NET 3.3.

Issue	Description
BUG-000174899	The Geocode Table tool does not honor the selection criteria configured in the composite locator.
BUG-000175333	Editing annotation feature classes with the UpdateCursor function makes the feature disappear and sets the shape_length and shape_area field values to zero.
BUG-000175473	When a PDF file with attributes exported from ArcGIS Pro is viewed in Adobe Reader, the attributes display 0 for all fields.
BUG-000175519	When attempting to split a polygon from a hosted feature layer in ArcGIS Online using ArcGIS Pro, the application crashes.
BUG-000175618	The Convert Schema Report geoprocessing tool fails with the error "KeyError" when processing Excel schema reports for utility networks with multiple domains.
BUG-000175992	The ArcPy memory workspace does not consistently return correct rows when using a where clause with arcpy.da.SearchCursor.
BUG-000176590	ArcGIS Pro incorrectly throws drawing error indicating unsupported Spatial Reference for customized version of Schwarzeck coordinate system (EPSG 4293) even when it is supported.
BUG-000176706	The German language pack does not recognize the Geodatabase Version History date field while trying to open the database properties, and the following error message, "String was not recognized as a valid DateTime." is returned.
BUG-000177135	The address geocoding process using the ArcGIS StreetMap Premium USA locator crashes when the Country or Region parameter is set to the United States.
BUG-000177443	Clicking the Technical Support button on the Help tab in ArcGIS Pro directs to a webpage no longer exists.
BUG-000177538	ArcGIS Pro crashes when entering a native NT path into a SuggestionPopup.
BUG-000177631	Certain workflows involving query layers and the Locate pane may cause ArcGIS Pro to crash.
BUG-000177773	When exporting a layout with map series enabled in ArcGIS Pro, setting the output file name as .pdf with no prefix returns the warning "The location does not exist or is an invalid path".
BUG-000178118	ArcGIS Pro crashes when geocoding geoprocessing tools are canceled.
BUG-000178327	The Display Field drop-down menu becomes disabled when a field is assigned to a domain.
BUG-000178371	Applying a symbology with multiple marker symbol layers to a hosted feature layer from an existing layer causes performance issues in ArcGIS Pro.
BUG-000178519	The Raster Solar Radiation tool generates inconsistent output values, with noticeably higher values in the North compared to the South.
BUG-000178578	The Simplify Shared Edges tool creates self-intersecting polygons for some polygons with holes.
BUG-000178666	The Aggregate Obstacles tool is creating obstacle group points too close together.

Issue	Description
BUG-000178670	A crash occurs when using the Create Locator tool in ArcGIS Pro with the Postal Locality role.
BUG-000179226	The BIM cloud connection cannot log in to ArcGIS Hub from Europe, Australia, or the USA.

Issues addressed at ArcGIS Pro 3.4.4

ArcGIS Pro 3.4.4 fixes the issues listed below and includes the fixes listed in the subsequent sections for ArcGIS Pro 3.4.0, 3.4.2, and 3.4.3.

Issue	Description
BUG-000165765	The elevation profiles generated in ArcGIS Pro using a dynamic image service have pits and spikes as artifacts.
BUG-000166193	Feature layers are not recognized when selecting 'Set Pop-up Source' on a vector tile layer in ArcGIS Pro.
BUG-000167569	ArcGIS Pro does not show the contents of the database connection if indexing is enabled for the enterprise geodatabases.
BUG-000171641	When the Calculate Geometry Attributes geoprocessing tool is running on an enterprise geodatabase polygon feature class with attachments enabled and 65 or more records selected, the tool completes, but the values are applied to the wrong records.
BUG-000171928	ArcGIS Pro crashes when exporting a report if the height in the Details section exceeds the page size and the 'Wrap text elements' option is enabled.
BUG-000172025	The error message, "ERROR 003644: A database error was encountered. Please contact your system administrator to review the server logs." is returned while upgrading an enterprise geodatabase after installing the ArcGIS Server Branch Versioning Data Consistency Patch for ArcGIS Server 11.1.
BUG-000172060	Editing branch versioned data with cascading attribute rules returns the error "ORA-00001: unique constraint violated" if the feature being edited has a large number of vertices.
BUG-000172744	The folder connection path to the disk drive in ArcGIS Pro 3.4 breaks when the program is reopened.
BUG-000173111	VectorTileService (root.json) works fine in ArcGIS Pro 3.2 and 3.3 but fails to draw in ArcGIS Pro 3.4.
BUG-000173115	When changing the value for 'Set the maximum features returned' of a Web Feature Service (WFS) point layer, the ArcGIS Pro attribute table and map return approximately 100 to 200 features more than the specified value.
BUG-000173117	ArcGIS Pro crashes when creating a new feature within a specific dimension feature class.
BUG-000173403	Slow performance in ArcGIS Pro when working with Modify Controller on the Utility Network tab.

Issue	Description
BUG-000173775	The Traverse tool in ArcGIS Pro does not retain the new quadrant bearing entries within 20 seconds of the previous course, defaulting to the earlier value instead.
BUG-000174057	Registering a class as branch versioned is not creating the appropriate indexes and results in poor database performance.
BUG-000174132	The Data Design pane (attribute rules/fields view) is inaccessible for feature classes with feature-linked annotation after upgrading from ArcMap to ArcGIS Pro.
BUG-000174309	Inconsistency in Full Motion Video (FMV) flight paths across ArcGIS Pro versions.
BUG-000174482	When using RasterClassifyColorizer within a Python script to adjust the minimum or maximum values of a raster's symbology in ArcGIS Pro 3.4.x, the expected result is not returned.
BUG-000175104	ArcGIS Pro crashes when updating the one-way relative replica connection to a file geodatabase from an enterprise geodatabase hosted in Oracle 19c.
BUG-000175520	The shape column is marked as a conflict when reconciled by attribute even when it is not a conflicting edit.
BUG-000175574	Mouse movement triggers Feature Cache fill when it should not
BUG-000175598	ArcGIS Pro greys out while trying to update the records flagged in the Error Inspector pane after running the Evaluate Rules tool on parcel fabric data.
BUG-000175638	Conflicts and Differences view filter out attribute field when named 'NOTE'
BUG-000175639	Conflicts and Version Changes may incorrectly identify floating point values (e.g., doubles) as having been modified
BUG-000175640	The Versioning ribbon has asymmetrically enabled buttons when opening the Conflict Manager or Version Changes.
BUG-000175816	ArcGIS Pro crashes when using Auto Rematch in the Rematch Addresses pane.
BUG-000175940	Create Overpass/Underpass tools are masking sections of roads at small scales
BUG-000176008	Unable to update existing provenance records when a document is the source
BUG-000176009	Crash when deleting multiple properties in a Load Table configuration
BUG-000176134	Requests to OAuth secured WFS or OGC API Features layer result in error and inability to add layers to a map
BUG-000176149	Filtered Find Paths sometimes omits some shortest paths

Issues addressed at ArcGIS Pro 3.4.3

ArcGIS Pro 3.4.3 fixes the issues listed below and includes the fixes listed in the subsequent sections for ArcGIS Pro 3.4.0 and 3.4.2.

Issue	Description
BUG-000155786	In ArcGIS Pro 3.0.x, the Manage Tile Cache tool returns the error message, "Error 003418 The origin of the tiling scheme can only generate tile up to LOD (x). If more LODs are needed, please generate valid tiling scheme using 'Generate Map Cache Tiling Scheme' tool" is returned when implementing an extensible markup language (XML) file produced by the Generate Tile Cache Tiling Scheme tool, employing the automatically assigned tile origin.
BUG-000164797	In ArcGIS Pro, converting labels to annotations generates an empty output when an active KML layer is present on the map.
BUG-000165327	A feature template resets to blank when a new layer is added to the map during the editing session.
BUG-000169838	The Map.SaveAsWebMapFile method produces an incomplete JSON file when the layer name contains Hebrew characters.
BUG-000170882	ArcGIS Pro 3.3.2 crashes when initializing a kernel in a new notebook by clicking New Notebook if the project file path contains multiple byte characters (example: PC login user includes Japanese characters).
BUG-000170992	The Attributes pane shows content records as TreeViewItemViewModel when the class is not displayed on the map.
BUG-000171308	The Presence-only Prediction (MaxExt) tool fails and returns the error message, "Error 110436: The number of predictions columns does not equal the number of columns used to train the model" when the Contains Background Points parameter is checked.
BUG-000171672	The annotation feature classes created in SVY21 Singapore TM and ArcGIS Pro 2.x do not display on the map after being projected to WGS 1984 Web Mercator (Auxiliary Sphere) using the Project tool in ArcGIS Pro 3.3.2.
BUG-000172036	Limit record queries for feature services when opening the table for the first time.
BUG-000172037	Ignore external editing events until manually refreshing the table.
BUG-000172099	Save As Offline Service Definition does not maintain hardcoded file paths and copies data when the path is a Network Path folder.
BUG-000172168	When adding a KEA file (.kea) to an ArcGIS Pro project, the error message, "Failed to add data, unsupported data type." is returned.
BUG-000172207	The "Schema is out of date, Retry as owner or sdeadmin" error message is returned when attempting to display a registered Oracle Spatial view with the SDO_GEOmetry column defined as NOT NULL ENABLE, depending on whether the view was initially registered in ArcMap or ArcGIS Pro.
BUG-000172292	Some ribbon and Quick Access Toolbar buttons lose their active tool indication when clicked a second time.
BUG-000172328	Query Builder in the Select geoprocessing tool and Expression Builder in the Calculate Field tool do not load field lists from the input layer file (.lyrx or .lyr).
BUG-000172356	The Append Annotation Feature Classes tool does not maintain all custom field values after running.

Issue	Description
BUG-000172411	Creating a composite locator with the ArcGIS World Geocoding Service and publishing it to ArcGIS Enterprise causes three-letter ISO country codes to not work
BUG-000172499	In ArcGIS Pro 3.4, suggestions are not displayed when a partial house number is entered when the option is enabled.
BUG-000172670	The map series pages are not activating the correct page in ArcGIS Pro 3.4.
BUG-000172728	The CopyRaster function fails on Enhanced Compressed Wavelet (ECW) files in ArcGIS Pro 3.4 with "ERROR 999999: Something unexpected caused the tool to fail.".
BUG-000172739	ArcGIS Pro does not abide by the north arrow type configuration in layouts.
BUG-000172773	ArcGIS Pro 3.3.4 crashes when a user attempts to set the Data Engineering view side by side.
BUG-000172816	The Export Features tool results in consolidation to a single location of point features when editor tracking is enabled and attachments are present.
BUG-000172868	Inline dynamic menus crash if they specify a separator
BUG-000172970	ArcGIS Pro 3.4 crashes when adding definition queries to the Quick Access Toolbar.
BUG-000173074	The GPU usage increases and remains high when the attribute table is open.
BUG-000173239	The ArcGIS Pro's Geocode Addresses tool fails to execute with a 000010 error while working with a composite address locator.
BUG-000173284	ArcGIS Pro crashes when opening the project file or accessing a specific feature class.
BUG-000173367	Rebind the pipe_name variable on each execution when returning rowids to its appropriate pipe.
BUG-000173394	Unable to reconcile or post branch versioned data containing a topology after upgrading the enterprise geodatabase in PostgreSQL.
BUG-000173395	The Find Space Time Matches tool (arcpy.ca.FindSpaceTimeMatches) fails in ArcGIS Pro 3.4 and returns the error, "AttributeError: 'NoneType' object has no attribute 'type'."
BUG-000173426	The Calculate Magnetic Components tool fails to calculate magnetic components for dates on or after 1/1/2025.
BUG-000173451	ArcGIS Pro crashes to desktop when exporting to AIX a feature class using the modified stock symbology settings, sourced from the database connection file (.sde).
BUG-000173706	The Merge Branch tool does not pass the true precondition branch if the previous tool includes an inline variable substitution.
BUG-000173807	In some cases, the Optimal Path As Raster tool creates incomplete results.
BUG-000173813	Ensure the Cartography toolbox honors the option to disable symbols in unique value symbology.
BUG-000173912	When using the search box in a browse dialog box, some items shift position when the search is executed.
BUG-000173913	When using the search box in a browse dialog box, the search term may fail to highlight on the second search.

Issue	Description
BUG-000173982	When using the 'Zoom To' or 'Pan To' right-click menu options in the Reviewer Results pane, ArcGIS Pro freezes.
BUG-000175353	Use root level getEstimate method

Issues addressed at ArcGIS Pro 3.4.2

ArcGIS Pro 3.4.2 fixes the issues listed below and includes the fixes listed in the subsequent section for ArcGIS Pro 3.4.0.

Issue	Description
BUG-000171891	Export to PDF with Python installed from ArcGIS Server fails to properly place label halos with a production mapping map.
BUG-000172040	Geometry becomes distorted in some cases when omitting anchor points using the Align Parcel tool.
BUG-000172068	Service area analysis produces a separate polygon per time zone when using the Dissolve boundary type with a mobile geodatabase network dataset.
BUG-000172073	When layers in a link chart have an unexpected field, allow the link chart to draw
BUG-000172074	Spatial property settings are not maintained when data is deleted with the Load Table wizard open.
BUG-000172246	In Windows 11, ArcGIS Pro does not honor the "Show accent color on title bars and window borders" Windows setting.
BUG-000172275	Arcade Error: Table not found error when editing referenced feature services that use FeatureSetByName with the \$datastore variable in ArcGIS Pro 3.4
BUG-000172334	In Windows 11, content in a WindowsFormsHost is miscolored or invisible when rendered in a docked dock pane.

Issues addressed at ArcGIS Pro 3.4.1

ArcGIS Pro 3.4.1 is a required patch that fixes the issue listed below. It must be installed before subsequent patches can be installed.

Issue	Description
BUG-000173823	Files used to register add-ins moved from C:\Program Files or a user's AppData folder to C:\ProgramData Learn more about BUG-000173823

Issues addressed at ArcGIS Pro 3.4.0

Issue	Description
BUG-000103706	When splitting a polygon repeatedly in ArcGIS Pro 1.4.1, the ObjectIDs for the resulting polygons are not consecutive.
BUG-000105346	Unable to see any metadata for Esri World Geocoder and XY Provider, which are installed with ArcGIS Pro, and the following error is returned: "Invalid XML document. Invalid pointer."

Issue	Description
BUG-000105477	Running the Geocode Addresses tool fails when the table has editor tracking enabled in ArcGIS Pro.
BUG-000108047	For ArcGIS Pro 2.0, add the ability to draw or use a line of sight with a surface profile in the same graph as is possible with the 3D Analyst toolbar in ArcMap.
BUG-000114125	Minimum Bounding Geometry (Circle) creates an incorrect circle around a particular polygon.
BUG-000115760	Unable to add a spatial index to data with a small feature extent.
BUG-000117686	The LAS Dataset To Raster tool help documentation for ArcGIS Pro or ArcMap does not include any mention of the Resolution (optional) parameter when the Triangulation method using Window Size is selected.
BUG-000122212	The error message returned when running the Add Rule geoprocessing tool in the Utility Network toolbox does not provide a clear indication of the issue with the access status of the default version.
BUG-000123505	The symbology line with offset and dashed line effects does not appear correctly when changing the map's coordinate system.
BUG-000125402	Improve the syntax error checking capabilities for Python toolboxes in ArcGIS Pro.
BUG-000126662	Unable to publish GeoJSON files to Portal for ArcGIS as a hosted feature layer without explicitly setting the spatialReference field, when the same GeoJSON file can be published as a hosted feature layer in ArcGIS Online.
BUG-000127752	When running multiple Python scripts in Jupyter Notebook simultaneously to publish services from the same .aprxF file, the following error is returned, "ERROR 999999".
BUG-000128414	The Delete Schema Geodatabase tool fails and returns the error message, "ERROR 999999: Error executing function. DBMS table not found. Failed to execute (DeleteSchemaGeodatabase)."
BUG-000128458	The updateConnectionProperties method in arcpy.mp fails on a layer object from the vector tile package (.vtpk).
BUG-000131634	The Join Features tool causes the text fields length to default to 10485758.
BUG-000133560	The output ipywidget does not work correctly in ArcGIS Notebooks in ArcGIS Pro 2.6 and ArcGIS Pro 2.6.1.
BUG-000133672	Latest model execution messages should be listed on top.
BUG-000134338	Layers from an enterprise geodatabase with queries based on date fields are not displayed on the mobile map package file created in ArcGIS Pro.
BUG-000135718	Creating a PDF with a customized page size fails in ArcGIS Pro.
BUG-000136425	The BLOB (Binary Large Object) field type is missing when adding fields in the Create Feature Class wizard.
BUG-000137199	The ArcGIS Arcade offset function returns no results for certain offset distance values.
BUG-000137374	After splitting features created from a layer view with a view definition, one part of the Split Features does not display on the map instead of splitting the features into two or more features.
BUG-000137811	The large scene layer packages do not draw completely in ArcGIS Pro.

Issue	Description
BUG-000138194	In ArcGIS Pro, provide the 'Accuracy' and 'Area of Use' options for custom geographic transformations.
BUG-000138773	The Validate Topology tool does not display the Visible Extent parameter, even while the topology layer is open in the map.
BUG-000140932	Unable to compress LAS files in version 1.4 using the Convert LAS geoprocessing tool.
BUG-000141612	ArcGIS Pro prompts a PKI user certificate unless the Registry value exists.
BUG-000141833	Error 999999 is returned when using the WFS To Feature Class tool for Web Feature Services (WFS) in ArcGIS Pro. The tool's UI validation does not execute as expected.
BUG-000142067	The error message, "Coordinate is invalid" is returned in the Go To XY tool if the longitude coordinate is 180 or -180 in the WGS 1984 Web Mercator (Auxiliary Sphere) projection.
BUG-000142364	ArcGIS Pro's keyboard shortcut (Ctrl+Enter) does not move to the next row after editing the attribute table.
BUG-000142389	Unable to view data in the MGRS coordinate system when a CSV file is added as an item to Portal for ArcGIS.
BUG-000142857	When there are over approximately 10,000 features, scatter plots discard the sample features.
BUG-000143929	Dashed and offset lines are displayed incorrectly in ArcGIS Pro when using large map scales.
BUG-000144555	In ArcGIS Pro, the raster symbology is displayed incorrectly when importing a MXD file with classified symbology applied.
BUG-000144952	A vector tile package does not display when the unique value symbology contains new lines in the label.
BUG-000145284	Unable to register views created in a file geodatabase with the geodatabase, and a 999999 error message is returned.
BUG-000146351	The output from the Spatial Analyst Slope tool returns the 999999 error when the output is written to a location with a space in the path.
BUG-000146540	Chinese characters are returned in the layer names while bulk publishing the data from a user-managed data store in the ArcGIS Enterprise portal.
BUG-000146635	There is an issue with the Calculate Field tool for a date in ArcGIS Pro.
BUG-000146712	Updating a web map's feature layer source in ArcGIS Pro does not update the source in the ArcGIS Enterprise portal.
BUG-000147198	The attribute table of the standalone table is not updated when adding features via the Python window in ArcGIS Pro 2.9.1.
BUG-000147250	The Air Corridor Military Symbology does not display the maximum altitude on a map for symbols with the identity or affiliation of Friend.
BUG-000147689	ArcGIS Pro reports drawing interface provides an inconsistent copy-paste experience when copying multiple elements.
BUG-000148294	Copying and pasting the locators in ArcGIS Pro does not carry over the metadata.
BUG-000148317	In ArcGIS Pro, creating an offline service definition (SD) file for a composite locator created from at least one composite locator fails with the 999999 error.

Issue	Description
BUG-000148636	The sample script from the documentation to overwrite a map service is misleading and resets all service parameters to their default values.
BUG-000148899	In ArcGIS Pro, Select by Attribute SQL queries do not find the uppercase letter V if the condition for finding it is followed by any other condition.
BUG-000148943	When Compatibility mode is checked in the Properties tab of the Format Text Symbol pane, editing or deselecting an annotation reverts the feature back to the left alignment instead of full alignment.
BUG-000150263	The specific combination of lidar data returns the error message, "050157: Failed to process the LAS dataset." when running the Classify LAS By Height tool.
BUG-000150510	The Military Symbology Standard, MIL-STD-2525C, in the Military Symbology Editor shows numbers (0, 1, 2) instead of symbols (+, -, +/-) for the reinforced label parameter for infantry symbols.
BUG-000150888	Enabling network topology on large datasets, which require a significant amount of writes, can fail due to database limits on available resources for managing transactions.
BUG-000151643	ArcGIS to better support 'Always On load Balancing'.
BUG-000151687	In ArcGIS Pro, editing segments with a width value of 0,5 pt does not save in the Latvian locale settings.
BUG-000152559	The date of the new feature class from the template changes from 01/01/1970 to 30/12/1899 with a feature service referencing a geodatabase.
BUG-000152705	FillSymbol defined in Web_Map_as_JSON for the polygon selectionSymbol is ignored in the Export Web Map task output.
BUG-000153310	Numeric values of a raster are sorted incorrectly in ArcGIS Pro 3.0.2, as the values are read and sorted as text.
BUG-000153433	When a web map configured with forms is edited and saved in ArcGIS Pro, the form is cleared from the web map.
BUG-000153735	ArcGIS Pro tasks do not auto-refresh the file geodatabase in the Catalog pane when a geoprocessing tool (that creates a feature class) is embedded and the step behavior is set to 'Manual' or 'Auto Proceed'.
BUG-000153950	In ArcGIS Pro, when adding a join, the Keep All Target Features option is not honored if the joined table has a definition query applied to it.
BUG-000154375	If an M-enabled feature class contains a user-created field named 'Measure', the said field has a blank attribute in a pop-up.
BUG-000154636	Exporting user data to GeoJSON in ArcGIS Pro fails with "Error 999999".
BUG-000154721	The editor tracking option is disabled and editor tracking fields are dropped from the attachment table after exporting a feature class with any of the geoprocessing tools to export features (i.e Feature Class To Feature Class, Export Features, and so forth).
BUG-000155017	Ignore basemaps when auto-selecting a datum transformation.
BUG-000155401	The Error Inspector returns the error message, "Edit operation failed. The server took too long to answer. The client has timed out. (status code 28)." when running validation rules on a branch feature service in ArcGIS Pro.
BUG-000155560	Deleting features with a join hangs indefinitely after using the Locate pane.

Issue	Description
BUG-000156020	Running the Create Accuracy Assessment Points tool fails and returns the 999999 error. The ArcGIS Pro tool documentation specifies that a value field is required.
BUG-000156453	The arcpy.management.ChangeVersion() tool does not work when executed from a Python toolbox but runs fine from ArcGIS Notebooks and the Python window in ArcGIS Pro.
BUG-000156867	Using a custom projection for Measured Grid returns the following error message when attempting to change the coordinate system, "Measured Grids require a projected coordinate system. The imported coordinate system is not projected and will not be applied."
BUG-000156990	When a shapefile is added in ArcGIS Pro and the Layer search tool is used to edit any element of the shapefile attribute used and an attempt is made to save this, the following error appears: "Save edits failed Cannot acquire a lock. Cannot acquire a lock."
BUG-000157062	The linked page for a hyperlink in the metadata opens inside the catalog view details panel in some workflows.
BUG-000157123	Importing an extensible markup language (XML) workspace document from SQL Server to Oracle returns the error 999999.
BUG-000157156	The relative replica log reads the geodata service as a map service in the Replica Properties dialog box and the Synchronize Changes pane.
BUG-000157321	In ArcGIS Pro, the Index Polygons parameter is displayed in the Create Vector Tile Package geoprocessing tool even when the Tiling Format parameter is set to Flat.
BUG-000157397	Object tracking features saved in a geodatabase do not refresh on the map in ArcGIS Pro 3.1.1.
BUG-000157424	After the Generate Points Along Lines tool generates equal interval points along a geodesic line, the positions (latitude and longitude) display a 2-3 meter offset in WGS84 when compared to true geodetic positions. The tool fails to create equal interval points along a geodesic line, producing points based only on planar distance.
BUG-000157714	The performance is slow when importing a map document (.mxd file) and layer file from ArcMap to ArcGIS Pro.
BUG-000157765	Using a shapefile created with the Training Samples Manager returns Error 999999 in the Inspect Training Samples tool in ArcGIS Pro.
BUG-000157825	When symbolizing a TIN surface using the Slope option in ArcGIS Pro 3.1.1, the values of class breaks entered manually for the upper value field are automatically overwritten.
BUG-000158234	In ArcGIS Pro, the polygon and line layers cannot be shared from within the 3D Layers group of a scene.
BUG-000159171	The Fence Diagram tool fails with specific geometries and features.
BUG-000159359	The error "Failed to execute (Copy/Multiple)" is returned when copying and pasting a feature class with only one polygon feature to the Dameng database.
BUG-000159384	The big coded value domain in a file of an ArcGIS Enterprise geodatabase causes slow performance when the feature class is added to a map in ArcGIS Pro, even for the feature classes with no association to a big domain.

Issue	Description
BUG-000159543	The JSON To Features tool fails and returns the error "999999" when converting the GeoJSON file to a shapefile if the shapefile exceeds 2 GB in size.
BUG-000159872	When adding a NetCDF file version 1.2 using the Make NetCDF Raster Layer tool, the date and time are displayed as '01/01/1800' and '12:00 AM'.
BUG-000159900	Unable to modify the vertices in a branch versioned feature service with z-values coming from a surface.
BUG-000159923	Consuming a Web Feature Service (WFS) which supports 3D information (XYZ) shows only 2D information in ArcGIS Pro.
BUG-000159930	Double-clicking a related record in a pop-up in ArcGIS Pro 3.x allows for the navigation though the relationship endlessly between the feature and the related record.
BUG-000159957	The OGC API Features service with 3D information (x,y,z) is displayed as 2D geometry in ArcGIS Pro.
BUG-000160022	The pop-up window's coordinate reading is showing significantly different values than the map's coordinate readings at the bottom in ArcGIS Pro.
BUG-000160045	Pop-ups are removed after updating a web map in ArcGIS Pro 3.1.2.
BUG-000160065	The symbology of a point feature class based on an attribute is not correctly applied in Scene Viewer.
BUG-000160429	The item details show an incorrect layer name for a web map shared from ArcGIS Pro.
BUG-000160602	In ArcGIS Pro 3.1.2, the Select Layer By Location tool incorrectly reports success while producing incomplete or empty results when using a feature service with 200,000+ input features and a local feature class for selection.
BUG-000160679	When using ModelBuilder and the file path of the data within a tool's parameter in the model is set to a root folder in the network drive that is not the same root folder in the network drive the model is stored in when using UNC paths to make the connections, the name of the root folder appends to the beginning of the file path of the data within the tool's parameter after closing and reopening the model.
BUG-000160774	There are discrepancies in area measurements between AutoCAD and ArcGIS Pro.
BUG-000160789	In ArcGIS Pro, the Refresh Excel tool fails and returns the 999999 error if an Excel file is used to join or relate layers. The Refresh Excel tool works when using a table view in the map based on the Excel file for the join or relate.
BUG-000160806	When the 'Enable wrapping around the date line' option is checked, the graphic text is cut off at the 180-degree line when a layout is exported.
BUG-000160838	An ArcGIS Server map image service (ArcSOC.exe) makes an unexpected call to the ArcGIS Pro project it was published from upon service startup.
BUG-000160994	In ArcGIS Pro, the Replace Sketch command selects the underlying polygon when a line is selected.
BUG-000161066	The Extract LAS tool fails and returns the error 999999 when using ZLAS files as input with a polygon boundary.
BUG-000161069	When changing the symbolization for a binned feature layer and exporting the layer to a JPEG, the color exported does not match the layout displayed.

Issue	Description
BUG-000161078	Inconsistency in behavior while adding fields to a versioned archived feature class for an Oracle enterprise geodatabase when using different versions of ArcGIS Pro.
BUG-000161212	The spatial filter applied when querying a feature service that references the SDO geometry data in Oracle Database 19c fails with the error message code 400, "Unable to complete Operation" with an extended code of 2147216072.
BUG-000161339	Decimal places of the map image service boundary extent are cut when the decimal symbol is a comma instead of a point.
BUG-000161345	ArcGIS Pro crashes when changing line order in the Realign tool.
BUG-000161509	Geoprocessing tools published from ArcGIS Pro do not honor the maximum number of records returned by the server for the output service.
BUG-000161519	In a utility network, an edit fails when attempting to delete overlapping midspan vertices, and the error message "Modify vertices failed. ERROR: Unable to complete operation., Operation rolled back., Operation rolled back." is returned.
BUG-000161730	The Create Integrated Mesh Scene Layer Content tool produces missing textures with an OpenSceneGraph binary (OSGB) input.
BUG-000161788	Adding joins with an input and the join table being enabled for archiving results in an incorrect record count after the join.
BUG-000162021	Dashed lines are misaligned when vertices are added along a line and moved in small amounts. This issue affects both polygons and lines.
BUG-000162520	The Features To JSON tool supports the layer as an input but does not respect the non-visible fields of the layer.
BUG-000162669	The ArcGIS Pro locate function cannot create a new feature class for point coordinates in meters.
BUG-000162716	Vector tile labels and data do not display when MinZoom is below the existing data level.
BUG-000162961	Pictures with the TIFF file format do not display in an ArcGIS Pro layout.
BUG-000162975	"Error 000260: Number of parts in shape is incorrect for its geometry type" is returned when copying a feature dataset containing a parcel fabric to an enterprise geodatabase.
BUG-000162998	Regarding the Go To XY tool, coordinate values containing ° are invalid in degrees decimal minutes (DM) and degrees minutes seconds (DMS) formats.
BUG-000163111	Topology rules do not correct changes.
BUG-000163135	Unable to view the description information for an output generated in ArcGIS Pro using the Map To KML tool.
BUG-000163216	In ArcGIS Pro, lidar classification fails to save and display changes made to the point classes in the .zlas file.
BUG-000163272	When running a string definition query on an image service hosted on ArcGIS Enterprise (federated or non-federated), an invalid syntax error is returned.
BUG-000163310	When using the 'Merge to Largest' option to fix a topology error, multiple overlap and gap errors are identified in the line feature class, resulting in data loss.
BUG-000163393	The arcpy.conversion.ExportFeatures function does not respect an empty field mapping in ArcGIS Pro 3.1.

Issue	Description
BUG-000163473	When using the Locate pane to perform a layer search in ArcGIS Pro, incorrect results are returned for a 'Match exact' search on a point feature class in a utility network dataset.
BUG-000163487	The Create Database User tool fails on SAP HANA databases in ArcGIS Pro 3.2 and ArcGIS Pro 3.3.
BUG-000163503	ArcGIS Pro crashes when using the Convert LAS tool with a specific Alaska Department of Geological and Geophysical Surveys (DGGS) product as an input.
BUG-000163541	When running a custom script tool from a task in ArcGIS Pro, the validation function in the initializeParameters method fails.
BUG-000163555	Running summary statistics in an attribute table retains the output table name and parameters across an attribute table in ArcGIS Pro 3.2.
BUG-000163642	Printing a map in ArcGIS Pro with a rotation causes the output to be displayed as skewed.
BUG-000163666	Error 999999 is returned when enabling the editor tracking function.
BUG-000163678	The 'supported_operations' parameter in the CreateGeocodeSDDraft() ArcPy function is not honored.
BUG-000163691	Symbology is missing in the map when exported as a PDF file if using gradient fill symbology.
BUG-000163841	While closing ArcGIS Pro, after clicking No when prompted to save edits and clicking Cancel when prompted to save the project, features no longer draw, and an error is returned in the Notifications pane.
BUG-000163870	When deleting items with the same name in a file geodatabase, both items are deleted.
BUG-000163981	The Domain To Table tool fails when the output table is a mobile geodatabase and returns the error message, "ERROR 999999: Something unexpected caused the tool to fail."
BUG-000164032	Clicking the Reset Weights button does not reset default weights in a single click after changing the weighting of multiple variables during the setup of a suitability analysis.
BUG-000164067	In ArcGIS Pro 3.2, the XY Table To Point tool is used to convert the tabular data from ArcGIS Field Maps, with the default coordinate system for the map is WGS 1984 Web Mercator Auxiliary Sphere. The data is collected using real-time kinematic (RTK), so the horizontal and vertical coordinate systems are both NAD 1983 (2011). When attempting to define the horizontal or vertical coordinate system, an error message is returned. The only workaround is to change the coordinate system of the map.
BUG-000164132	The Clear button under the Contents pane selection tab is missing when selecting zero records in ArcGIS Pro.
BUG-000164154	In ArcGIS Pro, an irregular behavior is displayed with the layer refresh when using the Undo and Redo buttons while editing a mobile geodatabase feature class.
BUG-000164241	In ArcGIS Pro, an irregular behavior is displayed with the layer refresh when using the Discard button to edit a mobile geodatabase feature class.
BUG-000164305	The Change Version tool leaves a lock behind on a child version if the branch versioned utility network layers are added as subtype group layers.

Issue	Description
BUG-000164358	When the isLocked setting is set to false, the settings are not honored in the Pro.settingsConfig file.
BUG-000164462	When clipping and creating remainder parcels in a record-driven workflow, the remainder parcel's Stated Area Unit attribute becomes <Null>.
BUG-000164619	The 'Use the selected records' toggle in raster geoprocessing tools remains displayed even when the selection is cleared.
BUG-000164700	Copied values using the Calculate Field tool display incorrect results with a joined definition query table and a polygon layer.
BUG-000164775	Allow for editor tracking to track each change within a feature class.
BUG-000164834	In ArcGIS Pro, the Align Features tool creates additional vertices on nearby curves.
BUG-000164861	When running the Dissolve tool, the error 999999 is returned with null geometry.
BUG-000164925	RowChangedEvent does not fire when editing date, double, integer, long, or short attributes of parcel fabric data.
BUG-000164963	The output raster map of the Reclassify tool does not load when projects are saved to a network drive.
BUG-000165026	The centerlines table in the Create, Realign, and Extend tools does not honor display fields created from an Arcade expression.
BUG-000165096	The first request to an image service with the 'Has live data' option enabled after refreshing the service results in a Severe error and Warning log message in the ArcGIS Server logs.
BUG-000165107	The output is incorrect when the Watershed tool is run with two points.
BUG-000165130	The Apply button is unavailable when changing the properties of a layer in the Format Multiple Point Symbols pane.
BUG-000165172	Failure of ArcGIS Pro to output the correct value for the OVERLAP_OID field when the overlap table is exported to a folder in a dBASE (.dbf) format using the Count Overlapping Features tool.
BUG-000165222	Unable to delete a project using a script in ArcGIS Pro when the map frames are listed in a layout.
BUG-000165239	The preset template group icon was invisible until the cursor was hovered over, at which point the template icon was displayed.
BUG-000165250	When importing an S-57 cell file, ArcGIS Pro crashes without warning.
BUG-000165395	In ArcGIS Pro, when the Repair Geometry tool is called, the arcpy.SetProgressor syntax in the Script tool fails to update the status bar.
BUG-000165400	The Measure Cannibalization tool causes ArcGIS Pro to crash when creating a report with additional metrics based on a custom data source.
BUG-000165452	In ArcGIS Pro, the changes to a raster file name is not recognized after running the Reclassify tool.
BUG-000165490	Allow for ArcGIS Data Reviewer ready-to-use rules which is to allow the Table to Table Attribute data rule to support a SQL filter on the Feature Class 2 input.
BUG-000165524	The model does not open by double-clicking from the Favorites tab in the Catalog pane.

Issue	Description
BUG-000165583	The error message, "ERROR 000601: Cannot delete May be locked by another application. Failed to execute (Con)." is returned while executing the ArcGIS Pro model configured with tools in the sequence of For, Raster Calculator, Con, and Divide, where the output raster datasets are stored in a folder.
BUG-000165647	The DGN data created in Bentley Map PowerView does not maintain all attribute fields when opened in ArcGIS Pro.
BUG-000165653	Many of the settings in ArcMap are unavailable in the ArcGIS Pro profile graph.
BUG-000165663	The output directions are missing a stop when a specific collection of stops is specified.
BUG-000165664	The Arcade expression editor for the pop-up elements does not use the Arcade editor user experience.
BUG-000165670	Modifications made to the ArcGIS Pro editing workspace during an active edit session with versioned data return the error message, "Database error during feature draw. Target state not found in the STATES table."
BUG-000165685	The WFS To Feature Class geoprocessing tool returns the error message, "Error 999999: Cannot output geodatabase" when the output location is a feature dataset in an enterprise geodatabase.
BUG-000165696	The sketch geometry shows the symbol for the current segment.
BUG-000165728	A manual symbology filter using logical operators stops working in ArcGIS Pro after performing a join with another feature class.
BUG-000165741	In the ArcGIS Pro snapping setting, setting XY and Z snap tolerance values does not allow setting values with decimals.
BUG-000165757	There is a missing note box in the documentation stating that only lowercase usernames are supported in PostgreSQL.
BUG-000165784	In ArcGIS Pro 3.2.2, the Geocode Table pane does not wrap the credit consumption text, which is not fully displayed if the pane is not enlarged to a sufficient extent.
BUG-000165804	Invalid category value when copying the attribute rules from different workspaces.
BUG-000165901	When sharing a feature class as a web feature layer from ArcGIS Pro 3.2.1 or ArcGIS Pro 3.2.2 containing certain symbology, the application crashes.
BUG-000165902	The long format for the date type in a dynamic text does not work on Japanese OS.
BUG-000165918	Appended features added to an ArcGIS Online hosted feature layer using the Update Features With Incident Records tool have the time zone of the date field in Coordinated Universal Time (UTC), which is different from the existing time zone of the feature layer.
BUG-000165930	The Make Grids And Graticules Layer geoprocessing tool fails to generate grids when the input area of interest (AOI) is coincident with a UTM zone boundary.
BUG-000165931	The attribute rule for the annotation feature classes fails to operate with the intersect function.
BUG-000165955	The MarkAsException method does not work for all the 'AreaNoGaps' topological errors in ArcGIS Pro SDK for .NET.

Issue	Description
BUG-000165976	When rasters are inverted in the Contents pane, the precipitation color scheme does not display properly.
BUG-000166002	When using the Tokyo coordinate systems, the Measure Distance tool performs extremely slowly.
BUG-000166012	In ArcGIS Pro, when accessing geodatabase options in the Catalog pane, the Generate Schema Report tool is disabled for the Basic Concurrent Use license.
BUG-000166021	Parcel lines with the coordinate geometry (COGO) Type field is not updated after clipping using the Discard (Remainder) method.
BUG-000166037	The processing of more than one thousand images fails during the image collection stage while creating ortho image mosaics from the Ortho Maker web app in Portal for ArcGIS.
BUG-000166114	The ArcGIS REST API documentation does not define the function or purpose of the disableStreaming parameter for the WFS service.
BUG-000166145	The Identify tool displays NAD 1983 coordinates on a NAD 1927 dataset.
BUG-000166173	Performing cartographic realignment on traditionally versioned data does not update the route shapes in networks after updating the centerlines.
BUG-000166180	Performing an Export Map through the REST API or a filter on a map/image service using Date Time field that is published as a reference from an enterprise geodatabase does not work.
BUG-000166210	Expose statistics to the report and page subsections.
BUG-000166282	Legend element in ArcGIS Pro shows some irregularities when the layout is duplicated, closed, and reopened.
BUG-000166295	In ArcGIS Pro, the Add Images To Oriented Imagery Dataset tool runs significantly slower than the Add Images To Oriented Imagery Catalog tool from the Oriented Imagery Classic Management Tools add-in when using the same data.
BUG-000166351	When using the Rotate tool in ArcGIS Pro, the selection anchor does not appear at the geometric center (centroid) of the selected feature.
BUG-000166377	Duplicate projection values from NAD 1983 (CSRS) v6 UTM Zone 15N until Zone 21N in ArcGIS Pro 3.2.2.
BUG-000166531	The Import MGCP Metadata and Export MGCP Metadata tools use a keyword reserved by Oracle.
BUG-000166556	A STAC data connection fails to display all the data in the collection.
BUG-000166559	The field mapping does not work with the Merge tool when working with a model within a model.
BUG-000166567	Loading vector tile layers in the Layout pane takes a long time to draw.
BUG-000166572	The Points to Line tool in ArcGIS Pro 3.2 does not sort points using the Sort Field parameter when the input is a shapefile.
BUG-000166582	ArcGIS Pro crashes if the grouping field in the Regularize Adjacent Building Footprint tool contains zeros.
BUG-000166584	There is not enough explanation about the appropriate license for the Train Deep Learning Model in the documents.
BUG-000166611	ArcGIS Pro freezes when using the Differences view to see changes made to a feature service that contains a parcel fabric.

Issue	Description
BUG-000166613	The Export Map operation fails in ArcGIS Server REST API when listing a sublayer before a group layer in the dynamic layers parameter.
BUG-000166676	The deleted fields in the Export Features tool keep repopulating in a feature service pulled from ArcGIS Online in ArcGIS Pro.
BUG-000166685	Running the Package Result tool with a script tool used as the Result parameter leads to an ArcGIS Pro crash when the script tool contains specific layer files.
BUG-000166688	Running the Migrate Object ID To 64 Bit tool can recreate the branch versioned class indexes incorrectly.
BUG-000166753	Feature classes fail to publish when they contain a join to a table where the datastore specifies different publish and service databases in Oracle utilizing a TNSNames connection method.
BUG-000166760	In ArcGIS Online, the following error message, "Unable to add layer" is returned when publishing a web map with ArcGIS Pro containing a layer with the same layer ID as a group layer or subgroup layer.
BUG-000166770	Using a query layer as the input to the Export Features or Export Table tool creates null values in the output.
BUG-000166773	Changing the field type for a column for the Guide To Numbered Features element does not update the field type for the column.
BUG-000166809	The Join Features tool consistently excludes features with specific attributes from the output file.
BUG-000166823	The Generate Drive Time Trade Areas tool fails and returns the error 080381 when the Time of Day parameter is populated and the Remove Overlap parameter is enabled.
BUG-000166832	In ArcGIS Pro, the Select By Attributes expression is not retained for grouped layers.
BUG-000166871	ArcGIS Pro crashes when filling out parameters for the Create LRS Event From Existing Dataset and Create LRS Event geoprocessing tools.
BUG-000166876	ArcGIS Pro interprets the MicroStation V7 format DGN files as MicroStation V8 format DGN files.
BUG-000166901	Unable to view the metadata of services that are not in the active portal when logged in to ArcGIS Pro.
BUG-000166934	SDESPATIALINDEXHINT is no longer working for paginated queries.
BUG-000166952	ArcGIS Pro crashes while using a report template with more than one related table.
BUG-000166966	Abbreviation dictionaries do not work with the small capitals text case in ArcGIS Pro.
BUG-000166997	ArcGIS Pro with the Japanese language pack does not translate the drop-down options of the Calculate Geometry Attributes geoprocessing tool.
BUG-000167019	Certain workspaces cause the Create Data Loading Workspace tool to run for multiple minutes.
BUG-000167041	In ArcGIS Pro, a vertex is transformed into a control point when changing between the Features and Edges tab in the Edit Vertices pane.

Issue	Description
BUG-000167096	Editing traditionally versioned data in a single workspace edit session results in a notification database error when a feature drawing HY008 Operation is canceled.
BUG-000167120	In ArcGIS Pro, the Pairwise Buffer geoprocessing tool produces an empty output when the dissolve parameter is set to 'Dissolve features using the listed fields' unique values or combination of values' and the Environments Output Coordinate System is different than the coordinate system of the input layer.
BUG-000167149	Addresses found on the locator are about 3 feet offset from the intersection.
BUG-000167160	The Toolbox Slider parameter fails after adjusting the control parameters.
BUG-000167177	The misleading error message, "The chosen centerlines have overlapping sections or slivers which will result in a loss of geometric length." is returned when attempting to extend a route with two centerlines.
BUG-000167189	The Set Data Source button does not work for an event layer in ArcGIS Pro, as in ArcMap in the Layer Properties dialog box, or is an unsupported item when changing the data source in the Catalog view.
BUG-000167207	The reverseGeocode operation in ArcGIS REST API returns empty results for coordinates that previously returned valid results.
BUG-000167216	Fail to register with a geodatabase a spatial table in SDO_Geometry or a spatial view if a login contains the \$ character like gen\$env and returns the error: "Only the data owner may execute register with geodatabase."
BUG-000167228	Long running requests on the geocoding API (findAddressCandidates, suggest, reverseGeocode) for specific addresses result in timeouts.
BUG-000167241	Unable to create a feature-linked annotation with a branch versioned dataset.
BUG-000167243	ArcGIS Pro crashes while returning features from multiple relationship classes associated with a feature class using an Arcade expression.
BUG-000167251	In ArcGIS Pro 3.2, Snowflake data is no longer listed under new database connections.
BUG-000167299	When exporting the viewshed analysis from ArcGIS Pro 3.2.2 to PDF or PNG format, the viewshed graphics are not visible.
BUG-000167316	When a tool fails after running it individually within ModelBuilder, the next attempt to run the tool causes the preceding tool to run simultaneously.
BUG-000167331	The Add Feature Class To Topology geoprocessing tool fails when feature classes are active in a map and the source data resides in a mobile geodatabase.
BUG-000167346	The Modify Terminal Connections pane does not display terminals for lines with subtype group layers when more than one device group layer is present in the map.
BUG-000167372	Editing a feature class participating in a newly created topology returns the error message, "Error: The operation is not supported on an uninitialized object [DirtyAreaManager]."
BUG-000167383	Symbologies configured with Arcade expressions are not transferred to network diagrams.
BUG-000167399	The Nibble (Spatial Analyst) tool returns a 999999 error when a 64-bit double precision raster is used as the input raster.

Issue	Description
BUG-000167442	Unable to modify the Data Source of the PDF under Set Data Source in the Layer Properties dialog box after adding a PDF to the map in ArcGIS Pro 3.3.
BUG-000167489	The Linear Referencing System (LRS) server extension does not support prettified URLs, so the brackets in the URL must be encoded for it to be read.
BUG-000167533	When records are selected from the Input Datasets parameter, the Append tool returns duplicated records in the target dataset.
BUG-000167541	A script tool's parameter reappears after deletion.
BUG-000167572	Dirty areas with empty geometries are generated after validating a network topology.
BUG-000167613	ArcGIS Workflow Manager Server does not clear geodatabase locks on a branch-versioned feature service when the ArcGIS Pro step is paused or stopped.
BUG-000167647	Issues with classifying the symbology of a raster dataset using continuous floating-point values in ArcGIS Pro 3.3.
BUG-000167674	The topology error inspector becomes out of sync with the data after running the arcpy.management.ValidateTopology() function multiple times while editing in ArcGIS Pro.
BUG-000167680	A strange piece of text displays as LBLCI_PARTY_FORMAT in the metadata view for Metadata Contacts.
BUG-000167683	The full-dash pattern draws differently at endings with control points compared to ArcMap.
BUG-000167685	The anchor points feature class is not automatically created when adding it manually as part of the Align Parcels tool.
BUG-000167722	When running the Derive Event Measures tool multiple times, duplicate records are created.
BUG-000167755	Setting the scales for Electronic Navigational Chart (ENC) layers is not honored in ArcGIS Pro 3.3.
BUG-000167764	Portal for ArcGIS Map Viewer is not able to display multiple label classes when a polygon layer is published as a map image layer from ArcGIS Pro.
BUG-000167801	In ArcGIS Pro 3.3, the Enrich Layer (Business Analyst) tool crashes when using input points and a drive time or drive distance.
BUG-000167803	In ArcGIS Pro 3.3, if the Windows decimal separator is set to a comma, the oriented imagery viewer does not work correctly, and the red X of the location is not placed on the image.
BUG-000167842	A network dataset built with a model has incorrect results for direction and distance.
BUG-000167867	The Generate Topographic Contours tool is not working with certain rasters on the server.
BUG-000167869	The Generate Topographic Contours tool is encountering an error on Aleutian Islands sheets.
BUG-000167886	The error message "Failed to share Esri Web Style, the stylx file is empty or does not contain any valid symbols." is returned when publishing 3D symbols in a web style in ArcGIS Pro 3.2 (Chinese version).

Issue	Description
BUG-000167887	The GetFeature operation on a WFS service referencing data from a SQL Server enterprise geodatabase fails to return any results unless the count parameter is included in the request after installing the ArcGIS Server Branch Versioning Data Consistency Patch.
BUG-000167899	The Forest-based and Boosted Classification and Regression tool fails and returns the error message, "AttributeError: 'NoneType' object has no attribute 'shape'" in ArcGIS Pro 3.3.
BUG-000167906	A legend item element gets duplicated when copying a layer from a map frame in one layout to another map frame in another layout.
BUG-000167962	In ArcGIS Pro 3.3, the Contents pane displays incorrect context menu options for a stand-alone table.
BUG-000167975	The Validate Network Topology tool fails with a General Function Failure and returns an "Invalid network element id" error.
BUG-000167986	The ImportXMLWorkspaceDocument operation fails on different geodatabases and returns different errors. For example, in SQL Server, the error message "ERROR 999999: Something unexpected caused the tool to fail." is returned.
BUG-000167992	In ArcGIS Pro, the 'Extract Multi Values to Points' tool does not initially populate the field in the attribute table when executed as a model tool.
BUG-000168025	The dash line appears as a solid line when exported to PDF.
BUG-000168029	When the regional settings are set to Danish, the Create S-57 Exchange Set tool writes coordinates with a comma in the CATALOG.031 file.
BUG-000168042	In ArcGIS Pro, the Batch Update Fields geoprocessing tool fails when the input table is a Microsoft Excel workbook file or if there is no value in the Script field of the Output Schema Definition Table parameter.
BUG-000168048	In ArcGIS Pro 3.3, when copying feature classes to a Db2 enterprise geodatabase, three duplicate feature classes are created.
BUG-000168051	Dissolve Network: Error 30299 is misleading and not documented.
BUG-000168127	In ArcGIS Pro, the CAD layers from the MicroStation DGN file contain an empty RefName field.
BUG-000168174	The update subnetworks operation is not setting the subnetwork name correctly on boundary devices, which are subnetwork controllers.
BUG-000168180	The 999999 error is returned when running the Delete Routes tool.
BUG-000168199	The PolylineBuilderEx.AddPart method creates bad geometry.
BUG-000168205	The joined fields return null values in the attribute table after right-clicking Export Features in ArcGIS Pro.
BUG-000168206	The parcelFabricActiveRecord and setDefinition methods require switching to a different map view or layout view before any changes to the active record control can be observed.
BUG-000168225	In ArcGIS Pro 3.3, when using the Japanese language packs, untranslated phrases appear in the Locator Properties dialog box on the Output Fields tab.
BUG-000168235	Moving utility network features that share the same XY values but different z-values fail with the error message, "Error: Operation rolled back."
BUG-000168241	The USA Wetlands feature service returns error 999999 when it is used as an input in the Clip tool.

Issue	Description
BUG-000168287	Allow Utility Network Dirty Areas to be displayed in Pros differences UI.
BUG-000168302	The PDF layer is missing and becomes broken when opening the project from the list of recent projects in ArcGIS Pro 3.3.
BUG-000168303	The Polygon Detail Level parameter set to Generalized is not taken into account in a service area computed from a script.
BUG-000168308	Miscalculated PS values cause images to not draw at the same scale.
BUG-000168319	The Add Spatial Join (Data Management) tool produces inconsistent results when used multiple times.
BUG-000168342	When rotating a map and enabling the 'Rasterize layer in exported file' option for a layer, the exported PDF causes the layer to shift.
BUG-000168354	The ArcGIS Pro GeoAnalytics Desktop toolset's Join Features tool creates duplicate records when the join layer is a CSV.
BUG-000168387	If the SDE user does not have the View Definition privilege on a SQL Server enterprise geodatabase, data owners are not able to assign privileges to data via the Privileges menu.
BUG-000168389	When creating a project package, include the 'valid items only' option does not take place in ArcGIS Pro 3.3.
BUG-000168427	When the Change Version tool is run on a parcel fabric topology layer, it reports that the tool ran successfully and the List By Data Sources tab in the Contents pane shows that the topology layer's version has changed, but Python reports that the topology sublayers have not changed versions.
BUG-000168443	When editing an alias in the item properties, the changes do not affect the feature class.
BUG-000168477	Fields with 'Allow symbol property connections' enabled are not filled in after using Paste Special with the Template option.
BUG-000168484	The Copy Parcels geoprocessing tool returns the error 999999 in ArcGIS Pro 3.X.
BUG-000168486	The Snap tool in ArcGIS Pro 3.3 does not snap two points within the same feature class.
BUG-000168497	Using 'identify' to query in a REST map server service and setting the 'return FieldName' parameter to 'false' does not display aliases, but the real field names when returned.
BUG-000168502	Specific .rvt BIL files from a Revit third-party application result in the error message, "Unsupported BIM file" returning when trying to open in ArcGIS Pro.
BUG-000168588	The 'Remove layout background' option is not honored when a single page from a map series is exported as a PDF.
BUG-000168608	All methods of the IElementFactory interface in ArcGIS.Desktop.Layouts crash in ArcGIS Pro SDK for .NET 3.3 randomly when creating a GraphicElement object.
BUG-000168626	The Extract Data From Geodatabase geoprocessing tool fails when a feature layer having an associated related table with assigned domains is used as the Input Datasets parameter in ArcGIS Pro 3.3.
BUG-000168632	The VersionManager returns incorrect version of a parcel layer; (parcelFabric.GetDatastore() as Geodatabase).GetVersionManager().GetCurrentVersion();.

Issue	Description
BUG-000168703	When a polygon's primary symbology is 'Circle', the result in the associated legend is off-centered as opposed to other symbol types.
BUG-000168716	Opening DGN files with MsLink-Oracle and/or MsCtg-Oracle fields in ArcGIS Pro 3.1 or later results in the absence of these fields.
BUG-000168722	Enhance the performance of the asynchronous applyEdits operation status check.
BUG-000168733	Accessibility/Section 508 issue: Hyperlinks within PDF exports are not tagged correctly in Adobe Acrobat for ArcGIS Pro 3.3.
BUG-000168747	ArcGIS Pro 3.3 does not save the Baltic (EPSG: 5705) vertical coordinate system when the S-JTSK Krovak EastNorth (EPSG: 5514) projected coordinate system is selected.
BUG-000168763	The Delete geoprocessing tool in ArcGIS Pro deletes the file geodatabase raster; however, it does not reduce the disk storage.
BUG-000168781	[ORACLE] Fix memory leak when executing SQL using OCI
BUG-000168817	The geocoding process encounters issues when processing a file containing a field named 'status'.
BUG-000168824	In ArcGIS Pro 3.3, legends drop layers from enterprise geodatabases when the 'Enable symbol layer drawing' and 'Only show features visible in the map extent' options are enabled.
BUG-000168832	The Train Random Trees Regression Model tool fails and returns the 999999 error when the raster function output is used as input data.
BUG-000168833	Packages in ArcGIS Pro 3.3.1 do not display the right dependency of Python 3.11.8.
BUG-000168848	Related records do not display in the Attributes window for feature classes participating in a trace network.
BUG-000168850	The printing service crashes when trying to print a service from the REST endpoint containing the esriGeometryMultipoint parameter in the JSON file.
BUG-000168863	The Generate Service From Oriented Imagery Dataset tool fails and returns the following error message, "Error 000892: The numeric value is outside of the valid range" when the 'Add footprint layer to the service' parameter is checked for the 360 imagery category.
BUG-000168883	Attribute rules cannot be saved when the Arcade expression uses a feature class where the user schema has a backslash (/).
BUG-000168896	The Show Only Active button on the Parcel Record Workflows tab becomes non-responsive when the same button is added to the Quick Access Toolbar.
BUG-000168917	When publishing scene layers with the ExteriorShell overview layer to the ArcGIS Enterprise portal, the ExteriorShell layer is listed in front of all sublayers in the scene layer's legend and BuildingExplorer widget.
BUG-000168943	The Extent of a Layer option cannot be selected for the Processing Extent parameter when only raster data is present on the map.
BUG-000168949	In ArcGIS Pro, the Conflict Manager window does not highlight changes in bold or conflicts in red if the fabric error layers are above the fabric topology in the Contents pane.
BUG-000168970	Creating a new cul-de-sac feature causes ArcGIS Pro to crash in version 3.3.

Issue	Description
BUG-000168979	ArcMap user who reads file geodatabases created with ArcGIS Pro 3.3.1 can view the two new geodatabase system tables for the storage of Editing Templates (GDB_EditingTemplates and GDB_EditingTemplateRelationships).
BUG-000169009	Display domain descriptions instead of domain codes for features in the Explore panel when selecting a category in ArcGIS Indoors.
BUG-000169011	The Export Attachments tool adds the incorrect ObjectId value as a prefix when the input dataset is a feature service.
BUG-000169062	The Explore and Select tools do not display all visible object classes in the pop-up in ArcGIS Pro.
BUG-000169069	In ArcGIS Pro, the Select By Attributes tool does not display all values from the field of layers published to ArcGIS Enterprise portal.
BUG-000169088	Importing an ArcMap map document (.mxd file) to ArcGIS Pro with a classified raster symbology flips or inverts the class label.
BUG-000169091	Query layers created using browser-based single sign-on (SSO) connections to Snowflake are broken after closing and reopening a project.
BUG-000169120	The Tile LAS tool fails when run as a Python script without dimensions if the file_size parameter is included.
BUG-000169138	A constraint violation error can occur if a feature is edited multiple times and the version is saved before posting.
BUG-000169152	If the folder name contains a comma (,), the Share As Web Style option in ArcGIS Pro fails to recognize existing web styles with the same name in ArcGIS Online.
BUG-000169160	When a feature class is converted to KML, the feature name does not preserve the field set to display when opened in Google Earth Pro.
BUG-000169182	All feature classes in the selected output geodatabase are deleted when the geocoding cache is exported.
BUG-000169238	Upgrade enterprise geodatabase fails on SQL Server when colregistry_fk is missing.
BUG-000169311	The Create Vector Tile Package tool fails when the polygon layer is set to the 'Straight in polygon' or 'Curved in polygon' placement positions under the Placement parameter.
BUG-000169325	The Build Multidimensional Transpose tool is not working through ArcPy when using Python from ArcGIS Server on Linux.
BUG-000169369	A syntax error is returned when publishing custom geoprocessing services from ArcGIS Pro to ArcGIS Enterprise.
BUG-000169401	Crash in recycling popup when hovering on the tool status banner if the geoprocessing pane is unpinned
BUG-000169407	Unable to use inline variable substitution for the Weights Matrix File parameter in the Hot Spot Analysis (Getis-Ord Gi*) tool.
BUG-000169442	Support the SAP HANA Cloud application lock API within the branch versioning transaction model.
BUG-000169582	When editing the field map parameter in the Export Table dialog box in ArcGIS Pro, hovering over a field and clicking the Remove button deletes the field and other selected fields.
BUG-000169646	The "999999: Something unexpected caused the tool to fail." error is returned when running the Project Raster tool in ArcGIS Pro.

Issue	Description
BUG-000169647	There is an issue connecting to ArcGIS Pro 3.2.0 and above with an expiring SQL Server authenticated username and the error message, "ERROR: Bad connection handle" is returned.
BUG-000169652	Exporting the layout to PDF runs endlessly when the data is symbolized with the Gradient Border, No Fill, ready-made symbol.
BUG-000169731	When importing a traverse file, the system does not read a file searched using the search bar in the Import Traverse window if the file is not located in the subfolder.
BUG-000169741	The Suitability Modeler reports fails to generate when the data is in TIFF format.
BUG-000169790	In ArcGIS Pro 3.3, sharing a web tool does not include all reference codes in the service definition.
BUG-000169839	Changing the tolerance values for confirmation guidance or turn guidance landmarks in a network dataset property causes the direction text to no longer display the level information.
BUG-000169875	The Zonal Statistics as Table tool fails and returns the following error message, "ERROR 999999: Something unexpected caused the tool to fail. Contact Esri Technical Support (http://esriurl.com/support) to Report a Bug, and refer to the error help for potential solutions or workarounds." when the Statistics Type parameter is set to 'Majority percentage', 'Minority percentage', 'Majority value, count, and percentage', and 'Minority value, count, and percentage', and the Output Table parameter is set to an enterprise geodatabase.
BUG-000169929	ArcGIS Pro crashes when working with a multipatch created from GL Transmission Format (.glTF) files using the Import 3D Objects tool.
BUG-000169980	When a geocode service is running with multiple pods in ArcGIS Enterprise on Kubernetes, some requests return an error or fail to return a result.
BUG-000169981	In ArcGIS Pro, the Project Raster geoprocessing tool fails and returns the 999999 error when the output raster is in TIFF format and the cell size is very small.
BUG-000169994	Running the Raster to Point tool on a multidimensional netCDF file results in the output points being located in the wrong places on the map.
BUG-000170000	Opening the attribute table for a Snowflake query layer containing polyline spatial data causes ArcGIS Pro to crash.
BUG-000170008	Custom parameters are dropped in requests from ArcGIS Pro to Web Map Tile Service (WMTS) services used in the organization's custom basemap gallery group if the web map is authored in ArcGIS Online and Portal for ArcGIS Map Viewer.
BUG-000170018	ArcGIS Pro crashes when adding CAD data (.dwg).
BUG-000170026	When exporting a report created from a hosted feature layer with short, long, or double data types, the output does not match the specified formatting in the sorting category.
BUG-000170246	When exporting layouts to PDF in ArcGIS Pro, the hyperlinks on text elements are intermittently lost.
BUG-000170270	In ArcGIS Pro 3.3.1, the last edited date is not updated when copying or pasting attributes in the Nautical feature class dataset of ArcGIS Maritime.

Issue	Description
BUG-000170275	The Enable Network Topology tool runs slowly when there are many errors.
BUG-000170295	ArcGIS Pro crashes when generating a ModelBuilder Report using the Create Feature Class geoprocessing tool, specifically when the software is set to Japanese.
BUG-000170439	Unassigned layers are unexpectedly appearing in the legend of a duplicated layout when reopening an ArcGIS Pro project file (.aprx).
BUG-000170449	The Append Routes tool fails on a line referencing system (LRS) feature service with an "AppendRoutesAsync" error.
BUG-000170480	The subtype group layers, subtype group tables, and object error layers are not working against the proper version despite the Change Version tool being executed.
BUG-000170483	The ArcGIS World Geocoding Service fails to correctly geocode Irish Eircode F93.
BUG-000170502	Feature services published using offline service definitions created in ArcGIS Pro do not preserve the Unique Values symbology.
BUG-000170506	In ArcGIS Pro 3.3.1, if a feature layer has a particular Arcade expression in the pop-up configuration, the error "Error: External sharing process failed" is returned while sharing a web layer successfully.
BUG-000170543	The Create Mobile Geodatabase tool fails and returns the 999999 error when the geodatabase location name contains a percent sign (%).
BUG-000170548	Clicking a polygon after using the Snap geoprocessing tool causes the selection tool to hang when working with large parcel fabric datasets.
BUG-000170589	SAP HANA service memory showing high utilization from feature service queries
BUG-000170601	ERROR 000582 is returned during execution when attempting to run the Create Replica tool with related data and the 'Xml file' output type.
BUG-000170633	The geoprocessing framework clears the toolbox before processing the custom operation when using the Generate Product Layout tool.
BUG-000170636	A grid selector selects the wrong XML file when the area of interest is next to a UTM zone boundary.
BUG-000170637	The Generate Topographic Contours tool must improve results in flat areas.
BUG-000170646	Users licensed with the Image Analyst extension but assigned as a user type lower than the Professional Plus, such as the Creator, are unable to access the Raster Calculator geoprocessing tool in ArcGIS Pro.
BUG-000170661	With an OGC API Features service connection, the custom request parameter BBOX is not honored on OGC API Feature Collection items when adding a collection to the map.
BUG-000170667	The Generate Geodatabase From Excel (Topographic Production) does not create a feature class if the 'ObjectClassGeometry' is set according to the documentation ('esriFTGeometry', 'esriFTGeometryPolyline', 'esriFTGeometryPolygon').
BUG-000170706	The process of the Create Point Cloud Scene Layer Content tool fails when the output path or the output scene layer package (.slpk) name contains multi-byte characters such as Japanese.

Issue	Description
BUG-000170753	The Generate Segmentation Profile Report tool does not generate stripped XLSX, XLSX, XML, ZIP, or CSV outputs.
BUG-000170799	The UtilityNetworkDefinition.GetNetworkAttributes method returns an exception message, "GeodatabaseException: COMException: Error HRESULT E_FAIL has been returned from a call to a COM component."
BUG-000170800	In ArcGIS Pro 3.3, dynamic text tags using single quotes do not display properly.
BUG-000170853	Taking UN data offline as simple features passes wrong bit value in createReplica call.
BUG-000170868	While running the Extract by Mask tool on a raster with NoData values, setting the Extraction Area as 'Outside' causes the NoData values to become 0 (Zero).
BUG-000170874	Optimize the validate operation to prevent rebuilding features associated with errors.
BUG-000170886	Unable to use the Generate OIS Obstacle Data geoprocessing tool without the ArcGIS 3D Analyst extension.
BUG-000170898	When the attached parcel fabric dataset is used as the input parcel layer, the Build Parcel Fabric geoprocessing tool fails without error.
BUG-000170947	The HTTP in-memory response cache is overflowing, resulting in requests to not be cached.
BUG-000170977	The Calculate Locations tool does not set the Status field to 7 when a point is not located on the closest network element.
BUG-000171057	jumpy frame center
BUG-000171092	The Cartographic Information Model (CIM) symbol for the Control Measure: line (Category) polyline graphics appears incorrect when using the Print widget in ArcGIS Maps SDK for JavaScript v4.30.
BUG-000171093	FeatureSetByRelationshipClass is not resolving the relationship catalogId to the layer name.
BUG-000171138	The Align Parcels tool sometimes breaks topological relationships between adjoining parcels.
BUG-000171184	The Update Subnetwork tool fails and returns the error message, "ERROR 001872: A database error was encountered."
BUG-000171243	Using the Explore tool from the Map tab after attempting to add calibration points to an LRS dataset causes ArcGIS Pro to crash.
BUG-000171552	Batch geocoding against a geocoding service fails in ArcMap and when using GeocodeAddresses API with SOAP
BUG-000171575	Path swizzling issues with multiValue output parameters
BUG-000171576	Merge - tool does not honor field map edits made to arcpy.fieldMapping() objects when inputs are feature layers
BUG-000171577	bEditorTrackingEnabled is not initialized with in-memory class input in GPESRIExportFeaturesFunction.cpp
BUG-000171638	EHSA - Improve FDR Memory/Speed
ENH-000085021	Add the ability to minimize the attribute table pane in ArcGIS Pro.
ENH-000101638	ArcGIS Pro should support local environment variables such as %USERPROFILE% in specification of cache path.

Issue	Description
ENH-000105330	Please add a link in to the Create, modify, and delete documentation to the Delete Fields tool documentation under "Related Topics."
ENH-000108033	ArcGIS Pro 2.0.1, For Profile Graph please allow for ability of "vertical exaggeration" of axes. Currently, can physically make the dialog larger/smaller, which sometimes effects axes displayed, but cannot manually alter axes, height, etc. of the graph itself.
ENH-000109883	Add BYN file conversion capability to the Projection Engine, and add the GSD95 height model for Canada to PD.
ENH-000111009	Create a python module to work with annotations in Arcpy
ENH-000113393	Adding the option of custom customization of legend patch for ArcGIS Pro.
ENH-000118203	Provide the ability for ArcGIS Online account administrator to control which users can set their Named User license for ArcGIS Pro to work offline and how long can the users take the ArcGIS Pro license offline.
ENH-000127627	Request to add functionality to adjust the X and Y axes intervals manually, when working with Profile Graphs in ArcGIS Pro.
ENH-000128750	In ArcGIS Pro with versioned data the versioning tab should be active automatically
ENH-000129001	Within ArcMap, you are able to change the data source of an event layer rather easily. This is not possible in ArcGIS Pro
ENH-000131719	Functionality to customize value of X-axis while Creating a Profile Graph in ArcGIS Pro.
ENH-000134925	Allow to instantly edit attributes for multiple features in "Attributes" pane if selected features are from the same feature class
ENH-000135815	Distinguish between Group Layer and Annotation Feature Class in instructions for placing unplaced geodatabase annotation features in ArcGIS Pro
ENH-000136479	Please consider adding a technical article, or notes to an existing technical article, that explained how pip can be used to manage python packages with ArcGIS Pro python environments when using conda is not appropriate.
ENH-000136910	Update the documentation for Understanding how to use Microsoft Excel files in ArcGIS to include information on what driver needs to be installed.
ENH-000136921	Update the error message when adding a relationship class in ArcGIS Pro
ENH-000137900	Improve the ServerValidation capability to no longer display errors in the ArcGIS Server logs nor have ArcGIS Pro call the ServerValidation endpoint if the capability is not enabled during publishing
ENH-000138012	Requesting 'Export As Table' function on 'Profile Graph'
ENH-000141774	Add the ability when plotting charts and histograms through "Statistics" on a field to use domain descriptions instead of coded attribute values.
ENH-000142733	Add more details regarding staging folder capacity to the staging-related error messages in ArcGIS Pro
ENH-000145736	Allow the user to select which version of Pro they want to upgrade to inside the application.
ENH-000146007	Please enhance the "Find Gaps and Overlaps" parcel fabric tool to produce a table of errors found.
ENH-000147116	When projecting a layer, Output Coordinate System is identified as "Current Coordinate System."

Issue	Description
ENH-000148295	Export folder setting - users want to persist the export location at the project, layout or map level.
ENH-000149035	Enhance the publishing of Web Tile Layer configurations to have more levels of detail from the list of pre-defined coordinate systems available in ArcGIS Pro.
ENH-000149063	Allow for TIN Symbology name to be easily editable
ENH-000150414	Provide the ability to sort by selected vertices in the Edit vertices window from the Edits toolbar
ENH-000150453	Provide the ability to Toggle visibility for individual Symbol Categories in Table of Contents in ArcGIS Pro
ENH-000150714	Request to add the "distance field parameter" for the Generate Points Along Lines geoprocessing tool in ArcGIS Pro
ENH-000151167	Horizontal scroll on mouse does not work in ArcGIS Pro 3.0
ENH-000151466	Request to add an 'Ignore Error' option to the Append tool in ArcGIS Pro
ENH-000152440	Provide Flash Route Location and Zoom to Route Location in the Find Routes Pane
ENH-000153017	Improve geographic transformation handling in the geoprocessing environment.
ENH-000153788	ArcGIS Pro's Notation Formats documentation incorrectly states Degrees are 0 to 90 (latitude)
ENH-000154572	The scale bar in an ArcGIS Pro map series adjusts division values differently than in ArcMap.
ENH-000154736	In ArcGIS Pro, allow users to manually set X and Y intervals for profile graphs
ENH-000154911	Customize Labels of graduated color classes get updated, when change in values happens
ENH-000154963	Allow ArcGIS Pro Full Motion Video to support video metadata that is in a system other than WGS84
ENH-000156156	Provide an option to keep the file path empty while copying and pasting excel rows on a Layout.
ENH-000156424	The Data Reviewer Browse Feature tool should zoom to the extent of the feature.
ENH-000157071	Calculate Geometry does not have an undo toggle and will not be listed in the save edits operation when running in an edit session
ENH-000157754	Provide the ability to modify the measurement for report margin in ArcGIS Pro.
ENH-000158444	Provide the capability to move multiple selected annotations with leaders in ArcGIS Pro.
ENH-000159375	ArcGIS Pro allows the option to view both field names and alias' when using Calculate Field, so users sometimes type in the alias rather than the field name leading to a generic error, 'Field name does not exist'. The request is to notify the user via an error that they have entered an alias instead of a field name
ENH-000159377	Request for Web Tile Map Service in WebP tile format support in ArcGIS Pro
ENH-000159917	Support for controlling geodatabase topology highlight appearance when editing edges using geodatabase topology in ArcGIS Pro.

Issue	Description
ENH-000161203	Edit TIN documentation for the Input Parameter Type of the Dialog Box description is confusing.
ENH-000161515	Request to add 'ArcMap' 'Angle-Distance construction' function into ArcGIS Pro
ENH-000163093	Include Workspace edit session Setting in Pro.settingsConfig file for Administrator Settings
ENH-000164197	Provide the ability to filter data by extent prior to opening a large dataset's attribute table.
ENH-000164272	After creating a layer using the "make layer from selection" option, the message found in the Source section from the layer properties is misleading.
ENH-000164489	Update the Custom Evaluators Network Analyst documentation to provide code sample on how to leverage custom fields in the Edge's Attribute Table within Restrictions and Costs.
ENH-000164491	When selecting a vertex on the map, please provide functionality to automatically navigate to the selected vertex in the Edit Vertices Pane in ArcGIS Pro.
ENH-000164839	Requesting to add support for a new CIMSsymbol that uses Control Measure Effect to draw a 'multi-buffer' graphic in ArcGIS Maps SDK for JavaScript v4.28.
ENH-000164876	Enhance the Copy Parcels geoprocessing tool so that non-coincident parcel lines can be copied to a new parcel fabric.
ENH-000165219	Provide information in Esri's documentation on all possible values that can be used to adjust the properties of a service definition draft file using ArcPy.
ENH-000165569	Add the ability to specify the number of adjoining sheets to include when running the Generate Adjoining Sheets Features tool.
ENH-000165616	Be able to view domain values when using a single feature class as the input in the generate schema report tool.
ENH-000165671	Request to register WKID for WYDOT Albers projection
ENH-000165827	Support also MobileGeodatabase as Output of the Extract Data from Geodatabase-Tool
ENH-000165851	ArcGIS Pro: Add a geographic transformation for NAD83(CSRS)v2 (8237) and NAD83 CSRS (6140) in the Projection engine.
ENH-000166003	Add a grid to a layout from a Custom style (*.stylx file) using ArcPy .listStyleItems.
ENH-000166267	Request to enable the Generate Points Along Line tool to honor geodesic length in ArcGIS Pro
ENH-000166492	Provide the ability for the user to manage the default Resize window settings for PDFs exported from ArcGIS Pro
ENH-000167049	Allow for an attribute rule error message to appear as a pop-up when using a task in ArcGIS Pro
ENH-000167653	When using ENC files in ArcGIS Pro, automatically truncate the OBJNAM value for feature labels, as was the functionality in ArcMap, with the option to display the entire label after the ENC loads in the Map View
ENH-000167813	Provide documentation on .pitemx file and instructions on how to add a .pitemx file to ArcGIS Pro.

Issue	Description
ENH-000168053	Request for the command-line parameters for silent deauthorization of a single-use license in ArcGIS Pro, along with the documentation.
ENH-000168087	Add different wording or a notification that a Notebook has been added to the Catalog pane for the Add Notebook button in the Insert tab
ENH-000168117	Add the option to the Validate Topology tool to use the Visible Extent parameter (in both the Dialog and Python)
ENH-000169397	Grammatically incorrect description of distanceAlongCurve parameter in QueryPointAndDistance method
ENH-000171625	Add a warning message that edits will be lost if an offline map is removed without syncing.