

# ArcGIS Pro 3.4 Issues Addressed

Each [major, minor, and patch release](#) of ArcGIS Pro includes fixes for bugs that were reported to Esri Technical Support. The bugs that were fixed in ArcGIS Pro 3.4 are listed in the table below.

More information about an issue on the list can be found by [searching for the BUG number on the Technical Support site](#).

ArcGIS Pro 3.4 also includes extensive new functionality, which is described in the [what's new topic](#).

## Issues addressed at ArcGIS Pro 3.4.3

ArcGIS Pro 3.4.3 fixes the issues listed below and includes the fixes listed in the subsequent sections for ArcGIS Pro 3.4.0 and 3.4.2.

Issue	Description
<a href="#">BUG-000155786</a>	In ArcGIS Pro 3.0.x, the Manage Tile Cache tool returns the error message, "Error 003418 The origin of the tiling scheme can only generate tile up to LOD (x). If more LODs are needed, please generate valid tiling scheme using 'Generate Map Cache Tiling Scheme' tool" is returned when implementing an extensible markup language (XML) file produced by the Generate Tile Cache Tiling Scheme tool, employing the automatically assigned tile origin.
<a href="#">BUG-000164797</a>	In ArcGIS Pro, converting labels to annotations generates an empty output when an active KML layer is present on the map.
<a href="#">BUG-000165327</a>	A feature template resets to blank when a new layer is added to the map during the editing session.
<a href="#">BUG-000169838</a>	The Map.SaveAsWebMapFile method produces an incomplete JSON file when the layer name contains Hebrew characters.
<a href="#">BUG-000170882</a>	ArcGIS Pro 3.3.2 crashes when initializing a kernel in a new notebook by clicking New Notebook if the project file path contains multiple byte characters (example: PC login user includes Japanese characters).
<a href="#">BUG-000170992</a>	The Attributes pane shows content records as TreeViewItemViewModel when the class is not displayed on the map.
<a href="#">BUG-000171308</a>	The Presence-only Prediction (MaxExt) tool fails and returns the error message, "Error 110436: The number of predictions columns does not equal the number of columns used to train the model" when the Contains Background Points parameter is checked.
<a href="#">BUG-000171672</a>	The annotation feature classes created in SVY21 Singapore TM and ArcGIS Pro 2.x do not display on the map after being projected to WGS 1984 Web Mercator (Auxiliary Sphere) using the Project tool in ArcGIS Pro 3.3.2.
<a href="#">BUG-000172036</a>	Limit record queries for feature services when opening the table for the first time.
<a href="#">BUG-000172037</a>	Ignore external editing events until manually refreshing the table.
<a href="#">BUG-000172099</a>	Save As Offline Service Definition does not maintain hardcoded file paths and copies data when the path is a Network Path folder.
<a href="#">BUG-000172168</a>	When adding a KEA file (.kea) to an ArcGIS Pro project, the error message, "Failed to add data, unsupported data type." is returned.

<b>Issue</b>	<b>Description</b>
<a href="#">BUG-000172207</a>	The "Schema is out of date, Retry as owner or sdeadmin" error message is returned when attempting to display a registered Oracle Spatial view with the SDO_GEOMETRY column defined as NOT NULL ENABLE, depending on whether the view was initially registered in ArcMap or ArcGIS Pro.
<a href="#">BUG-000172292</a>	Some ribbon and Quick Access Toolbar buttons lose their active tool indication when clicked a second time.
<a href="#">BUG-000172328</a>	Query Builder in the Select geoprocessing tool and Expression Builder in the Calculate Field tool do not load field lists from the input layer file (.lyrx or .lyr).
<a href="#">BUG-000172356</a>	The Append Annotation Feature Classes tool does not maintain all custom field values after running.
<a href="#">BUG-000172411</a>	Creating a composite locator with the ArcGIS World Geocoding Service and publishing it to ArcGIS Enterprise causes three-letter ISO country codes to not work
<a href="#">BUG-000172499</a>	In ArcGIS Pro 3.4, suggestions are not displayed when a partial house number is entered when the option is enabled.
<a href="#">BUG-000172670</a>	The map series pages are not activating the correct page in ArcGIS Pro 3.4.
<a href="#">BUG-000172728</a>	The CopyRaster function fails on Enhanced Compressed Wavelet (ECW) files in ArcGIS Pro 3.4 with "ERROR 999999: Something unexpected caused the tool to fail."
<a href="#">BUG-000172739</a>	ArcGIS Pro does not abide by the north arrow type configuration in layouts.
<a href="#">BUG-000172773</a>	ArcGIS Pro 3.3.4 crashes when a user attempts to set the Data Engineering view side by side.
<a href="#">BUG-000172816</a>	The Export Features tool results in consolidation to a single location of point features when editor tracking is enabled and attachments are present.
<a href="#">BUG-000172868</a>	Inline dynamic menus crash if they specify a separator
<a href="#">BUG-000172970</a>	ArcGIS Pro 3.4 crashes when adding definition queries to the Quick Access Toolbar.
<a href="#">BUG-000173074</a>	The GPU usage increases and remains high when the attribute table is open.
<a href="#">BUG-000173239</a>	The ArcGIS Pro's Geocode Addresses tool fails to execute with a 000010 error while working with a composite address locator.
<a href="#">BUG-000173284</a>	ArcGIS Pro crashes when opening the project file or accessing a specific feature class.
<a href="#">BUG-000173367</a>	Rebind the pipe_name variable on each execution when returning rowids to its appropriate pipe.
<a href="#">BUG-000173394</a>	Unable to reconcile or post branch versioned data containing a topology after upgrading the enterprise geodatabase in PostgreSQL.
<a href="#">BUG-000173395</a>	The Find Space Time Matches tool (arcpy.ca.FindSpaceTimeMatches) fails in ArcGIS Pro 3.4 and returns the error, "AttributeError: 'NoneType' object has no attribute 'type'."
<a href="#">BUG-000173426</a>	The Calculate Magnetic Components tool fails to calculate magnetic components for dates on or after 1/1/2025.
<a href="#">BUG-000173451</a>	ArcGIS Pro crashes to desktop when exporting to AIX a feature class using the modified stock symbology settings, sourced from the database connection file (.sde).
<a href="#">BUG-000173706</a>	The Merge Branch tool does not pass the true precondition branch if the previous tool includes an inline variable substitution.

<b>Issue</b>	<b>Description</b>
<a href="#">BUG-000173807</a>	In some cases, the Optimal Path As Raster tool creates incomplete results.
<a href="#">BUG-000173813</a>	Ensure the Cartography toolbox honors the option to disable symbols in unique value symbology.
<a href="#">BUG-000173912</a>	When using the search box in a browse dialog box, some items shift position when the search is executed.
<a href="#">BUG-000173913</a>	When using the search box in a browse dialog box, the search term may fail to highlight on the second search.
<a href="#">BUG-000173982</a>	When using the 'Zoom To' or 'Pan To' right-click menu options in the Reviewer Results pane, ArcGIS Pro freezes.
<a href="#">BUG-000175353</a>	Use root level getEstimate method

### Issues addressed at ArcGIS Pro 3.4.2

ArcGIS Pro 3.4.2 fixes the issues listed below and includes the fixes listed in the subsequent section for ArcGIS Pro 3.4.0.

<b>Issue</b>	<b>Description</b>
<a href="#">BUG-000171891</a>	Export to PDF with Python installed from ArcGIS Server fails to properly place label halos with a production mapping map.
<a href="#">BUG-000172040</a>	Geometry becomes distorted in some cases when omitting anchor points using the Align Parcel tool.
<a href="#">BUG-000172068</a>	Service area analysis produces a separate polygon per time zone when using the Dissolve boundary type with a mobile geodatabase network dataset.
<a href="#">BUG-000172073</a>	When layers in a link chart have an unexpected field, allow the link chart to draw
<a href="#">BUG-000172074</a>	Spatial property settings are not maintained when data is deleted with the Load Table wizard open.
<a href="#">BUG-000172246</a>	In Windows 11, ArcGIS Pro does not honor the "Show accent color on title bars and window borders" Windows setting.
<a href="#">BUG-000172275</a>	Arcade Error: Table not found error when editing referenced feature services that use FeatureSetByName with the \$datastore variable in ArcGIS Pro 3.4
<a href="#">BUG-000172334</a>	In Windows 11, content in a WindowsFormsHost is miscolored or invisible when rendered in a docked dock pane.

### Issues addressed at ArcGIS Pro 3.4.1

ArcGIS Pro 3.4.1 is a required patch that fixes the issue listed below. It must be installed before subsequent patches can be installed.

<b>Issue</b>	<b>Description</b>
<a href="#">BUG-000173823</a>	Files used to register add-ins moved from C:\Program Files or a user's AppData folder to C:\ProgramData  <a href="#">Learn more about BUG-000173823</a>

## Issues addressed at ArcGIS Pro 3.4.0

Issue	Description
<a href="#">BUG-000103706</a>	When splitting a polygon repeatedly in ArcGIS Pro 1.4.1, the ObjectIDs for the resulting polygons are not consecutive.
<a href="#">BUG-000105346</a>	Unable to see any metadata for Esri World Geocoder and XY Provider, which are installed with ArcGIS Pro, and the following error is returned: "Invalid XML document. Invalid pointer."
<a href="#">BUG-000105477</a>	Running the Geocode Addresses tool fails when the table has editor tracking enabled in ArcGIS Pro.
<a href="#">BUG-000108047</a>	For ArcGIS Pro 2.0, add the ability to draw or use a line of sight with a surface profile in the same graph as is possible with the 3D Analyst toolbar in ArcMap.
<a href="#">BUG-000114125</a>	Minimum Bounding Geometry (Circle) creates an incorrect circle around a particular polygon.
<a href="#">BUG-000115760</a>	Unable to add a spatial index to data with a small feature extent.
<a href="#">BUG-000117686</a>	The LAS Dataset To Raster tool help documentation for ArcGIS Pro or ArcMap does not include any mention of the Resolution (optional) parameter when the Triangulation method using Window Size is selected.
<a href="#">BUG-000122212</a>	The error message returned when running the Add Rule geoprocessing tool in the Utility Network toolbox does not provide a clear indication of the issue with the access status of the default version.
<a href="#">BUG-000123505</a>	The symbology line with offset and dashed line effects does not appear correctly when changing the map's coordinate system.
<a href="#">BUG-000125402</a>	Improve the syntax error checking capabilities for Python toolboxes in ArcGIS Pro.
<a href="#">BUG-000126662</a>	Unable to publish GeoJSON files to Portal for ArcGIS as a hosted feature layer without explicitly setting the spatialReference field, when the same GeoJSON file can be published as a hosted feature layer in ArcGIS Online.
<a href="#">BUG-000127752</a>	When running multiple Python scripts in Jupyter Notebook simultaneously to publish services from the same .aprx file, the following error is returned, "ERROR 999999".
<a href="#">BUG-000128414</a>	The Delete Schema Geodatabase tool fails and returns the error message, "ERROR 999999: Error executing function. DBMS table not found. Failed to execute (DeleteSchemaGeodatabase)."
<a href="#">BUG-000128458</a>	The updateConnectionProperties method in arcpy.mp fails on a layer object from the vector tile package (.vtpk).
<a href="#">BUG-000131634</a>	The Join Features tool causes the text fields length to default to 10485758.
<a href="#">BUG-000133560</a>	The output ipywidget does not work correctly in ArcGIS Notebooks in ArcGIS Pro 2.6 and ArcGIS Pro 2.6.1.
<a href="#">BUG-000133672</a>	Latest model execution messages should be listed on top.
<a href="#">BUG-000134338</a>	Layers from an enterprise geodatabase with queries based on date fields are not displayed on the mobile map package file created in ArcGIS Pro.
<a href="#">BUG-000135718</a>	Creating a PDF with a customized page size fails in ArcGIS Pro.
<a href="#">BUG-000136425</a>	The BLOB (Binary Large Object) field type is missing when adding fields in the Create Feature Class wizard.

<b>Issue</b>	<b>Description</b>
<a href="#">BUG-000137199</a>	The ArcGIS Arcade offset function returns no results for certain offset distance values.
<a href="#">BUG-000137374</a>	After splitting features created from a layer view with a view definition, one part of the Split Features does not display on the map instead of splitting the features into two or more features.
<a href="#">BUG-000137811</a>	The large scene layer packages do not draw completely in ArcGIS Pro.
<a href="#">BUG-000138194</a>	In ArcGIS Pro, provide the 'Accuracy' and 'Area of Use' options for custom geographic transformations.
<a href="#">BUG-000138773</a>	The Validate Topology tool does not display the Visible Extent parameter, even while the topology layer is open in the map.
<a href="#">BUG-000140932</a>	Unable to compress LAS files in version 1.4 using the Convert LAS geoprocessing tool.
<a href="#">BUG-000141612</a>	ArcGIS Pro prompts a PKI user certificate unless the Registry value exists.
<a href="#">BUG-000141833</a>	Error 999999 is returned when using the WFS To Feature Class tool for Web Feature Services (WFS) in ArcGIS Pro. The tool's UI validation does not execute as expected.
<a href="#">BUG-000142067</a>	The error message, "Coordinate is invalid" is returned in the Go To XY tool if the longitude coordinate is 180 or -180 in the WGS 1984 Web Mercator (Auxiliary Sphere) projection.
<a href="#">BUG-000142364</a>	ArcGIS Pro's keyboard shortcut (Ctrl+Enter) does not move to the next row after editing the attribute table.
<a href="#">BUG-000142389</a>	Unable to view data in the MGRS coordinate system when a CSV file is added as an item to Portal for ArcGIS.
<a href="#">BUG-000142857</a>	When there are over approximately 10,000 features, scatter plots discard the sample features.
<a href="#">BUG-000143929</a>	Dashed and offset lines are displayed incorrectly in ArcGIS Pro when using large map scales.
<a href="#">BUG-000144555</a>	In ArcGIS Pro, the raster symbology is displayed incorrectly when importing a MXD file with classified symbology applied.
<a href="#">BUG-000144952</a>	A vector tile package does not display when the unique value symbology contains new lines in the label.
<a href="#">BUG-000145284</a>	Unable to register views created in a file geodatabase with the geodatabase, and a 999999 error message is returned.
<a href="#">BUG-000146351</a>	The output from the Spatial Analyst Slope tool returns the 999999 error when the output is written to a location with a space in the path.
<a href="#">BUG-000146540</a>	Chinese characters are returned in the layer names while bulk publishing the data from a user-managed data store in the ArcGIS Enterprise portal.
<a href="#">BUG-000146635</a>	There is an issue with the Calculate Field tool for a date in ArcGIS Pro.
<a href="#">BUG-000146712</a>	Updating a web map's feature layer source in ArcGIS Pro does not update the source in the ArcGIS Enterprise portal.
<a href="#">BUG-000147198</a>	The attribute table of the standalone table is not updated when adding features via the Python window in ArcGIS Pro 2.9.1.
<a href="#">BUG-000147250</a>	The Air Corridor Military Symbology does not display the maximum altitude on a map for symbols with the identity or affiliation of Friend.

<b>Issue</b>	<b>Description</b>
<a href="#">BUG-000147689</a>	ArcGIS Pro reports drawing interface provides an inconsistent copy-paste experience when copying multiple elements.
<a href="#">BUG-000148294</a>	Copying and pasting the locators in ArcGIS Pro does not carry over the metadata.
<a href="#">BUG-000148317</a>	In ArcGIS Pro, creating an offline service definition (SD) file for a composite locator created from at least one composite locator fails with the 999999 error.
<a href="#">BUG-000148636</a>	The sample script from the documentation to overwrite a map service is misleading and resets all service parameters to their default values.
<a href="#">BUG-000148899</a>	In ArcGIS Pro, Select by Attribute SQL queries do not find the uppercase letter V if the condition for finding it is followed by any other condition.
<a href="#">BUG-000148943</a>	When Compatibility mode is checked in the Properties tab of the Format Text Symbol pane, editing or deselecting an annotation reverts the feature back to the left alignment instead of full alignment.
<a href="#">BUG-000150263</a>	The specific combination of lidar data returns the error message, "050157: Failed to process the LAS dataset." when running the Classify LAS By Height tool.
<a href="#">BUG-000150510</a>	The Military Symbology Standard, MIL-STD-2525C, in the Military Symbology Editor shows numbers (0, 1, 2) instead of symbols (+, -, +/-) for the reinforced label parameter for infantry symbols.
<a href="#">BUG-000150888</a>	Enabling network topology on large datasets, which require a significant amount of writes, can fail due to database limits on available resources for managing transactions.
<a href="#">BUG-000151643</a>	ArcGIS to better support 'Always On load Balancing'.
<a href="#">BUG-000151687</a>	In ArcGIS Pro, editing segments with a width value of 0,5 pt does not save in the Latvian locale settings.
<a href="#">BUG-000152559</a>	The date of the new feature class from the template changes from 01/01/1970 to 30/12/1899 with a feature service referencing a geodatabase.
<a href="#">BUG-000152705</a>	FillSymbol defined in Web_Map_as_JSON for the polygon selectionSymbol is ignored in the Export Web Map task output.
<a href="#">BUG-000153310</a>	Numeric values of a raster are sorted incorrectly in ArcGIS Pro 3.0.2, as the values are read and sorted as text.
<a href="#">BUG-000153433</a>	When a web map configured with forms is edited and saved in ArcGIS Pro, the form is cleared from the web map.
<a href="#">BUG-000153735</a>	ArcGIS Pro tasks do not auto-refresh the file geodatabase in the Catalog pane when a geoprocessing tool (that creates a feature class) is embedded and the step behavior is set to 'Manual' or 'Auto Proceed'.
<a href="#">BUG-000153950</a>	In ArcGIS Pro, when adding a join, the Keep All Target Features option is not honored if the joined table has a definition query applied to it.
<a href="#">BUG-000154375</a>	If an M-enabled feature class contains a user-created field named 'Measure', the said field has a blank attribute in a pop-up.
<a href="#">BUG-000154636</a>	Exporting user data to GeoJSON in ArcGIS Pro fails with "Error 999999".
<a href="#">BUG-000154721</a>	The editor tracking option is disabled and editor tracking fields are dropped from the attachment table after exporting a feature class with any of the geoprocessing tools to export features (i.e Feature Class To Feature Class, Export Features, and so forth).

<b>Issue</b>	<b>Description</b>
<a href="#">BUG-000155017</a>	Ignore basemaps when auto-selecting a datum transformation.
<a href="#">BUG-000155401</a>	The Error Inspector returns the error message, "Edit operation failed. The server took too long to answer. The client has timed out. (status code 28)." when running validation rules on a branch feature service in ArcGIS Pro.
<a href="#">BUG-000155560</a>	Deleting features with a join hangs indefinitely after using the Locate pane.
<a href="#">BUG-000156020</a>	Running the Create Accuracy Assessment Points tool fails and returns the 999999 error. The ArcGIS Pro tool documentation specifies that a value field is required.
<a href="#">BUG-000156453</a>	The arcpy.management.ChangeVersion() tool does not work when executed from a Python toolbox but runs fine from ArcGIS Notebooks and the Python window in ArcGIS Pro.
<a href="#">BUG-000156867</a>	Using a custom projection for Measured Grid returns the following error message when attempting to change the coordinate system, "Measured Grids require a projected coordinate system. The imported coordinate system is not projected and will not be applied."
<a href="#">BUG-000156990</a>	When a shapefile is added in ArcGIS Pro and the Layer search tool is used to edit any element of the shapefile attribute used and an attempt is made to save this, the following error appears: "Save edits failed Cannot acquire a lock.Cannot acquire a lock."
<a href="#">BUG-000157062</a>	The linked page for a hyperlink in the metadata opens inside the catalog view details panel in some workflows.
<a href="#">BUG-000157123</a>	Importing an extensible markup language (XML) workspace document from SQL Server to Oracle returns the error 999999.
<a href="#">BUG-000157156</a>	The relative replica log reads the geodata service as a map service in the Replica Properties dialog box and the Synchronize Changes pane.
<a href="#">BUG-000157321</a>	In ArcGIS Pro, the Index Polygons parameter is displayed in the Create Vector Tile Package geoprocessing tool even when the Tiling Format parameter is set to Flat.
<a href="#">BUG-000157397</a>	Object tracking features saved in a geodatabase do not refresh on the map in ArcGIS Pro 3.1.1.
<a href="#">BUG-000157424</a>	After the Generate Points Along Lines tool generates equal interval points along a geodesic line, the positions (latitude and longitude) display a 2-3 meter offset in WGS84 when compared to true geodetic positions. The tool fails to create equal interval points along a geodesic line, producing points based only on planar distance.
<a href="#">BUG-000157714</a>	The performance is slow when importing a map document (.mxd file) and layer file from ArcMap to ArcGIS Pro.
<a href="#">BUG-000157765</a>	Using a shapefile created with the Training Samples Manager returns Error 999999 in the Inspect Training Samples tool in ArcGIS Pro.
<a href="#">BUG-000157825</a>	When symbolizing a TIN surface using the Slope option in ArcGIS Pro 3.1.1, the values of class breaks entered manually for the upper value field are automatically overwritten.
<a href="#">BUG-000158234</a>	In ArcGIS Pro, the polygon and line layers cannot be shared from within the 3D Layers group of a scene.
<a href="#">BUG-000159171</a>	The Fence Diagram tool fails with specific geometries and features.

Issue	Description
<a href="#">BUG-000159359</a>	The error "Failed to execute (Copy/Multiple)" is returned when copying and pasting a feature class with only one polygon feature to the Dameng database.
<a href="#">BUG-000159384</a>	The big coded value domain in a file of an ArcGIS Enterprise geodatabase causes slow performance when the feature class is added to a map in ArcGIS Pro, even for the feature classes with no association to a big domain.
<a href="#">BUG-000159543</a>	The JSON To Features tool fails and returns the error "999999" when converting the GeoJSON file to a shapefile if the shapefile exceeds 2 GB in size.
<a href="#">BUG-000159872</a>	When adding a NetCDF file version 1.2 using the Make NetCDF Raster Layer tool, the date and time are displayed as '01/01/1800' and '12:00 AM'.
<a href="#">BUG-000159900</a>	Unable to modify the vertices in a branch versioned feature service with z-values coming from a surface.
<a href="#">BUG-000159923</a>	Consuming a Web Feature Service (WFS) which supports 3D information (XYZ) shows only 2D information in ArcGIS Pro.
<a href="#">BUG-000159930</a>	Double-clicking a related record in a pop-up in ArcGIS Pro 3.x allows for the navigation though the relationship endlessly between the feature and the related record.
<a href="#">BUG-000159957</a>	The OGC API Features service with 3D information (x,y,z) is displayed as 2D geometry in ArcGIS Pro.
<a href="#">BUG-000160022</a>	The pop-up window's coordinate reading is showing significantly different values than the map's coordinate readings at the bottom in ArcGIS Pro.
<a href="#">BUG-000160045</a>	Pop-ups are removed after updating a web map in ArcGIS Pro 3.1.2.
<a href="#">BUG-000160065</a>	The symbology of a point feature class based on an attribute is not correctly applied in Scene Viewer.
<a href="#">BUG-000160429</a>	The item details show an incorrect layer name for a web map shared from ArcGIS Pro.
<a href="#">BUG-000160602</a>	In ArcGIS Pro 3.1.2, the Select Layer By Location tool incorrectly reports success while producing incomplete or empty results when using a feature service with 200,000+ input features and a local feature class for selection.
<a href="#">BUG-000160679</a>	When using ModelBuilder and the file path of the data within a tool's parameter in the model is set to a root folder in the network drive that is not the same root folder in the network drive the model is stored in when using UNC paths to make the connections, the name of the root folder appends to the beginning of the file path of the data within the tool's parameter after closing and reopening the model.
<a href="#">BUG-000160774</a>	There are discrepancies in area measurements between AutoCAD and ArcGIS Pro.
<a href="#">BUG-000160789</a>	In ArcGIS Pro, the Refresh Excel tool fails and returns the 999999 error if an Excel file is used to join or relate layers. The Refresh Excel tool works when using a table view in the map based on the Excel file for the join or relate.
<a href="#">BUG-000160806</a>	When the 'Enable wrapping around the date line' option is checked, the graphic text is cut off at the 180-degree line when a layout is exported.
<a href="#">BUG-000160838</a>	An ArcGIS Server map image service (ArcSOC.exe) makes an unexpected call to the ArcGIS Pro project it was published from upon service startup.
<a href="#">BUG-000160994</a>	In ArcGIS Pro, the Replace Sketch command selects the underlying polygon when a line is selected.



<b>Issue</b>	<b>Description</b>
<a href="#">BUG-000161066</a>	The Extract LAS tool fails and returns the error 999999 when using ZLAS files as input with a polygon boundary.
<a href="#">BUG-000161069</a>	When changing the symbolization for a binned feature layer and exporting the layer to a JPEG, the color exported does not match the layout displayed.
<a href="#">BUG-000161078</a>	Inconsistency in behavior while adding fields to a versioned archived feature class for an Oracle enterprise geodatabase when using different versions of ArcGIS Pro.
<a href="#">BUG-000161212</a>	The spatial filter applied when querying a feature service that references the SDO geometry data in Oracle Database 19c fails with the error message code 400, "Unable to complete Operation" with an extended code of 2147216072.
<a href="#">BUG-000161339</a>	Decimal places of the map image service boundary extent are cut when the decimal symbol is a comma instead of a point.
<a href="#">BUG-000161345</a>	ArcGIS Pro crashes when changing line order in the Realign tool.
<a href="#">BUG-000161509</a>	Geoprocessing tools published from ArcGIS Pro do not honor the maximum number of records returned by the server for the output service.
<a href="#">BUG-000161519</a>	In a utility network, an edit fails when attempting to delete overlapping midspan vertices, and the error message "Modify vertices failed. ERROR: Unable to complete operation., Operation rolled back., Operation rolled back." is returned.
<a href="#">BUG-000161730</a>	The Create Integrated Mesh Scene Layer Content tool produces missing textures with an OpenSceneGraph binary (OSGB) input.
<a href="#">BUG-000161788</a>	Adding joins with an input and the join table being enabled for archiving results in an incorrect record count after the join.
<a href="#">BUG-000162021</a>	Dashed lines are misaligned when vertices are added along a line and moved in small amounts. This issue affects both polygons and lines.
<a href="#">BUG-000162520</a>	The Features To JSON tool supports the layer as an input but does not respect the non-visible fields of the layer.
<a href="#">BUG-000162669</a>	The ArcGIS Pro locate function cannot create a new feature class for point coordinates in meters.
<a href="#">BUG-000162716</a>	Vector tile labels and data do not display when MinZoom is below the existing data level.
<a href="#">BUG-000162961</a>	Pictures with the TIFF file format do not display in an ArcGIS Pro layout.
<a href="#">BUG-000162975</a>	"Error 000260: Number of parts in shape is incorrect for its geometry type" is returned when copying a feature dataset containing a parcel fabric to an enterprise geodatabase.
<a href="#">BUG-000162998</a>	Regarding the Go To XY tool, coordinate values containing ° are invalid in degrees decimal minutes (DM) and degrees minutes seconds (DMS) formats.
<a href="#">BUG-000163111</a>	Topology rules do not correct changes.
<a href="#">BUG-000163135</a>	Unable to view the description information for an output generated in ArcGIS Pro using the Map To KML tool.
<a href="#">BUG-000163216</a>	In ArcGIS Pro, lidar classification fails to save and display changes made to the point classes in the .zlas file.
<a href="#">BUG-000163272</a>	When running a string definition query on an image service hosted on ArcGIS Enterprise (federated or non-federated), an invalid syntax error is returned.

Issue	Description
<a href="#">BUG-000163310</a>	When using the 'Merge to Largest' option to fix a topology error, multiple overlap and gap errors are identified in the line feature class, resulting in data loss.
<a href="#">BUG-000163393</a>	The arcpy.conversion.ExportFeatures function does not respect an empty field mapping in ArcGIS Pro 3.1.
<a href="#">BUG-000163473</a>	When using the Locate pane to perform a layer search in ArcGIS Pro, incorrect results are returned for a 'Match exact' search on a point feature class in a utility network dataset.
<a href="#">BUG-000163487</a>	The Create Database User tool fails on SAP HANA databases in ArcGIS Pro 3.2 and ArcGIS Pro 3.3.
<a href="#">BUG-000163503</a>	ArcGIS Pro crashes when using the Convert LAS tool with a specific Alaska Department of Geological and Geophysical Surveys (DGGs) product as an input.
<a href="#">BUG-000163541</a>	When running a custom script tool from a task in ArcGIS Pro, the validation function in the initializeParameters method fails.
<a href="#">BUG-000163555</a>	Running summary statistics in an attribute table retains the output table name and parameters across an attribute table in ArcGIS Pro 3.2.
<a href="#">BUG-000163642</a>	Printing a map in ArcGIS Pro with a rotation causes the output to be displayed as skewed.
<a href="#">BUG-000163666</a>	Error 999999 is returned when enabling the editor tracking function.
<a href="#">BUG-000163678</a>	The 'supported_operations' parameter in the CreateGeocodeSDDraft() ArcPy function is not honored.
<a href="#">BUG-000163691</a>	Symbology is missing in the map when exported as a PDF file if using gradient fill symbology.
<a href="#">BUG-000163841</a>	While closing ArcGIS Pro, after clicking No when prompted to save edits and clicking Cancel when prompted to save the project, features no longer draw, and an error is returned in the Notifications pane.
<a href="#">BUG-000163870</a>	When deleting items with the same name in a file geodatabase, both items are deleted.
<a href="#">BUG-000163981</a>	The Domain To Table tool fails when the output table is a mobile geodatabase and returns the error message, "ERROR 999999: Something unexpected caused the tool to fail."
<a href="#">BUG-000164032</a>	Clicking the Reset Weights button does not reset default weights in a single click after changing the weighting of multiple variables during the setup of a suitability analysis.
<a href="#">BUG-000164067</a>	In ArcGIS Pro 3.2, the XY Table To Point tool is used to convert the tabular data from ArcGIS Field Maps, with the default coordinate system for the map is WGS 1984 Web Mercator Auxiliary Sphere. The data is collected using real-time kinematic (RTK), so the horizontal and vertical coordinate systems are both NAD 1983 (2011). When attempting to define the horizontal or vertical coordinate system, an error message is returned. The only workaround is to change the coordinate system of the map.
<a href="#">BUG-000164132</a>	The Clear button under the Contents pane selection tab is missing when selecting zero records in ArcGIS Pro.

<b>Issue</b>	<b>Description</b>
<a href="#">BUG-000164154</a>	In ArcGIS Pro, an irregular behavior is displayed with the layer refresh when using the Undo and Redo buttons while editing a mobile geodatabase feature class.
<a href="#">BUG-000164241</a>	In ArcGIS Pro, an irregular behavior is displayed with the layer refresh when using the Discard button to edit a mobile geodatabase feature class.
<a href="#">BUG-000164305</a>	The Change Version tool leaves a lock behind on a child version if the branch versioned utility network layers are added as subtype group layers.
<a href="#">BUG-000164358</a>	When the isLocked setting is set to false, the settings are not honored in the Pro.settingsConfig file.
<a href="#">BUG-000164462</a>	When clipping and creating remainder parcels in a record-driven workflow, the remainder parcel's Stated Area Unit attribute becomes <Null>.
<a href="#">BUG-000164619</a>	The 'Use the selected records' toggle in raster geoprocessing tools remains displayed even when the selection is cleared.
<a href="#">BUG-000164700</a>	Copied values using the Calculate Field tool display incorrect results with a joined definition query table and a polygon layer.
<a href="#">BUG-000164775</a>	Allow for editor tracking to track each change within a feature class.
<a href="#">BUG-000164834</a>	In ArcGIS Pro, the Align Features tool creates additional vertices on nearby curves.
<a href="#">BUG-000164861</a>	When running the Dissolve tool, the error 999999 is returned with null geometry.
<a href="#">BUG-000164925</a>	RowChangedEvent does not fire when editing date, double, integer, long, or short attributes of parcel fabric data.
<a href="#">BUG-000164963</a>	The output raster map of the Reclassify tool does not load when projects are saved to a network drive.
<a href="#">BUG-000165026</a>	The centerlines table in the Create, Realign, and Extend tools does not honor display fields created from an Arcade expression.
<a href="#">BUG-000165096</a>	The first request to an image service with the 'Has live data' option enabled after refreshing the service results in a Severe error and Warning log message in the ArcGIS Server logs.
<a href="#">BUG-000165107</a>	The output is incorrect when the Watershed tool is run with two points.
<a href="#">BUG-000165130</a>	The Apply button is unavailable when changing the properties of a layer in the Format Multiple Point Symbols pane.
<a href="#">BUG-000165172</a>	Failure of ArcGIS Pro to output the correct value for the OVERLAP_OID field when the overlap table is exported to a folder in a dBASE (.dbf) format using the Count Overlapping Features tool.
<a href="#">BUG-000165222</a>	Unable to delete a project using a script in ArcGIS Pro when the map frames are listed in a layout.
<a href="#">BUG-000165239</a>	The preset template group icon was invisible until the cursor was hovered over, at which point the template icon was displayed.
<a href="#">BUG-000165250</a>	When importing an S-57 cell file, ArcGIS Pro crashes without warning.
<a href="#">BUG-000165395</a>	In ArcGIS Pro, when the Repair Geometry tool is called, the arcpy.SetProgressor syntax in the Script tool fails to update the status bar.
<a href="#">BUG-000165400</a>	The Measure Cannibalization tool causes ArcGIS Pro to crash when creating a report with additional metrics based on a custom data source.

<b>Issue</b>	<b>Description</b>
<a href="#">BUG-000165452</a>	In ArcGIS Pro, the changes to a raster file name is not recognized after running the Reclassify tool.
<a href="#">BUG-000165490</a>	Allow for ArcGIS Data Reviewer ready-to-use rules which is to allow the Table to Table Attribute data rule to support a SQL filter on the Feature Class 2 input.
<a href="#">BUG-000165524</a>	The model does not open by double-clicking from the Favorites tab in the Catalog pane.
<a href="#">BUG-000165583</a>	The error message, "ERROR 000601: Cannot delete May be locked by another application. Failed to execute (Con)." is returned while executing the ArcGIS Pro model configured with tools in the sequence of For, Raster Calculator, Con, and Divide, where the output raster datasets are stored in a folder.
<a href="#">BUG-000165647</a>	The DGN data created in Bentley Map PowerView does not maintain all attribute fields when opened in ArcGIS Pro.
<a href="#">BUG-000165653</a>	Many of the settings in ArcMap are unavailable in the ArcGIS Pro profile graph.
<a href="#">BUG-000165663</a>	The output directions are missing a stop when a specific collection of stops is specified.
<a href="#">BUG-000165664</a>	The Arcade expression editor for the pop-up elements does not use the Arcade editor user experience.
<a href="#">BUG-000165670</a>	Modifications made to the ArcGIS Pro editing workspace during an active edit session with versioned data return the error message, "Database error during feature draw. Target state not found in the STATES table."
<a href="#">BUG-000165685</a>	The WFS To Feature Class geoprocessing tool returns the error message, "Error 999999: Cannot output geodatabase" when the output location is a feature dataset in an enterprise geodatabase.
<a href="#">BUG-000165696</a>	The sketch geometry shows the symbol for the current segment.
<a href="#">BUG-000165728</a>	A manual symbology filter using logical operators stops working in ArcGIS Pro after performing a join with another feature class.
<a href="#">BUG-000165741</a>	In the ArcGIS Pro snapping setting, setting XY and Z snap tolerance values does not allow setting values with decimals.
<a href="#">BUG-000165757</a>	There is a missing note box in the documentation stating that only lowercase usernames are supported in PostgreSQL.
<a href="#">BUG-000165784</a>	In ArcGIS Pro 3.2.2, the Geocode Table pane does not wrap the credit consumption text, which is not fully displayed if the pane is not enlarged to a sufficient extent.
<a href="#">BUG-000165804</a>	Invalid category value when copying the attribute rules from different workspaces.
<a href="#">BUG-000165901</a>	When sharing a feature class as a web feature layer from ArcGIS Pro 3.2.1 or ArcGIS Pro 3.2.2 containing certain symbology, the application crashes.
<a href="#">BUG-000165902</a>	The long format for the date type in a dynamic text does not work on Japanese OS.
<a href="#">BUG-000165918</a>	Appended features added to an ArcGIS Online hosted feature layer using the Update Features With Incident Records tool have the time zone of the date field in Coordinated Universal Time (UTC), which is different from the existing time zone of the feature layer.

<b>Issue</b>	<b>Description</b>
<a href="#">BUG-000165930</a>	The Make Grids And Graticules Layer geoprocessing tool fails to generate grids when the input area of interest (AOI) is coincident with a UTM zone boundary.
<a href="#">BUG-000165931</a>	The attribute rule for the annotation feature classes fails to operate with the intersect function.
<a href="#">BUG-000165955</a>	The MarkAsException method does not work for all the 'AreaNoGaps' topological errors in ArcGIS Pro SDK for .NET.
<a href="#">BUG-000165976</a>	When rasters are inverted in the Contents pane, the precipitation color scheme does not display properly.
<a href="#">BUG-000166002</a>	When using the Tokyo coordinate systems, the Measure Distance tool performs extremely slowly.
<a href="#">BUG-000166012</a>	In ArcGIS Pro, when accessing geodatabase options in the Catalog pane, the Generate Schema Report tool is disabled for the Basic Concurrent Use license.
<a href="#">BUG-000166021</a>	Parcel lines with the coordinate geometry (COGO) Type field is not updated after clipping using the Discard (Remainder) method.
<a href="#">BUG-000166037</a>	The processing of more than one thousand images fails during the image collection stage while creating ortho image mosaics from the Ortho Maker web app in Portal for ArcGIS.
<a href="#">BUG-000166114</a>	The ArcGIS REST API documentation does not define the function or purpose of the disableStreaming parameter for the WFS service.
<a href="#">BUG-000166145</a>	The Identify tool displays NAD 1983 coordinates on a NAD 1927 dataset.
<a href="#">BUG-000166173</a>	Performing cartographic realignment on traditionally versioned data does not update the route shapes in networks after updating the centerlines.
<a href="#">BUG-000166180</a>	Performing an Export Map through the REST API or a filter on a map/image service using Date Time field that is published as a reference from an enterprise geodatabase does not work.
<a href="#">BUG-000166210</a>	Expose statistics to the report and page subsections.
<a href="#">BUG-000166282</a>	Legend element in ArcGIS Pro shows some irregularities when the layout is duplicated, closed, and reopened.
<a href="#">BUG-000166295</a>	In ArcGIS Pro, the Add Images To Oriented Imagery Dataset tool runs significantly slower than the Add Images To Oriented Imagery Catalog tool from the Oriented Imagery Classic Management Tools add-in when using the same data.
<a href="#">BUG-000166351</a>	When using the Rotate tool in ArcGIS Pro, the selection anchor does not appear at the geometric center (centroid) of the selected feature.
<a href="#">BUG-000166377</a>	Duplicate projection values from NAD 1983 (CSRS) v6 UTM Zone 15N until Zone 21N in ArcGIS Pro 3.2.2.
<a href="#">BUG-000166531</a>	The Import MGCP Metadata and Export MGCP Metadata tools use a keyword reserved by Oracle.
<a href="#">BUG-000166556</a>	A STAC data connection fails to display all the data in the collection.
<a href="#">BUG-000166559</a>	The field mapping does not work with the Merge tool when working with a model within a model.
<a href="#">BUG-000166567</a>	Loading vector tile layers in the Layout pane takes a long time to draw.
<a href="#">BUG-000166572</a>	The Points to Line tool in ArcGIS Pro 3.2 does not sort points using the Sort Field parameter when the input is a shapefile.

<b>Issue</b>	<b>Description</b>
<a href="#">BUG-000166582</a>	ArcGIS Pro crashes if the grouping field in the Regularize Adjacent Building Footprint tool contains zeros.
<a href="#">BUG-000166584</a>	There is not enough explanation about the appropriate license for the Train Deep Learning Model in the documents.
<a href="#">BUG-000166611</a>	ArcGIS Pro freezes when using the Differences view to see changes made to a feature service that contains a parcel fabric.
<a href="#">BUG-000166613</a>	The Export Map operation fails in ArcGIS Server REST API when listing a sublayer before a group layer in the dynamic layers parameter.
<a href="#">BUG-000166676</a>	The deleted fields in the Export Features tool keep repopulating in a feature service pulled from ArcGIS Online in ArcGIS Pro.
<a href="#">BUG-000166685</a>	Running the Package Result tool with a script tool used as the Result parameter leads to an ArcGIS Pro crash when the script tool contains specific layer files.
<a href="#">BUG-000166688</a>	Running the Migrate Object ID To 64 Bit tool can recreate the branch versioned class indexes incorrectly.
<a href="#">BUG-000166753</a>	Feature classes fail to publish when they contain a join to a table where the datastore specifies different publish and service databases in Oracle utilizing a TNSNames connection method.
<a href="#">BUG-000166760</a>	In ArcGIS Online, the following error message, "Unable to add layer" is returned when publishing a web map with ArcGIS Pro containing a layer with the same layer ID as a group layer or subgroup layer.
<a href="#">BUG-000166770</a>	Using a query layer as the input to the Export Features or Export Table tool creates null values in the output.
<a href="#">BUG-000166773</a>	Changing the field type for a column for the Guide To Numbered Features element does not update the field type for the column.
<a href="#">BUG-000166809</a>	The Join Features tool consistently excludes features with specific attributes from the output file.
<a href="#">BUG-000166823</a>	The Generate Drive Time Trade Areas tool fails and returns the error 080381 when the Time of Day parameter is populated and the Remove Overlap parameter is enabled.
<a href="#">BUG-000166832</a>	In ArcGIS Pro, the Select By Attributes expression is not retained for grouped layers.
<a href="#">BUG-000166871</a>	ArcGIS Pro crashes when filling out parameters for the Create LRS Event From Existing Dataset and Create LRS Event geoprocessing tools.
<a href="#">BUG-000166876</a>	ArcGIS Pro interprets the MicroStation V7 format DGN files as MicroStation V8 format DGN files.
<a href="#">BUG-000166901</a>	Unable to view the metadata of services that are not in the active portal when logged in to ArcGIS Pro.
<a href="#">BUG-000166934</a>	SDESPATIALINDEXHINT is no longer working for paginated queries.
<a href="#">BUG-000166952</a>	ArcGIS Pro crashes while using a report template with more than one related table.
<a href="#">BUG-000166966</a>	Abbreviation dictionaries do not work with the small capitals text case in ArcGIS Pro.
<a href="#">BUG-000166997</a>	ArcGIS Pro with the Japanese language pack does not translate the drop-down options of the Calculate Geometry Attributes geoprocessing tool.

<b>Issue</b>	<b>Description</b>
<a href="#">BUG-000167019</a>	Certain workspaces cause the Create Data Loading Workspace tool to run for multiple minutes.
<a href="#">BUG-000167041</a>	In ArcGIS Pro, a vertex is transformed into a control point when changing between the Features and Edges tab in the Edit Vertices pane.
<a href="#">BUG-000167096</a>	Editing traditionally versioned data in a single workspace edit session results in a notification database error when a feature drawing HY008 Operation is canceled.
<a href="#">BUG-000167120</a>	In ArcGIS Pro, the Pairwise Buffer geoprocessing tool produces an empty output when the dissolve parameter is set to 'Dissolve features using the listed fields' unique values or combination of values' and the Environments Output Coordinate System is different than the coordinate system of the input layer.
<a href="#">BUG-000167149</a>	Addresses found on the locator are about 3 feet offset from the intersection.
<a href="#">BUG-000167160</a>	The Toolbox Slider parameter fails after adjusting the control parameters.
<a href="#">BUG-000167177</a>	The misleading error message, "The chosen centerlines have overlapping sections or slivers which will result in a loss of geometric length." is returned when attempting to extend a route with two centerlines.
<a href="#">BUG-000167189</a>	The Set Data Source button does not work for an event layer in ArcGIS Pro, as in ArcMap in the Layer Properties dialog box, or is an unsupported item when changing the data source in the Catalog view.
<a href="#">BUG-000167207</a>	The reverseGeocode operation in ArcGIS REST API returns empty results for coordinates that previously returned valid results.
<a href="#">BUG-000167216</a>	Fail to register with a geodatabase a spatial table in SDO_GEOMETRY or a spatial view if a login contains the \$ character like gen\$env and returns the error: "Only the data owner may execute register with geodatabase."
<a href="#">BUG-000167228</a>	Long running requests on the geocoding API (findAddressCandidates, suggest, reverseGeocode) for specific addresses result in timeouts.
<a href="#">BUG-000167241</a>	Unable to create a feature-linked annotation with a branch versioned dataset.
<a href="#">BUG-000167243</a>	ArcGIS Pro crashes while returning features from multiple relationship classes associated with a feature class using an Arcade expression.
<a href="#">BUG-000167251</a>	In ArcGIS Pro 3.2, Snowflake data is no longer listed under new database connections.
<a href="#">BUG-000167299</a>	When exporting the viewshed analysis from ArcGIS Pro 3.2.2 to PDF or PNG format, the viewshed graphics are not visible.
<a href="#">BUG-000167316</a>	When a tool fails after running it individually within ModelBuilder, the next attempt to run the tool causes the preceding tool to run simultaneously.
<a href="#">BUG-000167331</a>	The Add Feature Class To Topology geoprocessing tool fails when feature classes are active in a map and the source data resides in a mobile geodatabase.
<a href="#">BUG-000167346</a>	The Modify Terminal Connections pane does not display terminals for lines with subtype group layers when more than one device group layer is present in the map.
<a href="#">BUG-000167372</a>	Editing a feature class participating in a newly created topology returns the error message, "Error: The operation is not supported on an uninitialized object [DirtyAreaManager]".

<b>Issue</b>	<b>Description</b>
<a href="#">BUG-000167383</a>	Symbologies configured with Arcade expressions are not transferred to network diagrams.
<a href="#">BUG-000167399</a>	The Nibble (Spatial Analyst) tool returns a 999999 error when a 64-bit double precision raster is used as the input raster.
<a href="#">BUG-000167442</a>	Unable to modify the Data Source of the PDF under Set Data Source in the Layer Properties dialog box after adding a PDF to the map in ArcGIS Pro 3.3.
<a href="#">BUG-000167489</a>	The Linear Referencing System (LRS) server extension does not support prettified URLs, so the brackets in the URL must be encoded for it to be read.
<a href="#">BUG-000167533</a>	When records are selected from the Input Datasets parameter, the Append tool returns duplicated records in the target dataset.
<a href="#">BUG-000167541</a>	A script tool's parameter reappears after deletion.
<a href="#">BUG-000167572</a>	Dirty areas with empty geometries are generated after validating a network topology.
<a href="#">BUG-000167613</a>	ArcGIS Workflow Manager Server does not clear geodatabase locks on a branch-versioned feature service when the ArcGIS Pro step is paused or stopped.
<a href="#">BUG-000167647</a>	Issues with classifying the symbology of a raster dataset using continuous floating-point values in ArcGIS Pro 3.3.
<a href="#">BUG-000167674</a>	The topology error inspector becomes out of sync with the data after running the <code>arcpy.management.ValidateTopology()</code> function multiple times while editing in ArcGIS Pro.
<a href="#">BUG-000167680</a>	A strange piece of text displays as LBLCI_PARTY_FORMAT in the metadata view for Metadata Contacts.
<a href="#">BUG-000167683</a>	The full-dash pattern draws differently at endings with control points compared to ArcMap.
<a href="#">BUG-000167685</a>	The anchor points feature class is not automatically created when adding it manually as part of the Align Parcels tool.
<a href="#">BUG-000167722</a>	When running the Derive Event Measures tool multiple times, duplicate records are created.
<a href="#">BUG-000167755</a>	Setting the scales for Electronic Navigational Chart (ENC) layers is not honored in ArcGIS Pro 3.3.
<a href="#">BUG-000167764</a>	Portal for ArcGIS Map Viewer is not able to display multiple label classes when a polygon layer is published as a map image layer from ArcGIS Pro.
<a href="#">BUG-000167801</a>	In ArcGIS Pro 3.3, the Enrich Layer (Business Analyst) tool crashes when using input points and a drive time or drive distance.
<a href="#">BUG-000167803</a>	In ArcGIS Pro 3.3, if the Windows decimal separator is set to a comma, the oriented imagery viewer does not work correctly, and the red X of the location is not placed on the image.
<a href="#">BUG-000167842</a>	A network dataset built with a model has incorrect results for direction and distance.
<a href="#">BUG-000167867</a>	The Generate Topographic Contours tool is not working with certain rasters on the server.
<a href="#">BUG-000167869</a>	The Generate Topographic Contours tool is encountering an error on Aleutian Islands sheets.



<b>Issue</b>	<b>Description</b>
<a href="#">BUG-000167886</a>	The error message "Failed to share Esri Web Style, the stylx file is empty or does not contain any valid symbols." is returned when publishing 3D symbols in a web style in ArcGIS Pro 3.2 (Chinese version).
<a href="#">BUG-000167887</a>	The GetFeature operation on a WFS service referencing data from a SQL Server enterprise geodatabase fails to return any results unless the count parameter is included in the request after installing the ArcGIS Server Branch Versioning Data Consistency Patch.
<a href="#">BUG-000167899</a>	The Forest-based and Boosted Classification and Regression tool fails and returns the error message, "AttributeError: 'NoneType' object has no attribute 'shape'" in ArcGIS Pro 3.3.
<a href="#">BUG-000167906</a>	A legend item element gets duplicated when copying a layer from a map frame in one layout to another map frame in another layout.
<a href="#">BUG-000167962</a>	In ArcGIS Pro 3.3, the Contents pane displays incorrect context menu options for a stand-alone table.
<a href="#">BUG-000167975</a>	The Validate Network Topology tool fails with a General Function Failure and returns an "Invalid network element id" error.
<a href="#">BUG-000167986</a>	The ImportXMLWorkspaceDocument operation fails on different geodatabases and returns different errors. For example, in SQL Server, the error message "ERROR 999999: Something unexpected caused the tool to fail." is returned.
<a href="#">BUG-000167992</a>	In ArcGIS Pro, the 'Extract Multi Values to Points' tool does not initially populate the field in the attribute table when executed as a model tool.
<a href="#">BUG-000168025</a>	The dash line appears as a solid line when exported to PDF.
<a href="#">BUG-000168029</a>	When the regional settings are set to Danish, the Create S-57 Exchange Set tool writes coordinates with a comma in the CATALOG.031 file.
<a href="#">BUG-000168042</a>	In ArcGIS Pro, the Batch Update Fields geoprocessing tool fails when the input table is a Microsoft Excel workbook file or if there is no value in the Script field of the Output Schema Definition Table parameter.
<a href="#">BUG-000168048</a>	In ArcGIS Pro 3.3, when copying feature classes to a Db2 enterprise geodatabase, three duplicate feature classes are created.
<a href="#">BUG-000168051</a>	Dissolve Network: Error 30299 is misleading and not documented.
<a href="#">BUG-000168127</a>	In ArcGIS Pro, the CAD layers from the MicroStation DGN file contain an empty RefName field.
<a href="#">BUG-000168174</a>	The update subnetworks operation is not setting the subnetwork name correctly on boundary devices, which are subnetwork controllers.
<a href="#">BUG-000168180</a>	The 999999 error is returned when running the Delete Routes tool.
<a href="#">BUG-000168199</a>	The PolylineBuilderEx.AddPart method creates bad geometry.
<a href="#">BUG-000168205</a>	The joined fields return null values in the attribute table after right-clicking Export Features in ArcGIS Pro.
<a href="#">BUG-000168206</a>	The parcelFabricActiveRecord and setDefinition methods require switching to a different map view or layout view before any changes to the active record control can be observed.
<a href="#">BUG-000168225</a>	In ArcGIS Pro 3.3, when using the Japanese language packs, untranslated phrases appear in the Locator Properties dialog box on the Output Fields tab.

<b>Issue</b>	<b>Description</b>
<a href="#">BUG-000168235</a>	Moving utility network features that share the same XY values but different z-values fail with the error message, "Error: Operation rolled back."
<a href="#">BUG-000168241</a>	The USA Wetlands feature service returns error 999999 when it is used as an input in the Clip tool.
<a href="#">BUG-000168287</a>	Allow Utility Network Dirty Areas to be displayed in Pros differences UI.
<a href="#">BUG-000168302</a>	The PDF layer is missing and becomes broken when opening the project from the list of recent projects in ArcGIS Pro 3.3.
<a href="#">BUG-000168303</a>	The Polygon Detail Level parameter set to Generalized is not taken into account in a service area computed from a script.
<a href="#">BUG-000168308</a>	Miscalculated PS values cause images to not draw at the same scale.
<a href="#">BUG-000168319</a>	The Add Spatial Join (Data Management) tool produces inconsistent results when used multiple times.
<a href="#">BUG-000168342</a>	When rotating a map and enabling the 'Rasterize layer in exported file' option for a layer, the exported PDF causes the layer to shift.
<a href="#">BUG-000168354</a>	The ArcGIS Pro GeoAnalytics Desktop toolset's Join Features tool creates duplicate records when the join layer is a CSV.
<a href="#">BUG-000168387</a>	If the SDE user does not have the View Definition privilege on a SQL Server enterprise geodatabase, data owners are not able to assign privileges to data via the Privileges menu.
<a href="#">BUG-000168389</a>	When creating a project package, include the 'valid items only' option does not take place in ArcGIS Pro 3.3.
<a href="#">BUG-000168427</a>	When the Change Version tool is run on a parcel fabric topology layer, it reports that the tool ran successfully and the List By Data Sources tab in the Contents pane shows that the topology layer's version has changed, but Python reports that the topology sublayers have not changed versions.
<a href="#">BUG-000168443</a>	When editing an alias in the item properties, the changes do not affect the feature class.
<a href="#">BUG-000168477</a>	Fields with 'Allow symbol property connections' enabled are not filled in after using Paste Special with the Template option.
<a href="#">BUG-000168484</a>	The Copy Parcels geoprocessing tool returns the error 999999 in ArcGIS Pro 3.X.
<a href="#">BUG-000168486</a>	The Snap tool in ArcGIS Pro 3.3 does not snap two points within the same feature class.
<a href="#">BUG-000168497</a>	Using 'identify' to query in a REST map server service and setting the 'return FieldName' parameter to 'false' does not display aliases, but the real field names when returned.
<a href="#">BUG-000168502</a>	Specific .rvt BIL files from a Revit third-party application result in the error message, "Unsupported BIM file" returning when trying to open in ArcGIS Pro.
<a href="#">BUG-000168588</a>	The 'Remove layout background' option is not honored when a single page from a map series is exported as a PDF.
<a href="#">BUG-000168608</a>	All methods of the IElementFactory interface in ArcGIS.Desktop.Layouts crash in ArcGIS Pro SDK for .NET 3.3 randomly when creating a GraphicElement object.

Issue	Description
<a href="#">BUG-000168626</a>	The Extract Data From Geodatabase geoprocessing tool fails when a feature layer having an associated related table with assigned domains is used as the Input Datasets parameter in ArcGIS Pro 3.3.
<a href="#">BUG-000168632</a>	The VersionManager returns incorrect version of a parcel layer; (parcelFabric.GetDatastore() as Geodatabase).GetVersionManager().GetCurrentVersion());
<a href="#">BUG-000168703</a>	When a polygon's primary symbology is 'Circle', the result in the associated legend is off-centered as opposed to other symbol types.
<a href="#">BUG-000168716</a>	Opening DGN files with MsLink-Oracle and/or MsCtlg-Oracle fields in ArcGIS Pro 3.1 or later results in the absence of these fields.
<a href="#">BUG-000168722</a>	Enhance the performance of the asynchronous applyEdits operation status check.
<a href="#">BUG-000168733</a>	Accessibility/Section 508 issue: Hyperlinks within PDF exports are not tagged correctly in Adobe Acrobat for ArcGIS Pro 3.3.
<a href="#">BUG-000168747</a>	ArcGIS Pro 3.3 does not save the Baltic (EPSG: 5705) vertical coordinate system when the S-JTSK Krovak EastNorth (EPSG: 5514) projected coordinate system is selected.
<a href="#">BUG-000168763</a>	The Delete geoprocessing tool in ArcGIS Pro deletes the file geodatabase raster; however, it does not reduce the disk storage.
<a href="#">BUG-000168781</a>	[ORACLE] Fix memory leak when executing SQL using OCI
<a href="#">BUG-000168817</a>	The geocoding process encounters issues when processing a file containing a field named 'status'.
<a href="#">BUG-000168824</a>	In ArcGIS Pro 3.3, legends drop layers from enterprise geodatabases when the 'Enable symbol layer drawing' and 'Only show features visible in the map extent' options are enabled.
<a href="#">BUG-000168832</a>	The Train Random Trees Regression Model tool fails and returns the 999999 error when the raster function output is used as input data.
<a href="#">BUG-000168833</a>	Packages in ArcGIS Pro 3.3.1 do not display the right dependency of Python 3.11.8.
<a href="#">BUG-000168848</a>	Related records do not display in the Attributes window for feature classes participating in a trace network.
<a href="#">BUG-000168850</a>	The printing service crashes when trying to print a service from the REST endpoint containing the esriGeometryMultipoint parameter in the JSON file.
<a href="#">BUG-000168863</a>	The Generate Service From Oriented Imagery Dataset tool fails and returns the following error message, "Error 000892: The numeric value is outside of the valid range" when the 'Add footprint layer to the service' parameter is checked for the 360 imagery category.
<a href="#">BUG-000168883</a>	Attribute rules cannot be saved when the Arcade expression uses a feature class where the user schema has a backslash (/).
<a href="#">BUG-000168896</a>	The Show Only Active button on the Parcel Record Workflows tab becomes non-responsive when the same button is added to the Quick Access Toolbar.
<a href="#">BUG-000168917</a>	When publishing scene layers with the ExteriorShell overview layer to the ArcGIS Enterprise portal, the ExteriorShell layer is listed in front of all sublayers in the scene layer's legend and BuildingExplorer widget.

<b>Issue</b>	<b>Description</b>
<a href="#">BUG-000168943</a>	The Extent of a Layer option cannot be selected for the Processing Extent parameter when only raster data is present on the map.
<a href="#">BUG-000168949</a>	In ArcGIS Pro, the Conflict Manager window does not highlight changes in bold or conflicts in red if the fabric error layers are above the fabric topology in the Contents pane.
<a href="#">BUG-000168970</a>	Creating a new cul-de-sac feature causes ArcGIS Pro to crash in version 3.3.
<a href="#">BUG-000168979</a>	ArcMap user who reads file geodatabases created with ArcGIS Pro 3.3.1 can view the two new geodatabase system tables for the storage of Editing Templates (GDB_EditingTemplates and GDB_EditingTemplateRelationships).
<a href="#">BUG-000169009</a>	Display domain descriptions instead of domain codes for features in the Explore panel when selecting a category in ArcGIS Indoors.
<a href="#">BUG-000169011</a>	The Export Attachments tool adds the incorrect ObjectID value as a prefix when the input dataset is a feature service.
<a href="#">BUG-000169062</a>	The Explore and Select tools do not display all visible object classes in the pop-up in ArcGIS Pro.
<a href="#">BUG-000169069</a>	In ArcGIS Pro, the Select By Attributes tool does not display all values from the field of layers published to ArcGIS Enterprise portal.
<a href="#">BUG-000169088</a>	Importing an ArcMap map document (.mxd file) to ArcGIS Pro with a classified raster symbology flips or inverts the class label.
<a href="#">BUG-000169091</a>	Query layers created using browser-based single sign-on (SSO) connections to Snowflake are broken after closing and reopening a project.
<a href="#">BUG-000169120</a>	The Tile LAS tool fails when run as a Python script without dimensions if the file_size parameter is included.
<a href="#">BUG-000169138</a>	A constraint violation error can occur if a feature is edited multiple times and the version is saved before posting.
<a href="#">BUG-000169152</a>	If the folder name contains a comma (,), the Share As Web Style option in ArcGIS Pro fails to recognize existing web styles with the same name in ArcGIS Online.
<a href="#">BUG-000169160</a>	When a feature class is converted to KML, the feature name does not preserve the field set to display when opened in Google Earth Pro.
<a href="#">BUG-000169182</a>	All feature classes in the selected output geodatabase are deleted when the geocoding cache is exported.
<a href="#">BUG-000169238</a>	Upgrade enterprise geodatabase fails on SQL Server when colregistry_fk is missing.
<a href="#">BUG-000169311</a>	The Create Vector Tile Package tool fails when the polygon layer is set to the 'Straight in polygon' or 'Curved in polygon' placement positions under the Placement parameter.
<a href="#">BUG-000169325</a>	The Build Multidimensional Transpose tool is not working through ArcPy when using Python from ArcGIS Server on Linux.
<a href="#">BUG-000169369</a>	A syntax error is returned when publishing custom geoprocessing services from ArcGIS Pro to ArcGIS Enterprise.
<a href="#">BUG-000169401</a>	Crash in recycling popup when hovering on the tool status banner if the geoprocessing pane is unpinned
<a href="#">BUG-000169407</a>	Unable to use inline variable substitution for the Weights Matrix File parameter in the Hot Spot Analysis (Getis-Ord Gi*) tool.

<b>Issue</b>	<b>Description</b>
<a href="#">BUG-000169442</a>	Support the SAP HANA Cloud application lock API within the branch versioning transaction model.
<a href="#">BUG-000169582</a>	When editing the field map parameter in the Export Table dialog box in ArcGIS Pro, hovering over a field and clicking the Remove button deletes the field and other selected fields.
<a href="#">BUG-000169646</a>	The "999999: Something unexpected caused the tool to fail." error is returned when running the Project Raster tool in ArcGIS Pro.
<a href="#">BUG-000169647</a>	There is an issue connecting to ArcGIS Pro 3.2.0 and above with an expiring SQL Server authenticated username and the error message, "ERROR: Bad connection handle" is returned.
<a href="#">BUG-000169652</a>	Exporting the layout to PDF runs endlessly when the data is symbolized with the Gradient Border, No Fill, ready-made symbol.
<a href="#">BUG-000169731</a>	When importing a traverse file, the system does not read a file searched using the search bar in the Import Traverse window if the file is not located in the subfolder.
<a href="#">BUG-000169741</a>	The Suitability Modeler reports fails to generate when the data is in TIFF format.
<a href="#">BUG-000169790</a>	In ArcGIS Pro 3.3, sharing a web tool does not include all reference codes in the service definition.
<a href="#">BUG-000169839</a>	Changing the tolerance values for confirmation guidance or turn guidance landmarks in a network dataset property causes the direction text to no longer display the level information.
<a href="#">BUG-000169875</a>	The Zonal Statistics as Table tool fails and returns the following error message, "ERROR 999999: Something unexpected caused the tool to fail. Contact Esri Technical Support ( <a href="http://esriurl.com/support">http://esriurl.com/support</a> ) to Report a Bug, and refer to the error help for potential solutions or workarounds." when the Statistics Type parameter is set to 'Majority percentage', 'Minority percentage', 'Majority value, count, and percentage', and 'Minority value, count, and percentage', and the Output Table parameter is set to an enterprise geodatabase.
<a href="#">BUG-000169929</a>	ArcGIS Pro crashes when working with a multipatch created from GL Transmission Format (.gltf) files using the Import 3D Objects tool.
<a href="#">BUG-000169980</a>	When a geocode service is running with multiple pods in ArcGIS Enterprise on Kubernetes, some requests return an error or fail to return a result.
<a href="#">BUG-000169981</a>	In ArcGIS Pro, the Project Raster geoprocessing tool fails and returns the 999999 error when the output raster is in TIFF format and the cell size is very small.
<a href="#">BUG-000169994</a>	Running the Raster to Point tool on a multidimensional netCDF file results in the output points being located in the wrong places on the map.
<a href="#">BUG-000170000</a>	Opening the attribute table for a Snowflake query layer containing polyline spatial data causes ArcGIS Pro to crash.
<a href="#">BUG-000170008</a>	Custom parameters are dropped in requests from ArcGIS Pro to Web Map Tile Service (WMTS) services used in the organization's custom basemap gallery group if the web map is authored in ArcGIS Online and Portal for ArcGIS Map Viewer.
<a href="#">BUG-000170018</a>	ArcGIS Pro crashes when adding CAD data (.dwg).

<b>Issue</b>	<b>Description</b>
<a href="#">BUG-000170026</a>	When exporting a report created from a hosted feature layer with short, long, or double data types, the output does not match the specified formatting in the sorting category.
<a href="#">BUG-000170246</a>	When exporting layouts to PDF in ArcGIS Pro, the hyperlinks on text elements are intermittently lost.
<a href="#">BUG-000170270</a>	In ArcGIS Pro 3.3.1, the last edited date is not updated when copying or pasting attributes in the Nautical feature class dataset of ArcGIS Maritime.
<a href="#">BUG-000170275</a>	The Enable Network Topology tool runs slowly when there are many errors.
<a href="#">BUG-000170295</a>	ArcGIS Pro crashes when generating a ModelBuilder Report using the Create Feature Class geoprocessing tool, specifically when the software is set to Japanese.
<a href="#">BUG-000170439</a>	Unassigned layers are unexpectedly appearing in the legend of a duplicated layout when reopening an ArcGIS Pro project file (.aprx).
<a href="#">BUG-000170449</a>	The Append Routes tool fails on a line referencing system (LRS) feature service with an "AppendRoutesAsync" error.
<a href="#">BUG-000170480</a>	The subtype group layers, subtype group tables, and object error layers are not working against the proper version despite the Change Version tool being executed.
<a href="#">BUG-000170483</a>	The ArcGIS World Geocoding Service fails to correctly geocode Irish Eircode F93.
<a href="#">BUG-000170502</a>	Feature services published using offline service definitions created in ArcGIS Pro do not preserve the Unique Values symbology.
<a href="#">BUG-000170506</a>	In ArcGIS Pro 3.3.1, if a feature layer has a particular Arcade expression in the pop-up configuration, the error "Error: External sharing process failed" is returned while sharing a web layer successfully.
<a href="#">BUG-000170543</a>	The Create Mobile Geodatabase tool fails and returns the 999999 error when the geodatabase location name contains a percent sign (%).
<a href="#">BUG-000170548</a>	Clicking a polygon after using the Snap geoprocessing tool causes the selection tool to hang when working with large parcel fabric datasets.
<a href="#">BUG-000170589</a>	SAP HANA service memory showing high utilization from feature service queries
<a href="#">BUG-000170601</a>	ERROR 000582 is returned during execution when attempting to run the Create Replica tool with related data and the 'Xml file' output type.
<a href="#">BUG-000170633</a>	The geoprocessing framework clears the toolbox before processing the custom operation when using the Generate Product Layout tool.
<a href="#">BUG-000170636</a>	A grid selector selects the wrong XML file when the area of interest is next to a UTM zone boundary.
<a href="#">BUG-000170637</a>	The Generate Topographic Contours tool must improve results in flat areas.
<a href="#">BUG-000170646</a>	Users licensed with the Image Analyst extension but assigned as a user type lower than the Professional Plus, such as the Creator, are unable to access the Raster Calculator geoprocessing tool in ArcGIS Pro.
<a href="#">BUG-000170661</a>	With an OGC API Features service connection, the custom request parameter BBOX is not honored on OGC API Feature Collection items when adding a collection to the map.

<b>Issue</b>	<b>Description</b>
<a href="#">BUG-000170667</a>	The Generate Geodatabase From Excel (Topographic Production) does not create a feature class if the 'ObjectClassGeometry' is set according to the documentation ('esriFTGeometry', 'esriFTGeometryPolyline', 'esriFTGeometryPolygon').
<a href="#">BUG-000170706</a>	The process of the Create Point Cloud Scene Layer Content tool fails when the output path or the output scene layer package (.slpk) name contains multi-byte characters such as Japanese.
<a href="#">BUG-000170753</a>	The Generate Segmentation Profile Report tool does not generate stripped XLSX, XLSX, XML, ZIP, or CSV outputs.
<a href="#">BUG-000170799</a>	The UtilityNetworkDefinition.GetNetworkAttributes method returns an exception message, "GeodatabaseException: COMException: Error HRESULT E_FAIL has been returned from a call to a COM component."
<a href="#">BUG-000170800</a>	In ArcGIS Pro 3.3, dynamic text tags using single quotes do not display properly.
<a href="#">BUG-000170853</a>	Taking UN data offline as simple features passes wrong bit value in createReplica call.
<a href="#">BUG-000170868</a>	While running the Extract by Mask tool on a raster with NoData values, setting the Extraction Area as 'Outside' causes the NoData values to become 0 (Zero).
<a href="#">BUG-000170874</a>	Optimize the validate operation to prevent rebuilding features associated with errors.
<a href="#">BUG-000170886</a>	Unable to use the Generate OIS Obstacle Data geoprocessing tool without the ArcGIS 3D Analyst extension.
<a href="#">BUG-000170898</a>	When the attached parcel fabric dataset is used as the input parcel layer, the Build Parcel Fabric geoprocessing tool fails without error.
<a href="#">BUG-000170947</a>	The HTTP in-memory response cache is overflowing, resulting in requests to not be cached.
<a href="#">BUG-000170977</a>	The Calculate Locations tool does not set the Status field to 7 when a point is not located on the closest network element.
<a href="#">BUG-000171057</a>	jumpy frame center
<a href="#">BUG-000171092</a>	The Cartographic Information Model (CIM) symbol for the Control Measure: line (Category) polyline graphics appears incorrect when using the Print widget in ArcGIS Maps SDK for JavaScript v4.30.
<a href="#">BUG-000171093</a>	FeatureSetByRelationshipClass is not resolving the relationship catalogId to the layer name.
<a href="#">BUG-000171138</a>	The Align Parcels tool sometimes breaks topological relationships between adjoining parcels.
<a href="#">BUG-000171184</a>	The Update Subnetwork tool fails and returns the error message, "ERROR 001872: A database error was encountered."
<a href="#">BUG-000171243</a>	Using the Explore tool from the Map tab after attempting to add calibration points to an LRS dataset causes ArcGIS Pro to crash.
<a href="#">BUG-000171552</a>	Batch geocoding against a geocoding service fails in ArcMap and when using GeocodeAddresses API with SOAP
<a href="#">BUG-000171575</a>	Path swizzling issues with multiValue output parameters
<a href="#">BUG-000171576</a>	Merge - tool does not honor field map edits made to arcpy.fieldMapping() objects when inputs are feature layers

<b>Issue</b>	<b>Description</b>
<a href="#">BUG-000171577</a>	bEditorTrackingEnabled is not initialized with in-memory class input in GPESRIExportFeaturesFunction.cpp
<a href="#">BUG-000171638</a>	EHSA - Improve FDR Memory/Speed
ENH-000085021	Add the ability to minimize the attribute table pane in ArcGIS Pro.
ENH-000101638	ArcGIS Pro should support local environment variables such as %USERPROFILE% in specification of cache path.
ENH-000105330	Please add a link in to the Create, modify, and delete documentation to the Delete Fields tool documentation under "Related Topics."
ENH-000108033	ArcGIS Pro 2.0.1, For Profile Graph please allow for ability of "vertical exaggeration" of axes. Currently, can physically make the dialog larger/smaller, which sometimes effects axes displayed, but cannot manually alter axes, height, etc. of the graph itself.
ENH-000109883	Add BYN file conversion capability to the Projection Engine, and add the GSD95 height model for Canada to PD.
ENH-000111009	Create a python module to work with annotations in Arcpy
ENH-000113393	Adding the option of custom customization of legend patch for ArcGIS Pro.
ENH-000118203	Provide the ability for ArcGIS Online account administrator to control which users can set their Named User license for ArcGIS Pro to work offline and how long can the users take the ArcGIS Pro license offline.
ENH-000127627	Request to add functionality to adjust the X and Y axes intervals manually, when working with Profile Graphs in ArcGIS Pro.
ENH-000128750	In ArcGIS Pro with versioned data the versioning tab should be active automatically
ENH-000129001	Within ArcMap, you are able to change the data source of an event layer rather easily. This is not possible in ArcGIS Pro
ENH-000131719	Functionality to customize value of X-axis while Creating a Profile Graph in ArcGIS Pro.
ENH-000134925	Allow to instantly edit attributes for multiple features in "Attributes" pane if selected features are from the same feature class
ENH-000135815	Distinguish between Group Layer and Annotation Feature Class in instructions for placing unplaced geodatabase annotation features in ArcGIS Pro
ENH-000136479	Please consider adding a technical article, or notes to an existing technical article, that explained how pip can be used to manage python packages with ArcGIS Pro python environments when using conda is not appropriate.
ENH-000136910	Update the documentation for Understanding how to use Microsoft Excel files in ArcGIS to include information on what driver needs to be installed.
ENH-000136921	Update the error message when adding a relationship class in ArcGIS Pro
ENH-000137900	Improve the ServerValidation capability to no longer display errors in the ArcGIS Server logs nor have ArcGIS Pro call the ServerValidation endpoint if the capability is not enabled during publishing
ENH-000138012	Requesting 'Export As Table' function on 'Profile Graph'
ENH-000141774	Add the ability when plotting charts and histograms through "Statistics" on a field to use domain descriptions instead of coded attribute values.



<b>Issue</b>	<b>Description</b>
ENH-000142733	Add more details regarding staging folder capacity to the staging-related error messages in ArcGIS Pro
ENH-000145736	Allow the user to select which version of Pro they want to upgrade to inside the application.
ENH-000146007	Please enhance the "Find Gaps and Overlaps" parcel fabric tool to produce a table of errors found.
ENH-000147116	When projecting a layer, Output Coordinate System is identified as "Current Coordinate System."
ENH-000148295	Export folder setting - users want to persist the export location at the project, layout or map level.
ENH-000149035	Enhance the publishing of Web Tile Layer configurations to have more levels of detail from the list of pre-defined coordinate systems available in ArcGIS Pro.
ENH-000149063	Allow for TIN Symbology name to be easily editable
ENH-000150414	Provide the ability to sort by selected vertices in the Edit vertices window from the Edits toolbar
ENH-000150453	Provide the ability to Toggle visibility for individual Symbol Categories in Table of Contents in ArcGIS Pro
ENH-000150714	Request to add the "distance field parameter" for the Generate Points Along Lines geoprocessing tool in ArcGIS Pro
ENH-000151167	Horizontal scroll on mouse does not work in ArcGIS Pro 3.0
ENH-000151466	Request to add an 'Ignore Error' option to the Append tool in ArcGIS Pro
ENH-000152440	Provide Flash Route Location and Zoom to Route Location in the Find Routes Pane
ENH-000153017	Improve geographic transformation handling in the geoprocessing environment.
ENH-000153788	ArcGIS Pro's Notation Formats documentation incorrectly states Degrees are 0 to 90 (latitude)
ENH-000154572	The scale bar in an ArcGIS Pro map series adjusts division values differently than in ArcMap.
ENH-000154736	In ArcGIS Pro, allow uses to manually set X and Y intervals for profile graphs
ENH-000154911	Customize Labels of graduated color classes get updated, when change in values happens
ENH-000154963	Allow ArcGIS Pro Full Motion Video to support video metadata that is in a system other than WGS84
ENH-000156156	Provide an option to keep the file path empty while copying and pasting excel rows on a Layout.
ENH-000156424	The Data Reviewer Browse Feature tool should zoom to the extent of the feature.
ENH-000157071	Calculate Geometry does not have an undo toggle and will not be listed in the save edits operation when running in an edit session
ENH-000157754	Provide the ability to modify the measurement for report margin in ArcGIS Pro.
ENH-000158444	Provide the capability to move multiple selected annotations with leaders in ArcGIS Pro.

Issue	Description
ENH-000159375	ArcGIS Pro allows the option to view both field names and alias' when using Calculate Field, so users sometimes type in the alias rather than the field name leading to a generic error, 'Field name does not exist'. The request is to notify the user via an error that they have entered an alias instead of a field name
ENH-000159377	Request for Web Tile Map Service in WebP tile format support in ArcGIS Pro
ENH-000159917	Support for controlling geodatabase topology highlight appearance when editing edges using geodatabase topology in ArcGIS Pro.
ENH-000161203	Edit TIN documentation for the Input Parameter Type of the Dialog Box description is confusing.
ENH-000161515	Request to add 'ArcMap' 'Angle-Distance construction' function into ArcGIS Pro
ENH-000163093	Include Workspace edit session Setting in Pro.settingsConfig file for Administrator Settings
ENH-000164197	Provide the ability to filter data by extent prior to opening a large dataset's attribute table.
ENH-000164272	After creating a layer using the "make layer from selection" option, the message found in the Source section from the layer properties is misleading.
ENH-000164489	Update the Custom Evaluators Network Analyst documentation to provide code sample on how to leverage custom fields in the Edge's Attribute Table within Restrictions and Costs.
ENH-000164491	When selecting a vertex on the map, please provide functionality to automatically navigate to the selected vertex in the Edit Vertices Pane in ArcGIS Pro.
ENH-000164839	Requesting to add support for a new CIMSymbol that uses Control Measure Effect to draw a 'multi-buffer' graphic in ArcGIS Maps SDK for JavaScript v4.28.
ENH-000164876	Enhance the Copy Parcels geoprocessing tool so that non-coincident parcel lines can be copied to a new parcel fabric.
ENH-000165219	Provide information in Esri's documentation on all possible values that can be used to adjust the properties of a service definition draft file using ArcPy.
ENH-000165569	Add the ability to specify the number of adjoining sheets to include when running the Generate Adjoining Sheets Features tool.
ENH-000165616	Be able to view domain values when using a single feature class as the input in the generate schema report tool.
ENH-000165671	Request to register WKID for WYDOT Albers projection
ENH-000165827	Support also MobileGeodatabase as Output of the Extract Data from Geodatabase-Tool
ENH-000165851	ArcGIS Pro: Add a geographic transformation for NAD83(CSRS)v2 (8237) and NAD83 CSRS (6140) in the Projection engine.
ENH-000166003	Add a grid to a layout from a Custom style (*.stylx file) using ArcPy .listStyleItems.
ENH-000166267	Request to enable the Generate Points Along Line tool to honor geodesic length in ArcGIS Pro
ENH-000166492	Provide the ability for the user to manage the default Resize window settings for PDFs exported from ArcGIS Pro

Issue	Description
ENH-000167049	Allow for an attribute rule error message to appear as a pop-up when using a task in ArcGIS Pro
ENH-000167653	When using ENC files in ArcGIS Pro, automatically truncate the OBJNAM value for feature labels, as was the functionality in ArcMap, with the option to display the entire label after the ENC loads in the Map View
ENH-000167813	Provide documentation on .pitemx file and instructions on how to add a .pitemx file to ArcGIS Pro.
ENH-000168053	Request for the command-line parameters for silent deauthorization of a single-use license in ArcGIS Pro, along with the documentation.
ENH-000168087	Add different wording or a a notification that a Notebook as been added to the Catalog pane for the Add Notebook button in the Insert tab
ENH-000168117	Add the option to the Validate Topology tool to use the Visible Extent parameter (in both the Dialog and Python)
ENH-000169397	Grammatically incorrect description of distanceAlongCurve parameter in QueryPointAndDistance method
ENH-000171625	Add a warning message that edits will be lost if an offline map is removed without syncing.